

Article

Nicholas (Nick) G. Martin and the Extended Twin Model

Hermine H. Maes

Virginia Institute for Psychiatric and Behavioral Genetics, Virginia Commonwealth University, Richmond, VA, USA

Abstract

The extended twin model is a unique design in the genetic epidemiology toolbox that allows to simultaneously estimate multiple causes of variation such as genetic and cultural transmission, genotype–environment covariance and assortative mating, among others. Nick Martin has played a key role in the conception of the model, the collection of substantially large data sets to test the model, the application of the model to a range of phenotypes, the publication of the results including cross-cultural comparisons, the evaluation of bias and power of the design and the further elaborations of the model, such as the children-of-twins design.

Keywords: Extended twin model; genetic transmission; cultural transmission; extended pedigrees

(Received 20 February 2020; accepted 12 April 2020)

I first met Nick at the very first ‘Twin Methodology’ workshop held in Leuven, Belgium, in 1987, and since then I have had the pleasure of seeing him at almost every workshop (at 34 right now and counting). I was lucky enough to be able to attend the first workshop as it was held at my alma mater. Then I helped organize the next, and from then on, I was invited to help teach them. Nick and I have spent countless sessions teaching ‘the ACE model 101’ together to hundreds of workshop participants, with the same level of enthusiasm from Nick as at the first workshop. It was this enthusiasm for science and the desire to improve how investigators analyze their data that attracted me to pursue this line of research and led me to move to Richmond for a postdoc with Lindon Eaves.

Although Nick had already moved on from Richmond to Brisbane to start his own genetic epidemiology unit, his first major data collection project was clearly inspired by the work he had done with Lindon. They had conceived the extended twin (ET) model. Recognizing the limitations of the classical twin study, which typically partitions the variance in a trait in additive genetic (A), common (C) and unique (E) environmental sources, they sought to extend it to include other relatives such as the parents, siblings, spouses and children of twins (COTs). These extensions allow one to both evaluate the consistency of the estimates of the genetic and environmental contributions to the variance across a range of relationships and estimate additional sources of variance confounded with simpler study designs. The ET model (Eaves, Heath, Martin, Neale et al., 1999) provides a test for environmental or cultural transmission as well as genetic transmission, thus dividing the shared environment into sources shared with parents and those shared with siblings but not parents. In addition, dominance variance can now be simultaneously estimated with shared environmental variance. Further excess environmental sharing in twins compared to siblings can be quantified as ‘special twin environment’ or reflect potential age-specific effects of genes.

Sex differences in all these sources of variance can equally be evaluated. Finally, relationship through marriage provide information about the extent of assortative mating.

Thus, from the theory of the causes of variation in human behavior, they developed a model system (Truett et al., 1994) for the analysis of family resemblance in extended kinships of twins, and collected data on health and lifestyle from a large sample of twins and their relatives and then fitted their model to the data and started the ‘stealth’ revolution. A path diagram of the model resembled a stealth bomber, a fitting name for a powerful model. Questionnaire data were collected on thousands of twins and their relatives both in Virginia (the Virginia 30,000) and in Australia (the Australia 25,000), allowing researchers to this day to explore the complexities of the causes of variation in complex traits ranging from social attitudes (Eaves, Heath, Martin, Maes et al., 1999), depressive symptoms (Kendler et al., 1994), panic and phobias (Kendler et al., 1995), body mass index (Bergin et al., 2012; Maes et al., 1997), church attendance (Kirk et al., 1999), alcohol use (Maes et al., 1999; Verhulst et al., 2018), neuroticism (Boomsma et al., 2018; Lake et al., 2000), smoking initiation (Maes et al., 2018; Maes et al., 2006), political attitudes (Hatemi et al., 2009), and so on. Many of these publications would not have happened had it not been for Nick’s generosity of data, time, encouragement, travel assistance and hospitality, discussing results over wine and good food, often accompanied by excellent classical music.

Through these interactions, Nick inspired graduate students and postdocs to further explore the ET model. While the first iterations and applications of the ET model were written in Fortran, we developed code in Mx and later in OpenMx (Maes et al., 2009) that allowed fitting it to raw data, to continuous and categorical data, incorporating covariates and extending it to the multivariate case (Maes et al., 1999). Alternative mechanisms of intergenerational transmission and assortment — phenotypic cultural transmission and social homogamy — were coded (Keller et al., 2009). New programs were written to simulate

Author for correspondence: Hermine Maes, Email: hermine.maes@vcuhealth.org

Cite this article: Maes HH, Nicholas (Nick) G. Martin and the Extended Twin Model.

Twin Research and Human Genetics <https://doi.org/10.1017/thg.2020.37>

© The Author(s) 2020.

data to evaluate bias, precision and accuracy of the parameter estimates (Coventry & Keller, 2005; Keller et al., 2010) as well as power associated with different family structures (Medland & Keller, 2009). Additional relatives (Vinkhuyzen et al., 2012) and non-biologically related family members (Leve et al., 2018; Maes et al., 2007) were included. The utility of subsets of the data, such as COTs, to disentangle genetic from cultural transmission was explored (Docherty et al., 2015; Eaves et al., 2005) and expanded (Marceau et al., 2015; McAdams et al., 2018). Cross-cultural comparisons were undertaken to test the reproducibility and consistency of findings (Lake et al., 2000; Maes et al., 2018). Twin registries were expanded with data collected from other relatives (Boomsma et al., 2008; Kaprio et al., 1987; Ligthart et al., 2019), recognizing the added value, not just in terms of power but in capturing more of the nuances of how genetic and environmental factors act and interact in creating individual differences. The list of phenotypes to which these models has been applied continues to grow, with publications on brain structure (Posthuma et al., 2000), blood pressure (Kupper et al., 2005), parturition timing (Kistka et al., 2008), personality disorder (Distel et al., 2009), intelligence (Vinkhuyzen et al., 2012), political orientation (Kandler et al., 2012), proinflammatory state (Neijts et al., 2013), personality (Hahn et al., 2012; Kandler et al., 2019) and political affiliation (Hufer et al., 2019; Kornadt et al., 2018). On a personal note, Nick has been extremely supportive in my career — and deserves every spot as coauthor and contributor. Furthermore, he genuinely cares about moving the field of (behavior) genetics forward and has clearly put his stamp on developing models for ET kinships, collecting relevant data and fitting ET models to them, and through it all mentored and encouraged his academic extended family, while enjoying their company during ‘just bring food’ dinners, good wine and, if possible, listening to some lovely music. Thanks, Nick!

References

- Bergin, J. E., Neale, M. C., Eaves, L. J., Martin, N. G., Heath, A. C., & Maes, H. H. (2012). Genetic and environmental transmission of body mass index fluctuation. *Behavior Genetics*, 42, 867–874.
- Boomsma, D. I., Helmer, Q., Nieuwboer, H. A., Hottenga, J. J., de Moor, M. H., van den Berg, S. M., de Geus, E. J. (2018). An extended twin-pedigree study of neuroticism in the Netherlands Twin Register. *Behavior Genetics*, 48, 1–11.
- Boomsma, D. I., Willemsen, G., Vink, J. M., Bartels, M., Groot, P., Hottenga, J. J., van der Kleij, F. (2008). Design and implementation of a twin-family database for behavior genetics and genomics studies. *Twin Research and Human Genetics*, 11, 342–348.
- Coventry, W. L. & Keller, M. C. (2005). Estimating the extent of parameter bias in the classical twin design: A comparison of parameter estimates from extended twin-family and classical twin designs. *Twin Research and Human Genetics*, 8, 214–223.
- Distel, M. A., Rebollo-Mesa, I., Willemsen, G., Derom, C. A., Trull, T. J., Martin, N. G., & Boomsma, D. I. (2009). Familial resemblance of borderline personality disorder features: Genetic or cultural transmission? *PLoS One*, 4, e5334.
- Docherty, A. R., Kremen, W. S., Panizzon, M. S., Prom-Wormley, E. C., Franz, C. E., Lyons, M. J., Neale, M. C. (2015). Comparison of twin and extended pedigree designs for obtaining heritability estimates. *Behavior Genetics*, 45, 461–466.
- Eaves, L., Heath, A., Martin, N., Maes, H., Neale, M., Kendler, K., Corey, L. (1999). Comparing the biological and cultural inheritance of personality and social attitudes in the Virginia 30,000 study of twins and their relatives. *Twin Research*, 2, 62–80.
- Eaves, L. J., Heath, A. C., Martin, N. G., Neale, M. C., Meyer, J. M., Silberg, J. L., Walters, E. (1999). Biological and cultural inheritance of stature and attitudes. In C. R. Cloninger (Ed.), *Personality and psychopathology* (pp. 269–308). Washington, DC: American Psychiatric Press.
- Eaves, L. J., Silberg, J. L., & Maes, H. H. (2005). Revisiting the children of twins: Can they be used to resolve the environmental effects of dyadic parental treatment on child behavior? *Twin Research and Human Genetics*, 8, 283–290.
- Hahn, E., Spinath, F. M., Siedler, T., Wagner, G. G., Schupp, J., & Kandler, C. (2012). The complexity of personality: Advantages of a genetically sensitive multi-group design. *Behavior Genetics*, 42, 221–233.
- Hatemi, P. K., Funk, C. L., Medland, S., Maes, H. H., Silberg, J. L., Martin, N. G., & Eaves, L. J. (2009). Genetic and environmental transmission of political attitudes over a life time. *The Journal of Politics*, 71, 1141–1156.
- Hufer, A., Kornadt, A. E., Kandler, C., & Riemann, R. (2019). Genetic and environmental variation in political orientation in adolescence and early adulthood: A nuclear twin family analysis. *Journal of Personality and Social Psychology*, 118, 762–776.
- Kandler, C., Bleidorn, W., & Riemann, R. (2012). Left or right? Sources of political orientation: The roles of genetic factors, cultural transmission, assortative mating, and personality. *Journal of Personality and Social Psychology*, 102, 633–645.
- Kandler, C., Penner, A., Richter, J., & Zapko-Willmes, A. (2019). The Study of Personality Architecture and Dynamics (SPeADy): A longitudinal and extended twin family study. *Twin Research and Human Genetics*, 22, 548–553.
- Kaprio, J., Rose, R. J., Sarna, S., Langinvainio, H., Koskenvuo, M., Rita, H., & Heikkila, K. (1987). Design and sampling considerations, response rates, and representativeness in a Finnish twin family study. *Acta Geneticae Medicae et Gemellologiae (Roma)*, 36, 79–93.
- Keller, M. C., Medland, S. E., & Duncan, L. E. (2010). Are extended twin family designs worth the trouble? A comparison of the bias, precision, and accuracy of parameters estimated in four twin family models. *Behavior Genetics*, 40, 377–393.
- Keller, M. C., Medland, S. E., Duncan, L. E., Hatemi, P. K., Neale, M. C., Maes, H. H., & Eaves, L. J. (2009). Modeling extended twin family data I: Description of the Cascade model. *Twin Research and Human Genetics*, 12, 8–18.
- Kendler, K. S., Walters, E. E., Truett, K. R., Heath, A. C., Neale, M. C., Martin, N. G., & Eaves, L. J. (1994). Sources of individual differences in depressive symptoms: Analysis of two samples of twins and their families. *American Journal of Psychiatry*, 151, 1605–1614.
- Kendler, K. S., Walters, E. E., Truett, K. R., Heath, A. C., Neale, M. C., Martin, N. G., & Eaves, L. J. (1995). A twin-family study of self-report symptoms of panic-phobia and somatization. *Behavior Genetics*, 25, 499–515.
- Kirk, K. M., Maes, H. H., Neale, M. C., Heath, A. C., Martin, N. G., & Eaves, L. J. (1999). Frequency of church attendance in Australia and the United States: Models of family resemblance. *Twin Research*, 2, 99–107.
- Kistka, Z. A., DeFranco, E. A., Ligthart, L., Willemsen, G., Plunkett, J., Muglia, L. J., & Boomsma, D. I. (2008). Heritability of parturition timing: An extended twin design analysis. *American Journal of Obstetrics and Gynecology*, 199, 43e41–45.
- Kornadt, A. E., Hufer, A., Kandler, C., & Riemann, R. (2018). On the genetic and environmental sources of social and political participation in adolescence and early adulthood. *PLoS One*, 13, e0202518.
- Kupper, N., Willemsen, G., Riese, H., Posthuma, D., Boomsma, D. I., & de Geus, E. J. (2005). Heritability of daytime ambulatory blood pressure in an extended twin design. *Hypertension*, 45, 80–85.
- Lake, R. I., Eaves, L. J., Maes, H. H., Heath, A. C., & Martin, N. G. (2000). Further evidence against the environmental transmission of individual differences in neuroticism from a collaborative study of 45,850 twins and relatives on two continents. *Behavior Genetics*, 30, 223–233.
- Leve, L. D., Neiderhiser, J. M., Harold, G. T., Natsuaki, M. N., Bohannon, B. J. M., & Cresko, W. A. (2018). Naturalistic experimental designs as tools for understanding the role of genes and the environment in prevention research. *Prevention Science*, 19, 68–78.
- Ligthart, L., van Beijsterveldt, C. E. M., Kevenaar, S. T., de Zeeuw, E., van Bergen, E., Bruins, S., Boomsma, D. I. (2019). The Netherlands Twin Register: Longitudinal research based on twin and twin-family designs. *Twin Research and Human Genetics*, 22, 623–636.

- Maes, H. H., Morley, K., Neale, M. C., Kendler, K. S., Heath, A. C., Eaves, L. J., & Martin, N. G. (2018). Cross-cultural comparison of genetic and cultural transmission of smoking initiation using an extended twin kinship model. *Twin Research and Human Genetics, 21*, 179–190.
- Maes, H. H., Neale, M. C., & Eaves, L. J. (1997). Genetic and environmental factors in relative body weight and human adiposity. *Behavior Genetics, 27*, 325–351.
- Maes, H. H., Neale, M. C., Kendler, K. S., Martin, N. G., Heath, A. C., & Eaves, L. J. (2006). Genetic and cultural transmission of smoking initiation: An extended twin kinship model. *Behavior Genetics, 36*, 795–808.
- Maes, H. H., Neale, M. C., Martin, N. G., Heath, A. C., & Eaves, L. J. (1999). Religious attendance and frequency of alcohol use: Same genes or same environments: A bivariate extended twin kinship model. *Twin Research, 2*, 169–179.
- Maes, H. H., Neale, M. C., Medland, S. E., Keller, M. C., Martin, N. G., Heath, A. C., & Eaves, L. J. (2009). Flexible Mx specification of various extended twin kinship designs. *Twin Research and Human Genetics, 12*, 26–34.
- Maes, H. H., Silberg, J. L., Neale, M. C., & Eaves, L. J. (2007). Genetic and cultural transmission of antisocial behavior: An extended twin parent model. *Twin Research and Human Genetics, 10*, 136–150.
- Marceau, K., Narusyte, J., Lichtenstein, P., Ganiban, J. M., Spotts, E. L., Reiss, D., & Neiderhiser, J. M. (2015). Parental knowledge is an environmental influence on adolescent externalizing. *Journal of Child Psychology and Psychiatry, 56*, 130–137.
- McAdams, T. A., Hannigan, L. J., Eilertsen, E. M., Gjerde, L. C., Ystrom, E., & Rijdsdijk, F. (2018). Revisiting the children-of-twins design: Improving existing models for the exploration of intergenerational associations. *Behavior Genetics, 48*, 397–412.
- Medland, S. E. & Keller, M. C. (2009). Modeling extended twin family data II: power associated with different family structures. *Twin Research and Human Genetics, 12*, 19–25.
- Neijts, M., van Dongen, J., Klufft, C., Boomsma, D. I., Willemsen, G., & de Geus, E. J. (2013). Genetic architecture of the pro-inflammatory state in an extended twin-family design. *Twin Research and Human Genetics, 16*, 931–940.
- Posthuma, D., de Geus, E. J., Neale, M. C., Hulshoff Pol, H. E., Baare, W. E. C., Kahn, R. S., & Boomsma, D. (2000). Multivariate genetic analysis of brain structure in an extended twin design. *Behavior Genetics, 30*, 311–319.
- Truett, K. R., Eaves, L. J., Walters, E. E., Heath, A. C., Hewitt, J. K., Meyer, J. M., & Kendler, K. S. (1994). A model system for analysis of family resemblance in extended kinships of twins. *Behavior Genetics, 24*, 35–49.
- Verhulst, B., Neale, M. C., Eaves, L. J., Medland, S. E., Heath, A. C., Martin, N. G., & Maes, H. H. (2018). Extended twin study of alcohol use in Virginia and Australia. *Twin Research and Human Genetics, 21*, 163–178.
- Vinkhuyzen, A. A., van der Sluis, S., Maes, H. H., & Posthuma, D. (2012). Reconsidering the heritability of intelligence in adulthood: Taking assortative mating and cultural transmission into account. *Behavior Genetics, 42*, 187–198.