

## **ScienceDirect**



# Three individual difference constructs, one converging concept: adaptive problem solving in the human brain

Rex E Jung and Muhammad O Chohan



The study of human individual differences has matured significantly, in the last decade or so owing, in part, to the notable advances in neuroimaging techniques. There are three major domains of inquiry within individual differences research: personality, creativity, and intelligence. Each has a discrete. testable definition (a new definition for intelligence is offered: rapid and accurate problem solving), and each has been associated with distinct brain regions and interactive networks. Here, we outline commonalities between these constructs. which appear to conform to two major axes: exploratory behavior and restraint. These axes, in turn, conform largely to two major brain networks dedicated to novelty generation (i.e. default mode network - DMN), and refinement of ideas (i.e. cognitive control network - CCN). Thus, human individual differences represent the expression of adaptive behaviors leading to exploratory and/or restrained action arising from brain structure and function.

#### Address

Department of Neurosurgery, University of New Mexico, United States

Corresponding author: Jung, Rex E (rex.jung@runbox.com)

Current Opinion in Behavioral Sciences 2019, 27:163-168

This review comes from a themed issue on **Creativity**Edited by **Rex Jung** and **Hikaru Takeuuchi** 

https://doi.org/10.1016/j.cobeha.2019.03.002

2352-1546/© 2018 Elsevier Inc. All rights reserved.

#### Introduction

The study of human individual differences has entered a renaissance period in the last decade, particularly with the incorporation of neuroimaging techniques designed to explore discrete cortical networks involved in the manifestation of personality, creativity, and intelligence [1–3]. There will be those rare souls who ceaselessly lament the lack of progress in these endeavors [4], like an idée fixe [5–7]; however, the scope and pace of advancement are beyond doubt to even the most cursory review (see this issue of Current Opinions, as well as Ref. [8]). Let us be clear: no one in the field believes or has posited that personality, creativity, or intelligence is some special construct, somehow separate from other adaptive or


normal brain processes (Figure 1). As with any scientific endeavor, the variable of interest is isolated from other variables, as much as possible, with knowledge that interactions and congruence (or anomalies) will emerge from individual studies over time, leading to 'revolutionary science' [9\*\*].

There now exist major theories regarding how personality, creativity, and intelligence are manifested in the human brain: each has been tested empirically over time, and each has been supported to varying degrees [10,11\*\*12]. These constructs have been subdivided into more tractable parts amenable to cognitive inquiries: for example, creativity has been explored from cognitive domains including memory, attention, and cognitive control [13°]. Finally, each has explicit definitions which provide a basis, from which empirical, falsifiable, research can proceed. The purpose of this review is to point out an emerging similarity between the constructs, which might serve as a basis to integrate these within cognitive and brain sciences. This review focuses on cortical networks: thus, we explicitly do not discuss white matter and/or cortico-basal ganglia circuits that constrain exploratory and restraint behaviors, although such subcortical influences have been well researched, and most certainly interact with our theoretical framework [14].

### Personality and the brain

There exists universal acceptance that humans possess "relatively enduring styles of thinking, feeling, and acting" comprising the construct of personality. Further, personality is broadly accepted as being comprised of five main factors, including Openness, Conscientiousness, Extraversion, Agreeableness, and Neuroticism (OCEAN), which fold into two metatraits via factor analysis: Plasticity and Stability [15]. The metatrait of plasticity includes Openness/Intellect and Extraversion, and "has been hypothesized to relate to an individual's basic need to incorporate novel information from the environment." (page 1086). This capacity has been theoretically linked to the dopaminergic system, although evidence to support this supposition is scant [16,17]. On the other axis is the metatrait of stability, which includes Neuroticism (reversed), Agreeableness, and Conscientiousness. This meta-trait is described as "the need to maintain a stable organization of behavioral and psychological function" (page 1086), and is hypothesized to be modulated by serotonergic inhibition upon mood, behavior, and cognition [18]. For a detailed review of the 'Big Two' of personality see this issue [19].

Figure 1



Conceptual diagram showing the overlapping relationship between individual difference variables, (i.e. personality, creativity, and intelligence within the larger context of well-established cognitive domains within the neurosciences (e.g. attention, cognitive control, memory). The intersection of individual differences, cognitive domains, and brain structure and function, would be within the realm of adaptive human thinking.

The relationship between Big Five personality variables and brain structure/function have been relatively underexplored in normal human subjects, with the exception of the Openness/Intellect facet. As we, and others, have described in detail, these facets of the Openness factor must be separated [20], which is accomplished with the Big Five Aspect Scale [21]. Once Openness is properly distinguished from Intellect, researchers find that: 1) intellect is associated with working memory performance and posteriomedial prefrontal cortex activation (pMPFC) [22], 2) Openness is positively correlated with right posteromedial temporal gyrus (pMTG) volume, and negatively correlated with orbitofrontal cortex (OFC) volume [23], 3) Openness is related to network efficiency within the Default Mode Network (DMN) [24], and 4) most recently [25], Openness (but not Intellect) is associated with cortical thinning in regions associated with cognitive flexibility [26], conceptual expansion [27], and various creativity tasks [28–30].

No one has studied the metatraits of Plasticity and Stability in normal humans using neuroimaging techniques (although see [31] for subcortical correlates of the analogs 'novelty seeking' and 'harm avoidance'). What we believe the data will show, is that personality traits fall upon two major axes – Plasticity and Stability – and that their brain correlates also comprise two major axes: Plasticity overlapping significantly with the DMN, and Stability with the Cognitive (or Executive) Control Network

(CCN). This hypothesis is supported by data from Openness/Intellect showing associations between Openness and regions within the DMN (e.g. pMTG, DMN connectivity), and Intellect with regions within the CCN (e.g. pMPFC). There are also data, albeit less consistent, supporting associations among Neuroticism, Conscientiousness, and Agreeableness and topological characteristics of the CCN [10,32–34].

#### Creativity and the brain

Creativity has been defined as the production of something both novel and useful [35\*\*]. This definition holds great appeal, as it creates a dynamic tension between the production of novel ideas, critically dependent upon exploratory behavior, and the refinement of these into useful ideas that are adaptive within ones environment, critically dependent upon behavioral restraint. There are numerous tools to assess creative cognition, which have extended well beyond the cliché that it is measured only by divergent thinking. These tasks include such tools as diverse as: divergent/convergent thinking [36], creative achievement [37], remote associates [38], imagination [39], verb generation [40], analogical reasoning [41], and insight [42], tapping cognitive domains including internally focused attention, achievement, verbal fluency, verbal association, response inhibition, semantic/episodic memory, reasoning, and broad components of executive functioning, including updating and shifting (see Refs. [13°,43] for recent reviews).

We first became suspicious that creative cognition overlapped significantly with major brain networks, namely the default mode network (DMN) and cognitive control network (CCN), when reviewing structural neuroimaging studies of creative cognition [2]. In that review, we posited several hypotheses: 1) that creativity represents 'blind variation and selective retention' (BVSR) (a notion hotly debated, but virtually untested within the empirical literature), 2) that divergent thinking represents an approximation of 'blind variation' in that it generates novel ideas, 3) that structural studies possess the requisite reliability necessary to provide validation regarding brainbehavioral relationships underlying creative cognition, and 4) that morphological studies showed a 'striking' congruence with both increased and decreased cortical thickness/volume "across a broad network of brain regions," "within and overlapping the default mode network." (page 7). Finally, we note:

"Thus, the DMN appears to have been co-opted (or co-evolved) for the purpose of BVSR, with other hubs pulled in as task demands dictate. The production of something "novel and useful" appears to depend, at least in part, on disinhibitory neuronal processes within this core network, while excitatory processes (i.e., more refinement of ideas or *selective retention*) would appear to depend on the CCN. This

would be a plausible allocation of cognitive resources with DMN devoted to the innovation and blind variation mechanisms associated with the "constructing of dynamic mental simulations," while the CCN would be engaged to test retained innovations within the framework of the external environment." (page 9).


Subsequent research has universally supported the association of creative cognition with both structure and function of the DMN [42,44,45,46°,47,48], with an increasing number of studies demonstrating dynamic interplay between DMN and CCN [49-58]. This notion has been supported by lesion studies, with damage to specific nodes within the DMN and CCN (e.g. right medial prefrontal region; rostrolateral prefrontal region) being associated with impaired ability to generate and combine remote ideas respectively [59\*\*]. Given the dozens of studies over hundreds of normal subjects, utilizing multiple measures of creativity, there can be little doubt that creative cognition represents a dynamic interplay of the DMN (involved in novelty generation/ variation), and the CCN (involved in utility/selection). Readers are also directed to [31] for subcortical relationships between the analogues 'novelty seeking' and 'harm avoidance,' and verbal creativity, all of which intersect with the current theoretical framework.

#### Intelligence and the brain

The definition of intelligence is as variegated and far flung as the Task Force of academics that created it: "Individuals differ from one another in their ability to understand complex ideas, to adapt effectively to the environment, to learn from experience, to engage in various forms of reasoning, to overcome obstacles by taking thought." Unfortunately, this definition lacks critical falsifiability in its breadth of scope. We propose a more succinct version of this definition that will be as familiar to anyone who has taken an IQ test as it is to someone trying to solve a nettlesome problem at work: Intelligence is rapid and accurate problem solving. Thus, all biological life can be intelligent: it is a matter of degree, with rapid/accurate problem solving being 'rewarded' with high genetic penetrance into future generations. Indeed, all IQ tests also have components that are judged by a combination of rapid and accurate performance (e.g. Block Design), and nearly all reliable and valid tests of intelligence are timed (e.g. Ravens Matrices). Finally, in our model, accuracy of performance would be associated with 'restraint', while speed would be associated with 'exploratory' behavior (Figure 2).

We formulated the Parieto-Frontal Integration Theory (P-FIT) over 10 years ago, which showed a striking correspondence of various brain correlates of intelligence and reasoning within a network that, unbeknownst to us

Figure 2



Diagrammatic overview of the theory linking restraint and exploratory adaptive behaviors. Individual differences have characteristics of both restraint (e.g. personality - stability; creativity - utility; intelligence accuracy) and exploratory (e.g. personality - plasticity; creativity novelty; intelligence - rapidity) behaviors. Exploratory behaviors are predominantly associated with structure and function within the Default Mode Network (DMN), and evolutionary characteristics of Variation, Restraint behaviors are predominantly associated with structure and function of the Cognitive Control Network (CCN), and evolutionary characteristics of Selection. This unifying theory links evolution (variation/selection), brain (DMN/CCN) and behavior (exploratory/restraint) on two major axes amenable to empirical research.

at the time, mapped well on to the CCN or 'task positive' network (TPN) [3]. This theory was 'revolutionary' at the time, in that it ran counter to the prevailing lore, namely that intelligence was a human capacity that resided within our massively overdeveloped frontal lobes [60,61]. We did not expect to discover that intelligence was associated with structural and functional brain correlates distributed throughout the brain: however, that is what we found, and that is what we reported. There are now some inklings (i. e. 'anomalies') that the CCN, executive control network (ECN), or task positive network (TPN), is not exclusively related to intellectual ability. Let me be the first to tell you that this does not disappoint me: indeed, it is the natural order of scientific 'revolution' [9\*\*].

In any event, some clever researchers, bringing to bear increasingly sophisticated neuroimaging techniques, have begun to develop further these 'anomalies' within the prevailing theory provided by the P-FIT. The first notion that intelligence was related to both TPN and the Task Negative Network (TNN) – also known as the DMN – found that neural effort when performing the Raven's matrices was positively associated with TPN and negatively with TNN, and that more intelligent subjects displayed lower efficiency in the TPN and increased efficiency in the TNN [62]. This same group, in a quantitative meta-analysis, added the posterior cingulate cortex (a critical node of the DMN/TNN), to the structures relevant to the expression of intelligence [63\*\*]. An independent group found 'striking' similarities between connectivity of the fluid intelligence (gf) network and the dorsal attention and right fronto-parietal control networks (i.e. TPN), and negative correlations with medial prefrontal structures of the DMN [64]. Finally, researchers found that subjects with higher cognitive ability had lower brain responses to task demands during an N-back task, "suggesting that expansion of the TPN or TNN is associated with greater cognitive ability" [65]. Processing speed tasks, such as the symbol digit modalities test (SDMT), also show positive activations within the TPN and negative activations within the TNN, further supporting the 'speed/accuracy' tradeoff involving both TPN and TNN networks [66].

Not everyone finds significant relationships between the TPN and reasoning, however. In a very large sample (N=1336), very weak (non-significant) relationships (e.g. betas around 0.1) were found between distributed regional gray matter volumes and measures of complex cognitive abilities (CCA), including non-verbal reasoning, implying that great caution should be exercised in interpreting any individual study which might be reporting real effects, although of low power, distributed across multiple cortical regions [67]. Interestingly, this same study did find that simple processing speed was significantly associated with regional gray matter within a region limited to the precuneus, controlling for age, sex, and total gray matter volume, supporting the current theoretical framework. It is evident that these are early days in better understanding the full implications of moving 'beyond P-FIT' in grasping the emerging interplay between exploratory and restraint behavior underlying intelligence, TPN, and TNN

#### **Conclusions**

What we (hope we) have demonstrated above is the congruence of various studies of individual differences – including personality, creativity, and intelligence – reflecting a nesting of two major adaptive processes within brain structure and function. These two axes are flexibility, novelty, and rapid problem solving on the one hand (i.e. 'exploratory'), and consistency, utility, and accuracy on the other (i.e. 'restraint') Figure 2. We invite your empirical work to support or challenge this theoretical framework, which attempts to weave several frayed threads into one garment.

#### Conflict of interest statement

Nothing declared.

#### References and recommended reading

Papers of particular interest, published within the period of review, have been highlighted as:

- · of special interest
- of outstanding interest
- DeYoung CG et al.: Testing predictions from personality neuroscience brain structure and the big five. Psychol Sci 2010, 21:820-828.

- 2. Jung RE et al.: The structure of creative cognition in the human brain. Front Hum Neurosci 2013, 7.
- Jung RE, Haier RJ: The parieto-frontal integration theory (P-FIT) of intelligence: converging neuroimaging evidence. Behav Brain Sci 2007, 3:135-154.
- Dietrich A: How Creativity Happens in the Brain. Palgrave Macmillan; 2015. 230.
- 5. Dietrich A: Types of creativity. Psychon Bull Rev 2019, 26:1-12.
- Dietrich A, Haider H: A neurocognitive framework for human creative thought. Front Psychol 2016:2078.
- Dietrich A: Where in the brain is creativity: a brief account of a wild-goose chase. Curr Opin Behav Sci 2019, 27:36-39.
- Jung RE, Vartanian O: The Cambridge Handbook of the Neuroscience of Creativity. Cambridge Handbooks in Psychology. Vol. 1. Cambridge, UK: Cambridge University Press; 2018. 566.
- 9. Kuhn T: **The Structure of Scientific Revolutions**. In *Criticism*•• and the Growth of Knowledge, Edited by Lakatos I. Muscrave A.
- and the Growth of Knowledge. Edited by Lakatos I, Musgrave A Chicago: University of Chicago Press; 1962–70.

You are either in this field to do 'normal science' or 'revolutionary science'. Give this very old book a thorough, meaningful, read. It will do you some good in your quest to be a scientist of impact and purpose. Forget tenure, forget the grant merry-go-round, forget your h-index, and read this before it is too late.

- Riccelli R et al.: Surface-based morphometry reveals the neuroanatomical basis of the five-factor model of personality. Soc Cogn Affect Neurosci 2017, 12:671-684.
- 11. Beaty RE et al.: Creative cognition and brain network
- dynamics. Trends Cogn Sci 2016, 20:87-95.

This review pulls together the various studies of creative cognition into an 'integrative framework' involving interaction between the default mode network and cognitive control network. This framework applies to both domain general creativity as well as domain specific (e.g. music, literature, visual arts), and stands as the best framework from which future studies can emerge. The notion of idea generation versus evaluation is also discussed, which comprise two major sub-processes of creative cognition.

- 12. Hilger K et al.: Intelligence is associated with the modular structure of intrinsic brain networks. Sci Rep 2017, 7:16088.
- Benedek M, Fink A: Toward a neurocognitive framework of creative cognition: the role of memory, attention, and cognitive control. Curr Opin Behav Sci 2019. 27:116-122.

This study definitively illustrates the various cognitive processes that underlie creative cognition, particularly memory, attention, and cognitive control. This paper gives the lie to claims that studies of creative cognition ignore or are oblivious to major cognitive sub-domains.

- 14. Graybiel AM: The basal ganglia: learning new tricks and loving it. Curr Opin Neurobiol 2005, 15:638-644.
- Hirsh JB, Deyoung CG, Peterson JB: Metatraits of the Big Five differentially predict engagement and restraint of behavior. J Pers 2009. 77:1085-1102.
- DeYoung CG: Higher-order factors of the Big Five in a multiinformant sample. J Pers Soc Psychol 2006, 91:1138-1151.
- Depue RA, Collins PF: Neurobiology of the structure of personality: dopamine, facilitation of incentive motivation, and extraversion. Behav Brain Sci 1999, 22:491-517 discussion 518-69.
- Jang KL et al.: Covariance structure of neuroticism and agreeableness: a twin and molecular genetic analysis of the role of the serotonin transporter gene. J Pers Soc Psychol 2001, 81:295-304.
- Feist G: Creativity and the big two model of personality: plasticity and stability. Current Curr Opin Behav Sci 2019, 27:31-35.
- Jung RE, Meadows CA: Sweet dreams are made of this: the role of openness in creativity and brain networks. In The Cambridge Handbook of Creativity and Personality Research. Edited by Feist GJ, Reiter-Palmon R, Kaufman JC. Cambridge: Cambridge University Press; 2017:28-43.

- 21. DeYoung CG, Quilty LC, Peterson JB: Between facets and domains: 10 aspects of the Big Five. J Pers Soc Psychol 2007,
- 22. DeYoung CG et al.: intellect as distinct from openness: differences revealed by fMRI of working memory. J Pers Soc Psychol 2009, 97:883-892.
- 23. Li W et al.: Brain structure links trait creativity to openness to experience. Soc Cogn Affect Neurosci 2015, 10:191-198.
- 24. Beaty RE et al.: Personality and complex brain networks: the role of openness to experience in default network efficiency. Hum Brain Mapp 2016, 37:773-779.
- Vartanian O et al.: Structural correlates of openness and intellect: implications for the contribution of personality to creativity. Hum Brain Mapp 2018, 39:2987-2996.
- Chrvsikou EG, Hamilton RH: Noninvasive brain stimulation in the treatment of aphasia: exploring interhemispheric relationships and their implications for neurorehabilitation. Restor Neurol Neurosci 2011, 29:375-394.
- 27. Abraham A et al.: Creativity and the brain: uncovering the neural signature of conceptual expansion. Neuropsychologia 2012,
- 28. Boccia Metal.: Where do bright ideas occur in our brain? Metaanalytic evidence from neuroimaging studies of domainspecific creativity. Front Psychol 2015, 6:1195.
- 29. Gonen-Yaacovi G et al.: Rostral and caudal prefrontal contribution to creativity: a meta-analysis of functional imaging data. Front Hum Neurosci 2013, 7:465.
- 30. Wu X et al.: A meta-analysis of neuroimaging studies on divergent thinking using activation likelihood estimation. Hum Brain Mapp 2015, 36:2703-2718.
- 31. Takeuchi H et al.: Mean diffusivity of globus pallidus associated with verbal creativity measured by divergent thinking and creativity-related temperaments in young healthy adults. Hum Brain Mapp 2015, 36:1808-1827.
- 32. Wang MY et al.: Neuroticism and conscientiousness respectively positively and negatively correlated with the network characteristic path length in dorsal lateral prefrontal cortex: A resting-state fNIRS study. Brain Behav 2018, 8: e01074
- Li T et al.: Neuronal correlates of individual differences in the big five personality traits: evidences from cortical morphology and functional homogeneity. Front Neurosci 2017, 11:414.
- 34. Privado J et al.: Gray and white matter correlates of the Big Five personality traits. Neuroscience 2017, 349:174-184.
- Stein MI: Creativity and culture. J Psychol 1953, 36:311-322. ▶ highly recommend reading this old work, which first lays out a lucid definition of creativity: "The creative work is a novel work that is accepted as tenable or useful or satisfying by a group in some point in time," discusses the difference between Big C and little c creativity: "we tend to restrict ourselves to a study of the genius . . . such an approach causes us to overlook a necessary distinction between the creative product and the creative experience," and the differences between artistic and scientific creativity. All that is old should not be forgotten. It is a beautiful meditation on creativity.
- Japardi K et al.: Functional magnetic resonance imaging of divergent and convergent thinking in Big-C creativity. Neuropsychologia 2018, 118:59-67.
- 37. Shi B et al.: Different brain structures associated with artistic and scientific creativity: a voxel-based morphometry study. Sci Rep 2017, 7:42911.
- 38. Luft CDB et al.: Right temporal alpha oscillations as a neural mechanism for inhibiting obvious associations. Proc Natl Acad Sci U S A 2018, 115:E12144-E12152.
- Jung RE, Flores RA, Hunter D: A new measure of imagination ability: anatomical brain imaging correlates. Front Psychol 2016, 7:496.

- 40. Beaty RE et al.: Creative constraints: brain activity and network dynamics underlying semantic interference during idea production. Neuroimage 2017, 148:189-196.
- 41. Green AE et al.: Thinking cap plus thinking zap: tDCS of frontopolar cortex improves creative analogical reasoning and facilitates conscious augmentation of state creativity in verb generation. Cereb Cortex 2017, 27:2628-2639.
- 42. Ogawa T et al.: Large-scale brain network associated with creative insight: combined voxel-based morphometry and resting-state functional connectivity analyses. Sci Rep 2018, 8:6477
- 43. Beaty RE, Seli P, Schacter DL: Network neuroscience of creative cognition: mapping cognitive mechanisms and individual differences in the creative brain. Curr Opin Behav Sci 2019. 27:22-30.
- 44. Kuhn S et al.: The importance of the default mode network in creativity - a structural MRI study. J Creative Behav 2014, 48:152-163
- 45. Wei D et al.: Increased resting functional connectivity of the medial prefrontal cortex in creativity by means of cognitive stimulation. Cortex 2014, 51:92-102.
- Jauk E et al.: Gray matter correlates of creative potential: a latent variable voxel-based morphometry study. Neuroimage

An excellent structural neuroimaging study undertaken to better understand the neural correlates of ideational originality. Results indicated significant relationships between right gray matter volume of the precuneus and ideational originality (but not fluency), evident across the range of intellectual ability. This is a very elegant study controlling for individual differences variables that would appear to interact with creative cognition (as implied by our review), including Openness and Intelligence.

- 47. Bashwiner DM et al.: Musical creativity 'revealed' in brain structure: interplay between motor, default mode, and limbic networks. Sci Rep 2016, 6:20482.
- Jiao B et al.: Association between resting-state brain network topological organization and creative ability: evidence from a multiple linear regression model. Biol Psychol 2017, **129**:165-177.
- 49. Beaty RE et al.: Creativity and the default network: a functional connectivity analysis of the creative brain at rest. Neuropsychologia 2014, 64C:92-98.
- 50. Mayseless N, Eran A, Shamay-Tsoory SG: Generating original ideas: the neural underpinning of originality. Neuroimage 2015, 116:232-239
- 51. Li W et al.: The association between resting functional connectivity and visual creativity. Sci Rep 2016, 6:25395.
- 52. De Pisapia N et al.: Brain networks for visual creativity: a functional connectivity study of planning a visual artwork. Sci Rep 2016, 6:39185.
- 53. Zhu W et al.: Common and distinct brain networks underlying verbal and visual creativity. Hum Brain Mapp 2017, 38:2094-2111.
- 54. Gao Z et al.: Exploring the associations between intrinsic brain connectivity and creative ability using functional connectivity strength and connectome analysis. Brain Connect 2017,
- 55. Beaty RE et al.: Robust prediction of individual creative ability from brain functional connectivity. Proc Natl Acad Sci U S A 2018, **115**:1087-1092.
- 56. Shi L et al.: Large-scale brain network connectivity underlying creativity in resting-state and task fMRI: cooperation between default network and frontal-parietal network. Biol Psychol 2018, **135**:102-111.
- 57. Liu Z et al.: Neural and genetic determinants of creativity. Neuroimage 2018, 174:164-176.
- 58. Marron TR et al.: Chain free association, creativity, and the default mode network. Neuropsychologia 2018, 8:40-58.

59. Bendetowicz D et al.: Two critical brain networks for generation and combination of remote associations. Brain 2018,

A critical lesion study, showing that damage to the right medial prefrontal region affects the ability to generate remote ideas, while damage to the left rostrolateral prefrontal region affects the ability to combine remote ideas. This research provides structural targets for modulation of brain networks (e.g. transcranial magnetic stimulation) associated with 'exploratory' and 'restraint' aspects of individual différences of adaptive

- 60. Duncan J et al.: A neural basis for general intelligence. Science 2000. 289:457-460
- 61. Gray JR, Chabris CF, Braver TS: Neural mechanisms of general fluid intelligence. Nat Neurosci 2003, 6:316-322
- 62. Basten U, Stelzel C, Fiebach CJ: Intelligence is differently related to neural effort in the task-positive and the tasknegative brain network. Intelligence 2013, 41:517-528.
- 63. Basten U, Hilger K, Fiebach CJ: Where smart brains are different: a quantitative meta-analysis of functional and structural brain imaging studies on intelligence. Intelligence 2015. **51**:10-27.

This meta-analysis presents an 'updated' model to the P-FIT, with several interesting additions; namely, the inclusion of the posterial cingulate cortex (and another medial frontal regions) associated with the default mode network, not previously evident. The meta-analysis, along with their other paper (Basten et al. [62]) demonstrate an interplay between task positive and task negative networks (aka CCN and DMN) underlying the manifestation of intelligence, completing the pattern evident in personality and creativity individual differences research.

- 64. Santarnecchi E et al.: Network connectivity correlates of variability in fluid intelligence performance. Intelligence 2017, **65**:35-47
- 65. Takeuchi H et al.: General intelligence is associated with working memory-related brain activity: new evidence from a large sample study. *Brain Struct Funct* 2018, **223**:4243-4258.
- 66. Silva PHR et al.: Brain functional and effective connectivity underlying the information processing speed assessed by the Symbol Digit Modalities Test. Neuroimage 2019, 184:761-770.
- 67. Takeuchi H et al.: Global associations between regional gray matter volume and diverse complex cognitive functions evidence from a large sample study. Sci Rep 2017, 7:10014.