The Efficacy of Psychological,

Educational, and Behavioral Treatment

Confirmation From Meta-Analysis

Mark W. Lipsey and David B. Wilson

Conventional reviews of research on the efficacy of psychological, educational, and behavioral treatments often find considerable variation in outcome among studies and, as a consequence, fail to reach firm conclusions about the overall effectiveness of the interventions in question. In contrast meta-analytic reviews show a strong, dramatic pattern of positive overall effects that cannot readily be explained as artifacts of meta-analytic technique or generalized placebo effects. Moreover, the effects are not so small that they can be dismissed as lacking practical or clinical significance. Although meta-analysis has limitations, there are good reasons to believe that its results are more credible than those of conventional reviews and to conclude that well-developed psychological, educational, and behavioral treatment is generally efficacious.

systematic knowledge about the efficacy of psychological, educational, and behavioral intervention for individual and social problems is almost entirely dependent on research conducted within the experimental or quasi-experimental framework. In any given treatment area, such research often yields an ambiguous mix of results—decidedly positive, suggestive, convincingly null, and hopelessly inconclusive. Research reviewers must then pick through these results with hopes of finding a preponderance of evidence supporting a conclusion about treatment efficacy. More specifically, they must attempt to sort and choose among studies on the basis of their methods, treatment variants, respondents, and the like to find those situations for which conclusions can be drawn.

It is a distressing observation that, over recent decades, the results of treatment research and reviews of that research have not yielded convincing support for the efficacy of many psychological, educational, and behavioral treatments. The controversial history of assessment of the effects of psychotherapy is representative. Some reviewers were adamant that the research showed no convincing effects (e.g., Eysenck, 1952, 1965), whereas others interpreted the evidence as generalized efficacy (e.g., Luborsky, Singer, & Luborsky, 1975). Similar controversy has characterized intervention in social work, counseling, education, criminal justice, organizational development (Fischer, 1978; Prather & Gibson, 1977), and a host of

related areas. Rossi and Wright (1984) echoed many reviewers in these areas when they described evaluation research as a "parade of close-to-zero effects" (p. 342). Such controversy and pessimism has cast a shadow of doubt over all but a few claims for the efficacy of psychological, educational, and behavioral interventions.

The Advent of Meta-Analysis

A new approach to integrating and interpreting a body of treatment effectiveness research arose in the mid-1970s and has come to fruition in recent years. Dubbed "meta-analysis" by Glass (1976), this approach is quite different from the research integration practices that preceded it. In particular, it is characterized by its framing of research integration as, in large part, a research exercise in its own right. Eligible research studies are viewed as a population to be systematically sampled and surveyed. Individual study results and characteristics are then abstracted, quantified, coded, and assembled into a database that is statistically analyzed much like any other quantitative survey data.

Since Smith and Glass's (1977) pioneering meta-analysis of psychotherapy research, literally hundreds of meta-analyses have been conducted in different treatment research areas. Although much of this work has been rather crude and certainly is not above criticism, there can be no doubt that meta-analysis has become an accepted technique that has rapidly developed in conceptual, methodological, and statistical sophistication (Cook et al., 1992; Durlak & Lipsey, 1991; Glass, McGaw, & Smith, 1981; Hedges & Olkin, 1985; Hunter & Schmidt, 1990; Rosenthal, 1991a).

The purpose of this article is to examine the large body of meta-analyses of psychological, educational, and behavioral treatment research that has cumulated in the last decade and a half. It will perhaps not be surprising that this systematic approach to research integration has resulted in refinements of our understanding of the effects of treatment. What does not seem to be widely recognized,

Mark W. Lipsey, Department of Human Resources, Vanderbilt University; David B. Wilson, Vanderbilt Institute for Public Policy Studies.

Gary VandenBos served as action editor for this article.

Correspondence concerning this article should be addressed to Mark W. Lipsey, Department of Human Resources, Box 90 GPC, Vanderbilt University, Nashville, TN 37203.

however, is that, in contrast to the previous era of conventional research reviews, meta-analysis has yielded stark, dramatic patterns of evidence for the general efficacy of such treatment.

Meta-Analysis of Treatment Research

The quantity and variety of meta-analysis of experimental and quasi-experimental treatment research has been so great that it is necessary to identify the boundaries of this review. Of interest here is meta-analysis of research on the effects of treatments that are based on manipulation of psychological variables and are intended to induce psychological change, whether emotional, attitudinal, cognitive, or behavioral (hereafter referred to as psychological treatments). The extensive meta-analysis of clinical trials research in medicine, therefore, falls outside the boundaries. Psychologically based intervention within medical settings (e.g., preoperative counseling), however, is included. Moreover, attention is restricted to those treatments that are directed at practical individual and social problems. Excluded, therefore, are meta-analyses of interventions and manipulations of primarily theoretical interest or those that do not represent currently practiced interventions in "real world" domains of applicability (e.g., teacher expectancy effects).

Also, within the area of psychological treatment it is necessary to consider the level or scope of intervention. At one end of a rough continuum we can distinguish treatment techniques—separable elements of intervention that do not, by themselves, constitute a freestanding treatment (e.g., self-disclosure by therapists or use of advance organizers in a teacher's lesson plan). At the other end of this rough continuum are broad policies or programs that combine many treatments and treatment elements, organizational arrangements, and so forth (e.g., school desegregation or mental health deinstitutionalization). We exclude both ends of this continuum to focus on midrange treatments, those relatively freestanding intervention packages with rather specific purposes that are deliverable at a defined site for a target population. In this category we include such interventions as psychotherapy, parent effectiveness training, medical patient education, smoking-cessation programs, job enrichment, computer-aided instruction, science curricula, and open classrooms (see Table 1 for a fuller list). Although there are gray areas at both ends of this midrange, we found it possible to categorize most interventions subjected to meta-analysis with reasonable confidence.

With the above boundaries in mind, a series of computer and manual searches was made of bibliographies of articles dealing with meta-analysis, various standard social science abstracts (Psychological Abstracts, Sociological Abstracts, etc.), and listings of unpublished materials (Dissertation Abstracts International, ERIC). All reports that appeared eligible on the basis of the title and abstract were retrieved, and 290 of them were found to meet the inclusion criteria. Because some reports presented more than one independent meta-analysis, the total number examined for the present study was 302. The

search and retrieval effort was thorough and, although it doubtless missed some number of eligible reports, we believe that the resulting collection represents a high proportion of the available work of interest to this review.

Treatment Effects: Broad Patterns

Table 1 lists, by broad categories, the meta-analysis studies that were discovered in this search and the treatment areas they cover. As is evident, a number of these meta-analyses are replications, near replications, subsets. or have overlapping studies with others in the list. Thus some studies and some subjects are represented in more than one meta-analysis. We will come back to this matter later but. for now, will ignore the redundancies and make a general examination of the treatment effects found in this collection of meta-analyses.

The right-hand columns of Table 1 report the overall mean treatment effect size found in each meta-analysis and the number of studies on which it was based. The effect size metric used here is the standardized difference between the mean of the treatment group and the mean of the control group for a given outcome measure in a given study. Typically, a mean effect size over all studies and all outcome measures is shown. When the original meta-analysis reported mean effect sizes for quite different categories of treatment or outcome, the highest level of aggregation is presented for the major category or categories under investigation. One exception to this procedure was for educational treatments in which the great preponderance of effects were on achievement measures. In such cases, only the mean achievement effect was recorded.

Given the inconsistent findings reported in conventional research reviews for many of these treatment areas and the high proportion of studies with statistically non-significant results identified in both conventional and meta-analytic reviews, one might expect quite a mix of mean treatment effect sizes in Table 1, with many hovering around zero. Moreover, given the wide range of different treatments represented, one might expect some proportion to have negative mean effect sizes (i.e., control groups outperforming treatment groups) and a quite modest proportion to have strongly positive mean effect sizes. After all, we would not expect every treatment to work well.

Figure 1 presents the distribution of mean effect sizes from Table 1. We do this solely for descriptive purposes, as an alternate depiction of the information in Table 1, and with no implication that these are independent data points or that they represent a statistical sample or population (later we will present a more refined distribution with better statistical properties).

The striking feature of Figure 1 is the strong skew toward positive effects. Of 302 meta-analyses, only 6 pro-

(text continues on page 1192)

¹ Effect size is typically computed as $(M_1 - M_c)/s$, where M_1 is the treatment group mean, M_c is the control group mean, and s is the pooled standard deviation or, sometimes, the control group standard deviation.

Table 1	
Meta-Analysis	Studies

Treatment area and reference	M effect size	N
1. Mental Health, Health		
1.1. Psychotherapy, General		
Psychotherapy: all outcomes (Smith, Glass & Miller, 1980)°	0.85	475
Psychotherapy with adults: all outcomes (Shapiro & Shapiro, 1982, 1983)	0.93	143
Psychotherapy vs. placebo controls: all outcomes (Prioleau, Murdock, & Brody, 1983)	0.42	32
Psychotherapy (random assignment studies with good controls); all outcomes (Landman & Dawes, 1982)	0.78	42
Psychotherapy; self-concept outcomes (Cook, 1988)°	0.37	34
Psychotherapy (individual); all outcomes (Tillitski, 1990)	1.16	9
Psychotherapy (group); all outcomes (Tillitski, 1990)	1.31	9
Psychotherapy with children; all outcomes (Casey & Berman, 1985)°	0.71	64
Psychotherapy with children and adolescents; all outcomes (Weisz, Weiss, Alicke, & Klotz, 1987)	0.79	108
Psychotherapy with adult neurotic patients; all outcomes (Nicholson & Berman, 1983)	0.68	67
Psychotherapy for neuroses, phobias & emotional-somatic complaints; all outcomes (G. Andrews &	0.70	
Harvey, 1981)	0.72	81
Psychotherapy for the treatment of depression; all outcomes IL. A. Robinson, Berman, & Neimeyer,	0.70	
1990)	0.72	58
Psychotherapy for neurotic depression; all outcomes (Prince Henry Hospital, 1983)	0.65	10
Psychotherapy for unipolar depression in adults; all outcomes (Steinbrueck, Maxwell, & Howard, 1983)	1.22	16
Psychotherapy vs. drug therapy for the treatment of bulimia; all outcomes (Laessle, Zoettl, & Pirde,	0.95	22
1987)	0.93	23
Psychotherapy for bulimia; all outcomes (Bryan, 1989)°	0.92	31
Client-centered therapy, transactional analysis, and non-directive therapy; all outcomes (Champney &	0.25	18
Schulz, 1983)	0.23	10
Mental health specialists vs. general medical practitioners; all outcomes (Balestrieri, Williams, &	0.22	11
Wilkinson, 1988) 1.2. Psychotherapy, Cognitive Behavioral/Behavior Modification	0.22	
Cognitive behavioral therapies vs. nonspecific factors controls; all outcomes (Barker, Funk, & Houston,		
1988)	0.67	17
Cognitive therapy for anxiety disorders; all outcomes (Berman, Miller, & Massman, 1985)	0.73	25
Cognitive therapy, modification of covert self-statements of adult patients; all outcomes (Dush, Hirt, &	0.7 0	~0
Schroeder, 1983)°	0.66	69
Cognitive therapy with nonpsychotic patients with clinic complaints; all outcomes (Miller & Berman, 1983		48
Cognitive behavior therapy with adult populations; all outcomes (Polder, 1986)	0.69	53
Cognitive behavioral therapy; effect on trait anxiety and neuroticism (Jorm, 1989)	0.53	63
Cognitive behavioral therapy (paradoxical interventions); all outcomes (Shoham-Salomon & Rosenthal,		
1987)	0.89	10
Cognitive behavioral therapy (paradoxical interventions); all outcomes (Hampton, 1988)°	0.15	29
Cognitive behavioral therapy (paradoxical interventions); all outcomes (Hill, 1987)°	0.99	15
Cognitive therapy for depression; Beck Depression Inventory outcomes (Dobson, 1989)	0.99	28
Cognitive and behavioral treatments of depression and phobic anxiety; all outcomes (Eifert & Craill,		
1989)	0.83	36
Cognitive behavioral therapy with children; modification of self-statements (Dush, Hirt, & Schroeder,		
1989)	0.37	48
Cognitive behavioral modification strategies with children; educationally relevant behavioral outcomes	0.47	4.5
(Duzinski, 1987)°	0.47	45
Cognitive behavioral therapy with dysfunctional children; all outcomes (Durlak, Fuhrman, & Lampman,	0.50	
1991)°	0.53	64
Cognitive therapy and systematic desensitization for public speaking anxiety; all outcomes (Allen,	0.52	97
Hunter, & Donohue, 1989)	0.52	25
Systematic desensitization; all outcomes (Berman, Miller, & Massman, 1985)	0.02	23
Training children in use of verbal self-instructions to control their behavior in non-training situations; all	0.51	47
outcomes (Rock, 1986)°	0.55	69
Behavior therapy vs. placebo controls; all outcomes (Bowers & Clum, 1988)	0.55	0,7
Behavioral self-management, social skills training, cognitive-behavioral therapy, and biofeedback/ relaxation training with problem children; clinically relevant outcomes (Wyma, 1990)	0.61	43
Behavioral treatment (biofeedback) for Raynaud's disease; all outcomes (Montross, 1990)	1.06	18
Behavioral treatment (bioreeaback) for kaynada's alsease; all outcomes (Montross, 1990) Behavioral treatment (progressive relaxation therapy); all outcomes (Paterson, 1988)°	0.34	71
Behavioral treatment (progressive relaxation merapy); an objectives trade soil, 17007 Behavioral treatment with spouse involvement in treatment of agoraphobia; effect on symptoms (Dewey	0.0	
& Hunsley, 1990)	0.10	6
	able contin	upe l
(1	apie comin	JU3

tment area and reference	M effect size	N
Behavioral therapy and tricyclic medication in the treatment of obsessive-compulsive disorder; all outcomes (Christensen, Hadzi-Pavlovic, Andrews, & Mattick, 1987)	1.02	2:
.3. Couseling, Psycho-Educational Treatment, Special Therapy		~-
1.3.1. Family/marital interventions		_
Family therapy: all outcomes (Hazelriga, Cooper, & Borduin, 1987)	0.36	20
Family therapy (conjoint); all outcomes (Markus, Lange, & Pettigrew, 1990)	0.57 0.61	1º 4.
Family therapy for child identified problems; all outcomes (Montgomery, 1991)	0.70	5
Family and marital therapies; behavioral outcomes (Shadish, 1992)° Behavioral marital therapy; all outcomes (Hahlweg & Markman, 1988)	0.95	1
Behavioral premarital intervention studies; all outcomes (Hahlweg & Markman, 1988)	0.79	· ·
Parent effectiveness trainina: all outcomes (B. Cedar & Levant, 1990; R. B. Cedar, 1986)°	0.33	2
Marriage/family enrichment programs for nonclinical couples and families; all outcomes (Giblin, Sprenkle, & Sheehan, 1985)°	0.44	8
Minnesota Couple Communication Program (communication skills); immediate outcomes (Wampler, 1983)° 1.3.2. Treatment programs for offenders	0.52	2
Treatment programs for juvenile delinquents; delinquency outcomes (Lipsey, 1992)°	0.17	39
Treatment programs for juvenile delinquents; all outcomes (Gottschalk, Davidson, Gensheimer, & Mayer, 1987a)	0.48	9
Treatment programs for adjudicated delinquents in residential/institutional settings; all outcomes (Garrett, 1985a, 1985b)	0.37	11
Treatment programs for juvenile delinquents (random assignment studies); delinquency outcomes (Kaufman, 1985)	0.25	21
Social learning treatment programs for juvenile delinquents; all outcomes (Mayer, Gensheimer, Davidson, & Gottschalk, 1986)	0.77	3
Diversion programs for juvenile delinquents; all outcomes (Gensheimer, Mayer, Gottschalk, & Davidson, 1986)	0.40	4
Behavioral treatment approaches for juvenile delinquents; long-term outcomes (Gottschalk, Davidson,		_
& Mayer, 1987b)	0.40	2
Treatment programs for juvenile offenders; all outcomes (Whitehead & Lab, 1989)	0.27 0.20	5 8
Treatment programs for adult and juvenile offenders; all outcomes (D. A. Andrews et al., 1990)	0.25	1
Correctional treatment with adults; all outcomes (Losel & Koferl, 1989) 1.3.3. Meditation, psychological outcomes	0.23	,
Meditation and relaxation techniques; effects on trait anxiety (Eppley, Abrams, & Shear, 1989)	0.42	14
Passive individual meditation techniques; psychological affective outcomes (Ferguson, 1981)	0.56	
Transcendental meditation; effects on self-actualization (Alexander, Rainforth, & Gelderloos, 1991)	0.88	!
Effects of meditation; anxiety outcomes (Edwards, 1991)°	0.59	2
Effects of hypnosis; anxiety outcomes (Edwards, 1991)°	0.71	
1.3.4. Other couseling, psycho-educational treatment or special therapy		
Innovative outpatient programs vs. traditional aftercare for mental health patients released from	0.36	13
hospitals; all outcomes (Straw, 1982) ^a Community-based alternatives vs. institutionalization for mental health patients; all outcomes (Straw,	0.30	13
1982)°	0.14	3
Deinstitutionalization programs for the chronically mentally ill; all outcomes (L. C. Harris, 1987)	0.36	11
The Primary Mental Health Project (identification and treatment of maladjusted school children); all		
outcomes (Stein & Polyson, 1984)°	0.25	
Primary prevention program in mental health; all outcomes (Susskind & Bond, 1981)	0.08	1
Treatment by paraprofessionals in mental health, education, law, and social work vs. untreated	0.40	-
controls; all outcomes (Truax, 1984)°	0.60 0.22	5
Companionship treatment (paraprofessionals) with children; all outcomes (Stein, 1987) Training in interpersonal cognitive problem solving skills for children; effects on interpersonal skills and	0.22	'
behavior adjustment (Almeida & Denham, 1984; Denham & Almedia, 1987)°	0.66	2
Group assertion training for students and adults; all outcomes (Branwen, 1982)°	1.51	4
Assertiveness training; effects on assertiveness and social skills (Shatz, 1984)	0.79	2
Alcohol and drug use prevention programs; behavior, attitudes and knowledge outcomes (Rundall &		
Bruvold, 1988)	0.27	7
(Bangert-Drowns, 1988)	0.41	3
(Tobler, 1986)°	0.30	9
Guidance and counseling programs in the regular school curriculum for high school; effects on	1 20	
psychological maturity (Sprinthall, 1981; see also 3.5.2.)°	1.20 0.48	5
Career counseling interventions; all outcomes (Oliver & Spokane, 1988; see also 3.5.2.) Counseling and guidance programs in high school; all outcomes (Nearpass, 1990; see also 3.5.2.)	0.48	3 7
Career education programs for K-12 students; all outcomes (Baker & Popowicz, 1983, see also	0.00	,
SS. SS. SGOCKHOLL DESCRIPTION OF IN The STUDENTS, WILL DESCRIPTION IN TURBURED BY TURBURED, 1700, 300 UISU	0.50	1

Primary prevention education programs in schools (e.g., career maturity, coping/communication skills, moral & psychological education, substance abuse, values); all outcomes (Baker, Swisher, Nademichek, & Popowicz, 1984; see also 3.5.2.1° Vocational programs for persons with mental fillness; all outcomes (Band, 1988)° Mental practice of motor skills; effects on learning (Fletz & Landers, 1983)° Social skills training with schizophrenics (Benton & Schroeder, 1990) Social skills training with schizophrenics (Benton & Schroeder, 1990) Social skills training with children K-12; all outcomes (Hanson, 1989)° Treatment of public speaking anxiety; effect on anxiety (Allen, 1989) Self-administered psychological treatments for hobits, phobias, affective disturbances and skills training; all outcomes (Scogin, Bynum, Stephens, & Calhoun, 1990) 1.4. Health Related Psychological or Educational Treatment 1.4.1. Education/counselling for medical patients Educational or psychological interventions with adult hospitalized elective surgery patients; effects on patient well-being (Devine, 1984) Pevine & Cook, 1983)° Preoperative instruction of adults scheduled for surgery; effects on postoperative outcome (Hathaway, 1985) Special preoperative preparation of children for surgery vs. routine nursing care; effects on anxiety (Howell, 1985)° Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982)° Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Potient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) Meditation and relaxation training for migraine and tensi	0.55 0.54 0.48 0.51 0.65 0.65 0.43 0.34 0.46 0.44 0.40 0.44	18 600 300 300 277 633 116 400 105 688 23 75 27
moral & psychological education, substance abuse, values); all autcomes (Baker, Swisher, Nadenichek, & Popowicz, 1984) see also 3.5.2.19 Vocational programs for persons with mental illness; all outcomes (Band, 1988) Mental practice of motor skills; effects on learning (Fletz & Landers, 1983) Social skills training with schizophrenics (Benton & Schroeder, 1990) Social skills training with schizophrenics (Benton & Schroeder, 1990) Social skills training with schizophrenics (Benton & Schroeder, 1990) Social skills training with children K-12; all outcomes (Manson, 1989) Treatment of public speaking anxiety; effect on anxiety (Allen, 1989) Self-administered psychological treatments for habits, phobias, affective disturbances and skills training; all outcomes (Scogin, Bynum, Stephens, & Calhoun, 1990) 1.4. Health Related Psychological or Educational Treatment 1.4.1. Education/counseling for medical patients Educational or psychological interventions with adult hospitalized elective surgery patients; effects on patient well-being (Devine, 1984, Devine & Cook, 1983) Preoperative instruction of adults scheduled for surgery; effects on postoperative outcome (Hathaway, 1985) Special preoperative preparation of children for surgery vs. routine nursing care; effects on anxiety (Howell, 1985) Psychological preparation of children for medical procedures; all outcomes (Soile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982) Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982) Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Potient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation training for migraine and tension	0.54 0.48 0.51 0.65 0.65 0.43 0.34 0.46 0.44 0.40 0.44 0.52 0.49	18 600 300 300 277 633 116 400 105 688 23 75 27
Nodenichek, & Popowicz, 1984; see also 3.5.2.1° Vacational programs for persons with mental illness; all outcomes (Bond, 1988)° Mental practice of motor skills; effects on learning (Fletz & Landers, 1983)° Social work interventions for mental illness; all outcomes (Videka-Sherman, 1988)° Social skills training with schizophrenics (Benton & Schroeder, 1990) Social skills training with schizophrenics (Benton & Schroeder, 1990) Social skills training with schizophrenics (Benton & Schroeder, 1989)° Treatment of public specking anxiety; effect an anxiety (Allen, 1989) Self-administered psychological treatments for habits, phobias, affective disturbances and skills training; all outcomes (Scogin, Bynum, Stephens, & Calhoun, 1990) 1.4. Health Related Psychological or Educational Treatment 1.4.1. Education/counseling for medical patients Educational or psychological interventions with adult hospitalized elective surgery patients; effects on patient well-being (Devine, 1984; Devine & Cook, 1983)° Preoperative instruction of adults scheduled for surgery; effects on postoperative outcome (Hathaway, 1985)° Special preoperative preparation of children for surgery vs. routine nursing care; effects on anxiety (Howell, 1985)° Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982)° Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Psychological treatment regimens, preventive behavior, self-care, etc.; al	0.54 0.48 0.51 0.65 0.65 0.43 0.34 0.46 0.44 0.40 0.44 0.52 0.49	63 116 40 105 68 23 75 27
Vocational programs for persons with mental illness; all outcomes (Bond, 1988)* Mental practice of motor skills; effects on learning (Fletz & Landers, 1983)* Social work interventions for mental illness; all outcomes (Videka-Sherman, 1988)* Social skills training with schizophrenics (Benton & Schroeder, 1990) Social skills training with children K-12; all outcomes (Hanson, 1989)* Treatment of public speaking anxiety; effect on anxiety (Allen, 1989)* Self-administered psychological treatments for habits, phobias, affective disturbances and skills training; all outcomes (Scogin, Bynum, Stephens, & Calhoun, 1990) 1.4. Health Related Psychological or Educational Treatment 1.4.1. Education/counselling for medical patients Educational or psychological interventions with adult hospitalized elective surgery patients; effects on patient well-being (Devine, 1984; Devine & Cook, 1983)* Preoperative instruction of adults scheduled for surgery; effects on postoperative outcome (Hathaway, 1985)* Special preoperative preparation of children for surgery vs. routine nursing care; effects on anxiety (Howell, 1985)* Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982)* Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)* Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/reloxation/medication training for clinical symptoms Biofeedback and reloxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and reloxation techniques; effect on abotinence (Feeh	0.54 0.48 0.51 0.65 0.65 0.43 0.34 0.46 0.44 0.40 0.44 0.52 0.49	18 600 300 277 633 116 400 105 688 23 75 27
Mental practice of motor skills; effects on learning (Fletz & Landers, 1983)* Social work interventions for mental illness; all outcomes (Videka-Sherman, 1988)* Social skills training with schizophrenics (Benton & Schroeder, 1990) Social skills training with children K-12; all outcomes (Hanson, 1989)* Treatment of public speaking anxiety; effect on anxiety (Allen, 1989) Self-administered psychological treatments for habits, phobias, affective disturbances and skills training; all outcomes (Scogin, Bynum, Stephens, & Calhoun, 1990) 1.4. Health Related Psychological or Educational Treatment 1.4.1. Education/counseling for medical patients Educational or psychological interventions with adult hospitalized elective surgery patients; effects on patient well-being (Devine, 1984; Devine & Cook, 1983)* Preoperative instruction of adults scheduled for surgery; effects on postoperative outcome (Hathaway, 1985) Special preoperative preparation of children for surgery vs. routine nursing care; effects on anxiety (Howell, 1985)* Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982)* Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, copperation, and recovery (Mumford, Schlesinger, & Glass, 1982)* Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for dinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1981) Relaxation training for clinical (medical) symptoms; all outcomes (H	0.48 0.51 0.65 0.65 0.43 0.34 0.46 0.44 0.40 0.44 0.52 0.49	60 30 27 63 116 40 105 68 23 75 27
Social work interventions for mental illness; all outcomes (Videka-Sherman, 1988) Social skills training with schizophrenics (Benton & Schroeder, 1990) Social skills training with children K-12; all outcomes (Hanson, 1889) Treatment of public speaking anxiety; effect on anxiety (Allen, 1989) Self-administered psychological treatments for habits, phobias, affective disturbances and skills training; all outcomes (Scogin, Bynum, Stephens, & Calhoun, 1990) 1.4. Health Related Psychological or Educational Treatment 1.4.1. Education/counselling for medical patients Educational or psychological interventions with adult hospitalized elective surgery patients; effects on patient well-being (Devine, 1984, Devine & Cook, 1983) Preoperative instruction of adults scheduled for surgery; effects on postoperative outcome (Hathaway, 1985) Special preoperative preparation of children for surgery vs. routine nursing care; effects on anxiety (Howell, 1985) Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982) Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982) Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989) 1.4.3. Tobacco smoki	0.65 0.65 0.43 0.34 0.46 0.44 0.40 0.44 0.52 0.49	27 633 116 400 105 68 23 75 27
Social skills training with schizophrenics (Benton & Schroeder, 1990) Social skills training with children K–12; all outcomes (Hanson, 1989) Treatment of public speaking anxiety; effect on anxiety (Allen, 1989) Self-administered psychological treatments for habits, phobias, affective disturbances and skills training; all outcomes (Socigin, Bynum, Stephens, & Calhoun, 1990) 1.4. Health Related Psychological or Educational Treatment 1.4.1. Education/counseling for medical patients Educational or psychological interventions with adult hospitalized elective surgery patients; effects on patient well-being (Devine, 1984; Devine & Cook, 1983) Preoperative instruction of adults scheduled for surgery; effects on postoperative outcome (Hathaway, 1985) Special preoperative preparation of children for surgery vs. routine nursing care; effects on anxiety (Howell, 1985) Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982) Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982) Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989) 1.4.3. Tobacco smoking cessation/reduction programs (Brown programs (Broyn) in medicine to reduce pain; effect on pain	0.65 0.43 0.34 0.46 0.44 0.40 0.44 0.52 0.49	27 63 116 40 105 68 23 75 27 34
Social skills training with children K-12; all outcomes (Hanson, 1989)* Treatment of public speaking anxiety; effect on anxiety (Allen, 1989) Self-administered psychological treatments for hobits, phobias, affective disturbances and skills training; all outcomes (Scogin, Bynum, Stephens, & Calhoun, 1990) 1.4. Health Related Psychological or Educational Treatment 1.4.1. Education/counseling for medical patients Educational or psychological interventions with adult hospitalized elective surgery patients; effects on patient well-being (Devine, 1984; Devine & Cook, 1983)* Preoperative instruction of adults scheduled for surgery; effects on postoperative outcome (Hathaway, 1985) Special preoperative preparation of children for surgery vs. routine nursing care; effects on anxiety (Howell, 1985)* Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982)* Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)* Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Molloy, 1989)* 1.4.3. Tobacco smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)* Smoking cessation/reduction programs (physician delivered); effect on	0.43 0.34 0.46 0.44 0.40 0.44 0.52 0.49	116 40 105 68 23 75 27
Treatment of public speaking anxiety; effect on anxiety (Allen, 1989) Self-administered psychological treatments for habits, phobias, affective disturbances and skills training; all outcomes (Scagin, Bynum, Stephens, & Calhoun, 1990) 1.4. Health Related Psychological or Educational Treatment 1.4.1. Education/counseling for medical patients Educational or psychological interventions with adult hospitalized elective surgery patients; effects on patient well-being (Devine, 1984; Devine & Cook, 1983) Preoperative instruction of adults scheduled for surgery; effects on postoperative outcome (Hathaway, 1985) Special preoperative preparation of children for surgery vs. routine nursing care; effects on anxiety (Howell, 1985) Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982) Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982) Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989) 1.4.3. Tobacco smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Fisher, 1990) Non-medical psychologically based treatm	0.34 0.46 0.44 0.40 0.44 0.52 0.49	40 105 68 23 75 27
training; all outcomes (Scogin, Bynum, Stephens, & Calhoun, 1990) 1.4. Health Related Psychological or Educational Treatment 1.4.1. Education/counseling for medical patients Educational or psychological interventions with adult hospitalized elective surgery patients; effects on patient well-being (Devine, 1984; Devine & Cook, 1983)° Preoperative instruction of adults scheduled for surgery; effects on postoperative outcome (Hathaway, 1985) Special preoperative preparation of children for surgery vs. routine nursing care; effects on anxiety (Howell, 1985)° Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982)° Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Chies, Seffect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs; effects on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° Smokin	0.46 0.44 0.40 0.44 0.52 0.49	105 68 23 75 27
 1.4. Health Related Psychological or Educational Treatment 1.4.1. Education/counseling for medical patients Educational or psychological interventions with adult hospitalized elective surgery patients; effects on patient well-being (Devine, 1984; Devine & Cook, 1983)° Preoperative instruction of adults scheduled for surgery; effects on postoperative outcome (Hathaway, 1985) Special preoperative preparation of children for surgery vs. routine nursing care; effects on anxiety (Howell, 1985)° Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982)° Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (physician delivered); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological tre	0.46 0.44 0.40 0.44 0.52 0.49	105 68 23 75 27
 1.4.1. Education/counseling for medical patients Educational or psychological interventions with adult hospitalized elective surgery patients; effects on patient well-being (Devine, 1984; Devine & Cook, 1983)° Preoperative instruction of adults scheduled for surgery; effects on postoperative outcome (Hathaway, 1985) Special preoperative preparation of children for surgery vs. routine nursing care; effects on anxiety (Howell, 1985)° Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982)° Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (physician delivered); e	0.44 0.40 0.44 0.52 0.49	68 23 75 27
Educational or psychological interventions with adult hospitalized elective surgery patients; effects on patient well-being (Devine, 1984; Devine & Cook, 1983)° Preoperative instruction of adults scheduled for surgery; effects on postoperative outcome (Hathaway, 1985) Special preoperative preparation of children for surgery vs. routine nursing care; effects on anxiety (Howell, 1985)° Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982)° Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° Smoking cessation/reduction programs (behavioral, self-report and physiologic outcomes (Broome, Lills, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcome	0.44 0.40 0.44 0.52 0.49	68 23 75 27
Preoperative instruction of adults scheduled for surgery; effects on postoperative outcome (Hathaway, 1985) Special preoperative preparation of children for surgery vs. routine nursing care; effects on anxiety (Howell, 1985)° Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982)° Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Reloxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Poin management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.44 0.40 0.44 0.52 0.49	68 23 75 27
Preoperative instruction of adults scheduled for surgery; effects on postoperative outcome (Hathaway, 1985) Special preoperative preparation of children for surgery vs. routine nursing care; effects on anxiety (Howell, 1985) Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982) Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982) Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989) 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990) Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990) 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986) Poin management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lilis, & Smith, 1989) Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.40 0.44 0.52 0.49	23 75 27
Special preoperative preparation of children for surgery vs. routine nursing care; effects an anxiety (Howell, 1985)° Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982)° Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.40 0.44 0.52 0.49	23 75 27
 (Howell, 1985)° Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982)° Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/freduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, & 	0.44 0.52 0.49	75 27
Psychological preparation of children for medical procedures; all outcomes (Saile, Burgmeier, & Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982)° Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.44 0.52 0.49	75 27
Schmidt, 1988) Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982)° Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.52 0.49	27
Patient education for people with a chronic disease or medical problem; effects on compliance and health (Mazzuca, 1982)° Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.52 0.49	27
Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.49	
Psychological support for patients facing surgery or recovering from heart attacks; effects on anxiety, cooperation, and recovery (Mumford, Schlesinger, & Glass, 1982)° Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.49	
Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &		21
Programs to increase compliance with medical treatment regimens; all outcomes (Posavac, Sinacore, Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989) 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990) Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990) 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986) Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989) Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &		٠,
Brotherton, Helford, & Turpin, 1985) Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &		
Patient education about treatment regimens, preventive behavior, self-care, etc.; all outcomes (Posavac, 1980) 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.47	58
 1.4.2. Biofeedback/relaxation/medication training for clinical symptoms Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, & 	0.74	00
Biofeedback and relaxation training for migraine and tension headaches; improvement scores (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.74	23
 (Blanchard, Andrasik, Ahles, Teders, & O'Keefe, 1980) Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, & 		
 Meditation and relaxation techniques; effect on blood pressure (Kuchera, 1987) Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, & 	0.63	35
Relaxation training for clinical (medical) symptoms; all outcomes (Hyman, Feldman, Harris, Levin, & Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.93	26
Malloy, 1989)° 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &		
 1.4.3. Tobacco smoking cessation/reduction programs Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, & 	0.52	48
Smoking cessation/reduction programs; effects on abstinence (Feehan, 1984) Smoking cessation/reduction programs (physician delivered); effect on quit rates (Dotson, 1990)° Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)° 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.44	07
Smoking cessation/reduction programs (worksite); effect on quit rates (Fisher, 1990)* 1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)* Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)* Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.64	97
1.4.4. Psychological treatments for pain Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986)° Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989)° Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.34 0.21	8 20
Music therapy in medicine to reduce pain; effect on pain reduction (Standley, 1986) ^a Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989) ^a Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.21	20
Pain management interventions with children; behavioral, self-report and physiologic outcomes (Broome, Lillis, & Smith, 1989) ^a Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.98	29
(Broome, Lillis, & Smith, 1989) ^a Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	• • •	-
Non-medical psychologically based treatment of chronic pain; all outcomes (Malone, Strube, &	0.39	30
Canada 1000)		
Scogin, 1989)	1.10	48
Cognitive coping strategies for the treatment of pain; effects on pain perception (Fernandez & Turk,	0.51	47
1989)	0.51 1.25	47 65
Multidisciplinary treatments for chronic back pain; all outcomes (Flor, Fydrich, & Turk, 1992)	1.25	05
1.4.5. Other health related psychological or educational treatment Psychosocial preventive care for the elderly; all outcomes (Wilson, Simson, & McCaughey, 1983)	0.45	8
Adolescent pregnancy education programs; all outcomes (Iverson & Levy, 1982)	0.35	14
Prenatal childbirth classes for adults; all outcomes (Jones, 1983)°	0.34	58
Training of new mothers about sensory/perceptual capabilities of newborns; effects on maternal-infant		
interaction (Turley, 1984)°	0.44	20
Behavioral treatment for obesity; effects on weight loss (O'Flynn, 1983)	1.06	80
Behavioral management of obesity for couples; effects on weight loss (Black, Gleser, & Kooyers,	0.33	12
1990)	0.55	12
The Feingold diet (free of food additives) for children; effects on hyperactivity (Kavale & Forness,	0.02	23
1983) Treatment for stuttering; all outcomes (G. Andrews, Guitar, & Howie, 1980)	1.30	42
Stress management programs; all outcomes (Nicholson, Duncan, Hawkins, Belcastro, & Gold, 1988)		18
Stress coping interventions; all outcomes (Cannella, 1988) ^a	0.75	94
(table	0.75 0.46	

Treatment area and reference	M effect size	Ν
Psychological treatment of Type A Behavior; effects on risk for coronary heart disease (Nunes, Frank, & Kornfeld, 1987)	0.61	10
Subjective well-being interventions among elderly; subjective well being outcomes (Okun, Olding, & Cohn, 1990)°	0.42	31
Exercise interventions for depression; effects on depression (North, 1989)°	0.54	77
Educational interventions for diabetic adults; knowledge, metabolic control, self-care and psychological outcomes (Brown, 1990)°	0.43	82
Death education; attitude and affective outcomes (Durlak & Riesenberg, 1991)	0.28	47
2. Work Setting or Organizational Interventions		
Psychologically based organizational intervention programs; effects on worker productivity (Guzzo, Jette,	0.44	98
& Katzell, 1985) Sociotechnical systems interventions in organizations; all outcomes (Beekun, 1989)	0.41	17
Job enrichment or work redesign; effects on turnover (McEvoy & Cascio, 1985)°	0.35	
Realistic job previews before entering an organization; effect on turnover	0.10	
(McEvoy & Cascio, 1985)°	0.18 0.14	13
(Reilly, Brown, Blood, & Malatesta, 1981) Training programs for managerial or supervisory personnel; effects on learning, behavior, and results	0.14	1 1
(Burke & Day, 1986)	0.42	70
Personal training techniques; sensitivity training (Falcone, 1986)°	0.63	106
Managerial human relations training; effects on managerial performance (Brannick, 1987)°	0.47	46
Employee training programs; effects on productivity (Leddick, 1987) Organizational development programs; effects on attitudes (Neuman, Edwards, & Raju, 1989)	0.6 <i>7</i> 0.32	48 126
Quality circles programs; effects on job satisfaction and job involvement (Eskew, 1989)	0.12	13
Management education in institutional settings; all outcomes (Niemiec, Sikorski, Clark, & Walberg, 1992)	0.85	22
3. Education		
3.1. General Education, K-12 and College		
3.1.1. Computer aided/based instruction Computer based instruction; effects on achievement (Gillingham & Guthrie, 1987)	1.05	13
Computer based instruction, K-12; effects on achievement (J. A. Kulik & Kulik, 1987)	0.31	199
Computer based instruction with elementary school students; all outcomes (Niemiec, 1985; Niemiec,		
Samson, Weinstein, & Walberg, 1987)°	0.45	48
Computer assisted instruction with elementary school students; effects on achievement (Ryan, 1991)° Computer assisted vs. conventional instruction for elementary students; effects on achievement (C. C.	0.31	40
Kulik, Kulik, & Bangert-Drowns, 1984)	0.48	25
Computer aided instruction vs. conventional methods in secondary school classrooms; effects on	0.00	<i>c</i> 1
achievement (J. A. Kulik, Bangert, & Williams, 1983) ^a Computer-based education for junior and senior high school students; effect on achievement (Bangert-	0.32	51
Drowns, Kulik, & Kulik, 1985)	0.26	42
Computer aided instruction vs. conventional methods for college instruction; effects on achievement (C. C. Kulik, Kulik, & Cohen, 1980)	0.25	59
Computer assisted instruction for exceptional (special education) students, elementary through high		
school; effects on achievement (Schmidt, Weinstein, Niemiec, & Walberg, 1986; see also 3.5.3.2.) ^a	0.66	18
Computer aided instruction with learning disabled and educable mentally retarded students; effects on	3.52	
achievement (McDermid, 1990; see also 3.5.3.2.)	0.57	15
Computer assisted mathematics instruction vs. traditional instruction, elementary and secondary	0.26	40
students; effects on math achievement (Burns, 1982; see also 3.5.1.) Computer assisted mathematics instruction and computer programming, elementary and secondary	0.35	40
students; effects on math achievement (Lee, 1990; see also 3.5.1.1°	0.38	72
3.1.2. Programmed or individualized instruction		
Individualized instruction; effects on achievement (Hood, 1991)°	0.17	70
Individualized systems of instruction for 6–12 grade students; effects on achievement (Bangert, Kulik, & Kulik, 1983)	0.10	51
Individualized instruction in science courses vs. traditional lecture methods, secondary school students;		0,
effects on achievement (Aiello & Wolfle, 1980; Aiello, 1981; see also 3.5.1.)°	0.35	115
Individualized mathematics instruction for elementary and secondary students; effects on math	0.20	1.50
achievement (Hartley, 1977; see also 3.5.1.)° Self-paced modularized individualized mathematics instruction vs. traditional instructions for elementary	0.29	153
and secondary students; effect on achievement (Horak, 1981; see also 3.5.1.)	-0.07	41
Programmed instruction vs. conventional instruction with secondary school students; effects on		
achievement (C. C. Kulik, Schwalb, & Kulik, 1982)	0.08	48
Programmed instruction vs. conventional instruction for college teaching; effect on achievement (J. A.	0.00	F 4
Kulik, Cohen, & Ebeling, 1980)°	0.28	56

Treatment area and reference	M effect size	Ν
Keller's personalized system of instruction (PSI) vs. traditional lecture methods for college teaching;		
effects on achievement (J. A. Kulik, Kulik, & Cohen, 1979a)°	0.49	72
Mastery learning with Kellers's Personalized System of Instruction & Bloom's Learning for Mastery with	0.52	102
college students; all outcomes (C. C. Kulik, Kulik, & Bangert-Drowns, 1990)° Feedback about correct answers in computerized and programmed instruction with adult learners;	0.52	103
effects on learning (Schimmel, 1983)°	0.47	15
3.1.3. Audio and visual based instruction		
Visual-based instruction (film, TV, etc.) vs. conventional teaching for college students; effects on achievement (Cohen, Ebeling, & Kulik, 1981)°	0.15	65
Postlethwait's audio-tutorial method of instruction vs. traditional lecture methods in college teaching;	0.10	00
effects on achievement (J. A. Kulik, Kulik, & Cohen, 1979b)°	0.20	47
Visual media instruction for students in nursing education; effects on attitude change (Schermer, 1984)° Interactive video instruction; effects on achievement (McNeil & Nelson, 1990)°	0.68 0.50	12 63
Interactive video instruction; effects on achievement uncrease a reason, 1990. Interactive video instruction in defense training, industrial training and higher education; effects on	0.50	03
knowledge, performance, retention and instruction completion time (Fletcher, 1990)	0.50	28
3.1.4. Cooperative task structures		
Cooperative vs. uncooperative task structures; effects on achievement and productivity (Johnson, Maruyama, Johnson, Nelson, & Skon, 1981)°	0.72	122
Cooperative learning with $K-12$ students; all outcomes (Hall, 1989)	0.30	37
Cooperative vs. competitive and individualistic instructional approaches in adult education; effects on	0.40	
achievement (Johnson & Johnson, 1987)° Cooperative learning with students with mild disabilities; effects on achievement (Stevens & Slavin,	0.62	133
1991; see also 3.5.3.2.)	0.31	11
Cooperative learning methods with handicapped K-12 students in mainstreamed classrooms; effects		
on achievement (Carlson, 1987; see also 3.5.3.2.) Cooperative vs. noncooperative task arrangements for handicapped—nonhandicapped and ethnically	0.16	13
different groups; all outcomes (Johnson, Johnson, & Maruyama, 1983; see also 3.5.3.2.)°	0.75	98
3.1.5. Student tutoring		
Student tutoring of elementary and secondary students (tutor's experience); effects on achievement	0.33	20
(Cohen, Kulik, & Kulik, 1982)° Student tutoring of elementary and secondary students; effects on achievement (Cohen, Kulik, & Kulik,	0.33	38
19821°	0.40	52
Tutoring of special education students by other special education students (tutor's experience); effects	0.75	10
on achievement (S. B. Cook, Scruggs, Mastropieri, & Castro, 1986)° Tutoring of special education students by other special education students; effects on achievement (S.	0.65	19
B. Cook et al., 1986)°	0.59	19
Tutorial methods of training the conservation concept in preoperational children; effects on mastery	0.00	
(Phillips, 1983)° 3.1.6. Behavioral objectives, reinforcement, cues, feedback, etc.	0.98	302
Behavioral objectives for instruction with elementary through adult students; effects on achievement		
(Asencio, 1984)°	0.12	111
Positive reinforcement in the classroom; effects on learning (Lysakowski & Walberg, 1980, 1981)°	1.17	39
Instructional cues, student participation, and corrective feedback in the classroom; effects on learning (Lysakowski & Walberg, 1982)	0.97	54
3.1.7. Other general education	0.,,	0.
Mastery learning, group based, grades 1–12 and college; all outcomes (Guskey & Pigott, 1988)°	0.61	43
Mastery learning, group based, primary and secondary students; effects on achievement (Slavin, 1987b)	0.25	17
Home instruction supported by school-based programs for elementary school children; effects on	0.23	17
achievement (Grane, Weinstein, & Walberg, 1983)°	0.68	29
Assignment of homework to elementary and secondary students; effects on achievement (Paschal, Weinstein, & Walberg, 1984)°	0.30	1 5
Modality based instruction; effects on achievement (Kavale & Forness, 1987)°	0.30 0.14	15 39
Technology based instructional approaches with American and Japanese students; effects on	0 7	0,
achievement (Shwalb, 1987)°	0.41	116
Technology based, non-technology based and combination teaching strategies with the mathematically disadvantaged; all outcomes (Williams, 1990)°	0.14	127
Use of simulation games in instruction; effect on achievement (Dekkers & Donatti, 1981)°	0.14	93
Instructional simulation games vs. conventional instruction; effects on cognitive learning (Szczurek,		
1982) Enrichment programs for aifted students, cognitive, creativity and affective outcomes (Wallace, 1990).	0.33 0.55	33 20

Enrichment programs for gifted students; cognitive, creativity and affective outcomes (Wallace, 1990)°

33 20

Table 1 (continued)		
Treatment area and reference	M effect size	N
Psychological and affective interventions for underprepared learners; grade-point average and persistance outcomes (W. L. Collins, 1987)°	0.36	14
3.2. Classroom organization/environment		
3.2.1. Open classroom vs. traditional Open classroom vs. traditional plan; effects on achievement		
(Giacomia & Hedges, 1982)°	-0.07	153
(Hetzel, Rasher, Butcher, & Walberg, 1980)	-0.03	25
(Madamba, 1981)	0.01 -0.13	72 45
(Peterson, 1980) 3.2.2. Class size	-0.13	40
Small class size vs. large class size, all grade levels; effects on achievement (Hedges & Stock, 1983)°	0.20	77
Small class size (under 30) vs. large class size (over 30), all grade levels; effects on achievement (Glass & Smith, 1979)	0.21	77
Small class size (under 30) vs. large class size (over 30); effects on student and teacher attitudes and	0.2,	,,
climate of instruction (Smith & Glass, 1980) 3.2.3. Between and within class ability grouping	0.53	59
Between and within class ability grouping of secondary school students; effects on achievement		
(C. C. Kulik & Kulik, 1982a, 1982b)°	0.10	52
Between and within class ability grouping of elementary students; effects on achievement (Slavin, 1987a)°	0.22	39
Between and within class ability grouping of secondary students; effects on achievement (Slavin, 1990). Between class ability grouping of elementary students; effects on achievement (C. C. Kulik & Kulik,	-0.03	29
1984)	0.19	31
Between class ability grouping in grades K-12; effects on achievement (Noland, 1985)° Between class ability grouping for gifted students; effects on achievement (Goldring, 1990)°	0.01 0.32	50 23
3.2.4. Other classroom organization/environment		
Pull-out programs for gifted students, grades K-9; effects on achievement (Vaughn, Feldhusen, & Asher, 1991)°	0.47	9
Full vs. half-day kindergarten; all outcomes (Karweit, 1987)°	0.48	11
3.3. Feedback to teachers		
Feedback to teachers about individual academic performance of students, grades K-12; effects on	0.70	21
achievement (Fuchs & Fuchs, 1986)° Feedback of student ratings to college instructors during a course; effects on student assessment and	0.70	21
outcome (Cohen, 1980)	0.38	17
(L'Hommedieu, Menges, & Brinko, 1990)° Teacher consultation for modifying teacher behavior and attitudes; effects on teacher and student	0.30	28
behavior and attitudes (Batts, 1988)°	0.66	40
Staff development training procedures for changing teacher's attitudes, knowledge and skill		
acquisition; effects on attitudes, knowledge and skill acquisition (Bennett, 1988)°	1.01	112
3.4. Test Taking 3.4.1. Coaching programs for test performance		
Coaching programs for achievement test performance, elementary through college; effects on test	2.25	
scores (Bangert-Drowns, Kulik, & Kulik, 1983) ^a Coaching programs on SAT aptitude tests for college students; effects on test scores (DerSimonian &	0.25	30
Laird, 1983)	0.19	22
Coaching programs for SAT and other aptitude tests, elementary through college; effects on tests		
scores (J. A. Kulik, Bangert-Drowns, & Kulik, 1984)°	0.33	35
Coaching for the SAT aptitude tests; effects on test scores (Messick & Jungeblut, 1981) (Becker, 1990)	0.15 0.30	12 23
Training in test-taking skills for elementary and secondary students; effects on achievement test scores	0.30	23
(Samson, 1985)°	0.33	24
Training in test-taking skills on standardized achievement tests for elementary students; effects on test scores (Scruggs, Bennion, & White, 1984)	0.21	24
Practice test taking on aptitude and achievement tests, elementary through college; effects on test		
scores (J. A. Kulik, Kulik, & Bangert, 1984) 3.4.2. Test anxiety	0.32	40
Therapy for test anxiety; effects on performance (O'Bryan, 1985)	0.36	119
The apy for test anxiety; effects on anxiety (O'Bryan, 1985)	1.07	119
Therapy for test anxiety; all outcomes (Hembree, 1988)	0.63 0.57	125
(Thompson, 1987)° Therapy for test anxiety (college students); all outcomes (Dole, Rockey, & DiTomasso, 1983)	0.80	195 46
Therapy for test anxiety (college students); effects on anxiety and performance (M. M. Harris, 1988)	0.58	70
3.4.3. Examiner		
Familiar vs. unfamiliar examiner testing children; effects on test performance (D. Fuchs & Fuchs, 1985)°	0.35	22

Table 1 (continued)		
Treatment area and reference	M effect size	Ν
3.5. Specific Instructional or Content Areas		
3.5.1. Science and math instruction Modern ("new") mathematics curricula vs. traditional instruction; effects on achievement (Athappily,		
Smidchens, & Kofel, 19831°	0.24	134
Three major activity-based elementary science programs vs. traditional curriculum; effects on		
achievement (Bredderman, 1983)°	0.34	57
New science curriculum vs. traditional curricula with primary and secondary students; effects on achievement (Kyle, 1982; Shymansky, 1984; Shymansky, Kyle, & Alport, 1982, 1983)°	0.37	105
(Shymansky, Hedges, & Woodworth, 1990)	0.30	81
Innovative science curricula vs. traditional instruction, grades 6–12; effects on achievement (Weinstein,	0.47	33
Boulanger, & Walberg, 1982) Instructional systems in science education vs. traditional instruction, grades K–12; effects on	0.47	33
achievement (Willett, Yamashita, & Anderson, 1983)°	0.07	130
Teaching students to control variables in science education, all grades and college; effects on learning	0.70	۷۵
(Ross, 1988)° Innovative science teaching techniques vs. traditional techniques, grades 6–12; effect on achievement	0.73	62
(Boulanger, 1981)°	0.55	51
Innovative approaches to teaching college economics vs. traditional lecture methods; effects on		40
achievement (C. L. Cohn, 1985)° Instruction in problem-solving in science and mathematics vs. conventional instruction for K-12	0.20	48
students; effects on achievement (Curbelo, 1985)°	0.54	68
Teaching biology as inquiry vs. traditional methods for high school and college students; effects on		
achievement (El-Nemr, 1980)°	0.16	59
Inductive vs. deductive approaches to science teaching, grades 4–12; effects on achievement (Lott, 1983)	0.06	24
Systematic methods of teaching mathematics problem-solving to elementary and secondary students;		
effects on problem solving achievement (Marcucci, 1980)°	0.13	33
Innovative science teaching techniques vs. traditional techniques, grades 6–college; effects on achievement (Wise & Okey, 1983)°	0.35	160
Diagnostic testing and feedback vs. none during science instruction, middle school through college;		
effects on achievement (Yeany & Miller, 1983)	0.53	21
Treatment of mathematics anxiety; effects on anxiety (Hembree, 1990)° Mathematics instructional method, K–12; effects on attitudes (Bradford, 1991)°	0.3 <i>7</i> 0.15	115 102
Computer assisted mathematics instruction vs. traditional instruction, elementary and secondary		
students; effects on math achievement (Burns, 1982; see also 3.1.1.)	0.35	40
Computer assisted mathematics instruction and computer programming, elementary and secondary students; effects on math achievement (Lee, 1990; see also 3.1.1.)°	0.38	72
Individualized instruction in science courses vs. traditional lecture methods, secondary school students;	0.00	, 2
effects on achievement (Aiello, 1981; Aiello & Wolfle, 1980; see also 3.1.2.)°	0.35	115
Individualized mathematics instruction for elementary and secondary students; effects on math	0.29	153
achievement (Hartley, 1977; see also 3.1.2.)° Self-paced modularized individualized mathematics instruction vs. traditional instructions for elementary	0.27	100
and secondary students; effect on achievement (Horak, 1981; see also 3.1.2.)	-0.07	41
Computer programming instruction; cognitive outcomes (Liao & Bright, 1991)° 3.5.2. Special content other than science and math	0.41	65
Reading instruction strategies for elementary students; effects on achievement (Pflaum, Walberg,		
Karegianes, & Rasher, 1980)	0.60	31
Reading improvement and/or study skills programs for college students; effects on reading ability,	0.04	00
GPA, and study habits (Sanders, 1979) ⁸ Whole language and language experience approaches to teaching reading; effects on language	0.94	28
achievement (Stahl & Miller, 1989)°	0.09	54
Instructional programs for teaching writing composition, elementary through college; effects on writing	0.00	
quality (Hillocks, 1984)° Accelerated instruction for gifted students; effects on achievement (J. A. Kulik & Kulik, 1984)°	0.28 0.88	60 13
Creativity training techniques; effects on creative performance and other outcomes (C. M. G. Cohn,	0.00	, 0
1985)°	0.57	106
Creative thinking training programs; effects on Torrance Test of Creative Thinking (Rose & Lin, 1984) Creative drama with elementary students; effect on achievement (Kardosh & Wright, 1987)°	0.47 0.67	46 16
Primary prevention education programs in schools (e.g., career maturity, coping/communication skills,	0.07	10
moral & psychological education, substance abuse, values); all outcomes (Baker, Swisher,		
Nadenichek, & Popowicz, 1984; see also 1.3.4.)°	0.55	41

(table continues)


Table	1	(continued)
-------	---	-------------

nt area and reference	M effect size	N
Programs for training moral judgment, junior high through adults; effects on Defining Issues Test	2.25	
(Schlaefli Rest, & Thoma, 1985)°	0.25	55
Career education programs for K-12 students; all outcomes (Baker & Popowicz, 1983; see also	0.50	1 -
1.3.4.)	0.50	18
Guidance and counseling programs in the regular school curriculum for high school; effects on	1.20	ć
psychological maturity (Sprinthall, 1981; see also 1.3.4.)°	0.48	58
Career counseling interventions; all outcomes (Oliver & Spokane, 1988; see also 1.3.4.) Counseling and guidance programs in high schools; all outcomes (Nearpass, 1990; see also 3.5.2.)		77
Nutrition education programs for school age children; effects on knowledge behavior, and attitudes	0.00	,,
(Levy, Iverson, & Walberg, 1980)°	1.25	6
/ocabulary instruction, elementary through college; effects on learning and comprehension (Stahl &		
Fairbanks, 1986)°	0.90	52
(Klesius & Searls, 1990)°	0.32	1.5
ocabulary instruction with poor readers, 3rd-12th grades; effects on word knowledge and		
comprehension (Marmolejo, 1990)	0.47	1.5
3. Preschool and special education; developmental disabilities		
3.5.3.1. Early intervention for disadvantaged or handicapped		
Headstart early childhood education programs; cognitive outcomes (Administration for Children,	0.24	71
Youth, and Families, 1983)°	0.34 0.33	71 49
(R. C. Collins, 1984) Preschool intervention programs for culturally disadvantaged children; 5–14 year follow-up effects		" 7
on achievement and cognitive outcomes (Goldring & Presbrey, 1986)°	0.24	8
Early intervention programs for environmentally at-risk (disadvantaged) infants; effects on IQ and	V.Z.	
other variables (Casto & White, 1984; Utah State University Exceptional Child Center, 1983)	0.43	26
Early intervention programs with handicapped preschoolers; all outcomes (Casto & Mastropieni,		
1986; Utah State University Exceptional Child Center, 1983)°	86.0	74
Intervention programs for kindergarten children; all outcomes (Lewis & Vosburgh, 1988)	0.41	65
.5.3,2. Special education programs or classrooms		
Special education classroom placement vs. regular class placement for exceptional children; effect	S 0.15	
on achievement (Carlberg & Kavale, 1980)	-0.15	50
Early childhood special education; all outcomes (Snyder & Sheehan, 1983)	0.48	8
Mainstreaming vs. segregated special education for disabled K-9 students; effects on achievemen	0.44	1 }
(Wang & Baker, 1986) Direct instruction in special education; effects on achievement, intellectual ability, readiness skills, o		
task behavior and affect (White, 1987)°	0.84	25
Educational interventions for at-risk populations (students in danger of failing to complete their		
education), K-12; effects on achievement (Slavin & Madden, 1989)°	0.63	28
Computer assisted instruction for exceptional (special education) students, K-12; effects on		
achievement (Schmidt et al., 1986; see also 3.1.1.)°	0.66	18
Computer aided instruction with learning disabled and educable mentally retarded students; effects	0.57	, -
on achievement (McDermid, 1990; see also 3.1.1.)	0.57	15
Cooperative learning with students with mild disabilities; effects on achievement (Stevens & Slavin,	0.31	11
1991; see also 3.1.4.) Cooperative learning methods with handicapped K-12 students in mainstreamed classrooms; effec		1 1
on achievement (Carlson, 1987; see also 3.1.4.)	0.16	13
Cooperative vs. noncooperative task arrangements for handicapped–nonhandicapped and	0.10	
ethnically different groups; all outcomes (Johnson, Johnson, & Maruyama, 1983; see also 3.1.4.)	° 0.75	98
5.5.3.3. Perceptual-motor and sensory stimulation treatment for developmental		_
disabilities		
Perceptual-motor training for learning disabled and disadvantaged children; effects on academic,		
cognitive, and perceptual-motor outcomes (Kavale & Mattson, 1983)	0.08	180
Frostig training for development of visual perception in children with learning problems; effects on	0.00	
perceptual skills and academic achievement (Kavale, 1984)°	0.09	59
Sensory integration therapy for patients with developmental disabilities or learning disabilities;		
effects on academic achievement, motor performance, and language function (Ottenbacher,	0.79	8
1982) Clinically applied vestibular stimulation as a sensory enrichment therapy for infants at risk and	0.79	ð
		1.4
children with developmental delay; effects on cognitive, language, motor, alertness, and	0.71	14
	0.71	14

Table 1	(continued)
---------	------------	---

Table I (continued)	M effect size	N
Treatment area and reference	M effect size	
Early intervention and sensory stimulation programs for organically impaired developmentally delayed children; effects on development, motor, cognitive, language, social, and self-help outcomes (Ottenbacher & Petersen, 1985)	0.97	38
3.5.3.4. Remedial language programs and bilingual instruction Remedial and developmental language programs for linguistically deficient or disadvantaged preschool and elementary students; outcomes on Illinois Test of Psycholinguistic Ability (Kavale,		
1980, 1981, 1982)° Bilingual vs. English instruction in K–12 school programs; effects on achievement (Willig, 1985)° Language therapy/training for language/learning disabled children; effects on language	0.39 0.12	34 16
improvement (Nye, Foster, & Seaman, 1987)° Language interventions for preschool children; language and non-language outcomes (Piorier,	1.04	43
1990)°	0.50	61
3.5.3.5. Other special education Educational treatment programs for emotionally disturbed students; effects on achievement and classroom behavior (Rosenbuam, 1983)	1.02	99
Special classroom or residential treatment for behaviorally disordered students; all outcomes (Skiba & Casey, 1985)	0.93	10
Training for mentally retarded persons on memory and learning tasks; all outcomes (Mattson, 1985)°	0.70	96
Special remedial programs for high risk and disadvantaged college students; effects on achievement (C. C. Kulik, Kulik, & Shwalb, 1983)°	0.27	60
3.5.4. Teacher training 3.5.4.1. Inservice training for teachers		
Inservice training for elementary and secondary school teachers; all outcomes (Harrison, 1981) (Wade, 1984, 1985)	0.80 0.52	47 91
Inservice training for elementary and secondary school teachers; effect on teachers and their students (Joslin, 1981)°	0.47	137
Science inservice training for teachers; effects on teachers and their students (Enz., Horak, & Blecha, 1982)°	0.84	16
Inservice and preservice training of teachers in the inquiry strategy for teaching science; effects on teachers (Sweitzer & Anderson, 1983)°	0.77 0.51	68 14
Human relations training programs for teachers; all outcomes (A. W. Robinson & Hyman, 1984)° Strategy analysis training for science teachers; effects on teachers and their students (Yeany & Porter, 1982)°	1.31	12
Classroom management training programs for teachers; effects on student achievement and, teacher and student behavior, attitudes and affect (A. W. Robinson, 1989)°	0.47	79
3.5.4.2. Practice or field experience during teacher training		_
Practice or beginning teaching; effects on self-concept and attitudes (Colosimo, 1982, 1984) Classroom field experience for college students in teacher education programs; effects on teachers (M. R. Malone, 1984)°	0.30 0.12	7 40
Field experience in instructional settings during teacher training; effects on self-concept and teaching		
attitudes (Samson, Borger, Weinstein, & Walberg, 1984) 3.6. Miscellaneous Educational Interventions	0.23	38
Hawthorne effect in educational research; all outcomes (Adair, Sharpe, & Huynh, 1989)°	0.20	38
Placebo control group effect in educational research; all outcomes (Adair, Sharpe, & Huynh, 1990)° Continuing medical education for physicians; all outcomes (Beaudry, 1989)°	0.62 0.60	<i>57</i> 41
Interventions designed to enhance the communication skills of health-care providers; effects on		0.5
communication skills (Anderson & Sharpe, 1991) Continuing education for nurses, test of Cervero Model; effects on nursing practice (Waddell, 1991)	0.62 0.73	25 34
Training programs for graduate level counselors (Microcounseling Approach); all outcomes (Baker,		
Daniels, & Greeley, 1990)° (Baker & Daniels, 1989)°	0.63 0.83	23 79
Training programs for graduate level counselors (Human Resource Training/Development Approach); all	0.63	/ 9
outcomes (Baker, Daniels, & Greeley, 1990)° Training programs for graduate level counselors (Interpersonal Process Recall Approach); all outcomes	1.07	8
(Baker, Daniels, & Greeley, 1990)°	0.20	10
Career development courses for college students; effect on maturity and decidedness (Hardesty, 1991) Interventions to modify attitudes toward persons with disabilities; effects on attitudes (Shaver, Curtis,	0.40	12
Jesunathadas, & Strong, 1989)	0.37	273
Mass media campaigns; effects on automobile occupant restraint behavior (Moore, 1990)°	0.14	35
* Studies included in refined distribution.		

Figure 1Distribution of Mean Effect Sizes From All Meta-Analyses



duced negative mean effect sizes (and 3 of these were in the same treatment area), and relatively few mean effect sizes were in the immediate vicinity of zero. More than 90% of the mean effect sizes were 0.10 or larger, and 85% were 0.20 or larger. There is little in conventional reviews and past discussion of these treatment areas, either individually or collectively, that prepares a reviewer for the rather stunning discovery that meta-analysis shows nearly every treatment examined to have positive effects.

Indeed, the effect size distribution in Figure 1 is so overwhelmingly positive that it hardly seems plausible that it presents a valid picture of the efficacy of treatment per se. What seems more likely is that these results reflect some artifact or misrepresentation that makes them look stronger than they actually are. Before drawing any conclusion about the efficacy of psychological treatment, therefore, we must attempt to identify and examine what potential distortions we can in the distribution of meta-analysis treatment effect estimates.

Methodological Quality

One possible explanation for the strong skew toward positive effect sizes in meta-analyses of treatment research is bias resulting from the type of research designs typically used to study treatment effectiveness. Any methodological artifact that caused treatment effects to be overestimated and was also widespread in primary studies would inflate the mean effect sizes found in meta-analyses based on those studies.

It is relatively easy to identify widespread methodological features of treatment effectiveness research that would potentially act to underestimate treatment effect sizes (e.g., unreliable, insensitive, or irrelevant outcome measures and inconsistent or incomplete treatment implementation; Boruch & Gomez, 1977; Hunter & Schmidt, 1990; Lipsey, 1990). Methodological artifacts that would serve to inflate

effect size estimates, however, are not so readily identifiable. The most obvious candidate is selection bias favoring treatment groups in designs that do not use random assignment to treatment conditions. If treatment groups often consist of respondents whose initial, pretreatment status is better than that of the control groups with which they are compared, their posttreatment status is also likely to be better, whether or not they have received effective treatment. Because nonequivalent comparison group and other such quasi-experimental designs are quite common in treatment effectiveness research—indeed, more common than randomized designs in many areas (Lipsey, Crosse, Dunkle, Pollard, & Stobart, 1985)—there is potential for widespread bias.

Fortunately, meta-analysts often consider the possibility that nonrandomized designs will yield different effect size estimates than randomized designs. A number of the meta-analyses listed in Table 1 provided a breakdown of the mean effect size for different design categories, typically random versus nonrandom assignment and, sometimes, one-group pre-and-post designs as well. Others divided primary studies according to some coding of methodological quality in which method of subject assignment was heavily weighted. These various stratifications make it possible to compare the distribution of mean treatment effects found for different design configurations.

Table 2 presents the mean effect sizes for different design and methodological quality categories for the subset of meta-analyses listed in Table 1 that provide such breakdowns. For purposes of Table 2, meta-analyses were selected only if they reported a mean effect size separately for different design categories or quality levels for a body of research studies in the same treatment area. In cases where more than one meta-analysis reported such information for the same treatment domain, the meta-analysis with the most complete information or, if that was equivalent, the one using the largest number of primary studies was selected.

Table 2Methodological Quality Comparisons for Meta-Analyses Providing Information

	Effect size		
Comparison	М	SD	N
Control/comparison designs			
Random studies	0.46	0.28	74
Nonrandom studies	0.41	0.36	74
Design type			
Control/comparison	0.47	0.29	45
One-group pre-post	0.76	0.40	45
Methodological quality ratings			
High	0.40	0.27	27
low	0.37	0.29	27

Note. For each comparison, only those meta-analyses that provided a breakout for that comparison were included (e.g., 74 meta-analyses provided a mean effect size for random and nonrandom studies).

The information displayed in Table 2 reveals that the mean effect size for nonrandomized control or comparison group designs is actually slightly smaller than that for randomized designs. If we assume that the same pattern holds for those meta-analyses that did not report this comparison, we must conclude that the mean effect sizes of Figure 1 are not inflated by inclusion of studies with such designs in the respective meta-analyses. Indeed, it would appear that, if anything, inclusion of nonrandomized comparison group designs, on average, slightly suppresses the overall effect size a meta-analysis yields.

By contrast, Table 2 shows a different result when we compare the effect sizes from one-group pre-and-post designs with those from control or comparison group designs (random and nonrandom combined) for those 45 meta-analyses that included and broke out both types. One-group pre-and-post designs yielded effect sizes that averaged 61% larger than those resulting from control or comparison group designs in the same treatment areas. It seems clear, therefore, that one-group pre-and-post designs do have the potential to substantially inflate mean effect sizes if they are included in a meta-analysis (more on this later).²

Also included in Table 2 are the results of comparing effect sizes for studies rated high in methodological quality with those rated low among meta-analyses that coded quality and reported a breakdown. Methodological quality is coded many different ways by meta-analysts. Most schemes represent internal validity as a predominant component, especially whether assignment to conditions was randomized. Some schemes, however, include various other factors related to construct, statistical conclusion, or external validity.

As Table 2 indicates, the 27 meta-analyses that compared mean effect sizes for studies rated high and low for methodological quality found little difference. As with the random versus nonrandom comparison studies, the small difference favored higher quality studies. Again, we see that inclusion of lower quality studies in these meta-analyses would, on average, slightly lower the overall mean effect size found, not inflate it.

Further evidence on this point is provided by 23 additional meta-analyses that reported the correlation between study-level effect sizes and the meta-analyst's ratings of the methodological quality of the studies. The mean correlation for those meta-analyses, weighted by the number of studies contributing to each meta-analysis, was -.01. Although the direction of this relationship is for lower quality studies to have higher effect sizes, its magnitude is so close to zero that it represents no inconsistency with the results reported earlier.

It may be useful to emphasize what is and is not implied by the foregoing analysis. These various comparisons do not indicate that it makes no difference to the validity of treatment effect estimates if a primary study uses random versus nonrandom assignment to conditions. Nor do they indicate that methodological quality is not important. What these comparisons do indicate is that there is no strong pattern or bias in the direction of the


difference made by lower quality methods. In a given treatment area, poor design or low methodological quality may result in a treatment estimate quite discrepant from what a better quality design would yield, but it is almost as likely to be an underestimate as an overestimate.

This general point is made more evident if, instead of comparing effect size means for different design types, we difference those means within a given meta-analysis and examine the distribution of differences. Figures 2, 3, and 4 show the distributions of such differences for the three methodological comparisons in Table 2. The differences between effect size estimates based on randomized versus nonrandomized designs, for example, ranges from near -1.00 to over 1.00, even though the mean difference is modest (Figure 2). In some treatment areas, therefore, nonrandom designs (relative to random) tend to strongly underestimate effects, and in others, they tend to strongly overestimate effects. The distribution of differences on methodological quality ratings shows a similar pattern (Figure 4).

The type of control or comparison design and overall methodological quality do matter, therefore, but no consistent pattern emerges in the direction of bias introduced when less valid approaches are used. Quite a different pattern appears, however, with one-group pre-and-post designs, which, as Figure 3 shows, generally overestimate treatment effects.


In all of these cases the results shown here provide no warrant for researchers to neglect the principles of

Figure 2Distribution of Differences in Mean Effect Sizes for Random Minus Nonrandom Designs



² It is an open question why one-group pre-and-post studies yield inflated effect sizes. This may be an artifact of how meta-analysts handle the correlated scores from these studies when computing effect sizes, a confounding of maturational effects with treatment effects, or any of a number of other possibilities.

Figure 3Distribution of Differences in Mean Effect Sizes for One-Group Pre-Post Minus Comparison Group Designs



good research design on the grounds that it makes no difference in the ultimate treatment effect estimate. What these results do show is that, for the range of treatment areas represented in available meta-analyses, no substantial skew in the distribution of treatment effect estimates is apparent because those meta-analyses include studies with nonrandomized comparison groups or weaker overall methodological quality. These factors, therefore, are not sufficient to account for the strong positive trend in mean treatment effect estimates shown in Figure 1.

One-group pre-and-post designs, on the other hand, clearly are capable of upwardly biasing the mean treatment effect estimates derived from meta-analysis. If many of the meta-analyses whose results are plotted in Figure 1 included a relatively high proportion of such studies, that fact might well account for the strong positive results shown there. As it happens, few of those meta-analyses did include pre-and-post studies and, for those, they represented a modest proportion of the total. After looking at some other potential biasing factors, we will refine the distribution of treatment effects to eliminate this source of bias.

Availability Bias

Another factor that might inflate the treatment effect estimates found in meta-analysis is a bias in the way meta-analysts select studies to include in their syntheses. If, from the whole population of eligible studies, those studies most readily available to meta-analysts, and thus most likely to be included, tended to show larger effects, whereas those not included showed smaller effects, the result would be a regular overestimation of treatment effects. The easiest studies to identify and locate in a meta-analysis, of course, are those that are formally published in journals and books and hence have the highest probability of being

known to and cited by researchers in the field, listed by the major bibliographic services (e.g., Psychological Abstracts), and found in university libraries.

There is good reason to believe that published studies of treatment effectiveness research will tend to show higher effect sizes than unpublished studies (Greenwald, 1975). Authors may be more likely to attempt to publish a study that finds large, statistically significant effects (even though such results can occur solely by chance). Journal editors and reviewers, in turn, are likely to look more favorably on such results when they are submitted for publication. Moreover, there is direct evidence that larger effect sizes do indeed appear more frequently in the published than the unpublished research on the same treatment (Smith, 1980).

The question for our assessment of the strongly positive mean effects displayed in Figure 1, therefore, is whether they can be explained by differential effect sizes in published versus unpublished research combined with oversampling of published studies in the typical meta-analysis. Because many meta-analysts show some awareness of this issue, it is not uncommon for them to stratify the studies in their synthesis and report mean effect sizes separately by publication source. This provides a database we can use to examine the role that availability bias may have made in the overall distribution of treatment effects.

Separate estimates of the mean treatment effect for published versus unpublished studies were extracted whenever possible from each meta-analysis listed in Table 1. If two meta-analyses in the same treatment area yielded estimates, the one with the larger number of primary studies was selected. A total of 92 meta-analyses provided nonredundant comparisons by publication source; the results are presented in Table 3. As shown, there is clearly a differential between the mean treatment effect size es-

Figure 4Distribution of Differences in Mean Effect Sizes for High Minus Low Methodological Quality




Table 3Comparison of Effect Sizes Reported in Published Versus Unpublished Studies

	Effect size			
Document source	М	\$D	N	
Published studies Unpublished studies	0.53	0.30 0.28	92 92	

Note. Only those meta-analyses that provided a breakout for this construct were included.

timate derived from published studies and that derived from unpublished studies within the same set of metaanalyses. Published studies yielded mean effect sizes that averaged 0.14 SDs larger than unpublished studies. It is evident, therefore, that the treatment effects reported in published studies are indeed generally biased upward, relative to those in unpublished studies.


It is noteworthy, however, that the mean effect size estimates for both published and unpublished studies fall in the positive range; published studies are just more positive than unpublished studies. We would still find positive mean effect sizes in most treatment areas, even if we made the estimate entirely from the results of unpublished studies. This is shown in Figure 5, which plots the distributions for the effect size estimates summarized in Table 3. Even if we look at only the distribution of mean effect size estimates from unpublished studies, we find that nearly 89% are 0.10 or greater and 78% are 0.20 or greater. Moreover, because the true mean effect size for a given treatment across the full population of eligible studies should lie somewhere between the separate estimates from published and unpublished studies, we can be relatively confident that the distribution across treatment areas will be more positive than the estimates derived from unpublished studies alone.

Oversampling of published studies in a meta-analysis, therefore, does indeed upwardly bias treatment effect estimates. The amount of that bias, however, does not appear to be large enough to account for the generally positive findings of the meta-analyses conducted on psychological treatment research. Nonetheless, to get a better assessment of the distribution of the effects of psychological treatment, we should restrict our attention to those meta-analyses that base their estimates on both published and unpublished studies. We will return to this issue after examining additional factors that may be implicated in the positive findings of Figure 1.

Small Sample Bias

Hedges (1981) has demonstrated that the mean of effect sizes based on small subject samples is biased upward as a statistical estimator of the population effect size mean. If a sizeable proportion of the mean effect sizes represented in Figure 1 were based on studies using small sam-

Figure 5
Distributions of Mean Effect Sizes From Published and Unpublished Studies for Meta-Analyses Reporting Both Breakouts



ples, this bias might account for part of the skew toward positive effects.

The magnitude of the small sample bias can be easily calculated and proves to be negligible for effect sizes based on a total sample size of 50 or more (e.g., 25 each in the treatment and control conditions). Indeed, the total sample size must be as small as 10 or less before the bias is appreciable, that is, 10% or more inflation. Table 4 shows the actual mean effect sizes based on different sized samples for the 39 independent meta-analyses from Table 1 that broke out their results by sample size. Another 25 reported the correlation between sample size and effect size. The mean correlation for these meta-analyses, weighted by the number of studies contributing to each meta-analysis, was only -.03.

Table 4 shows that the difference between mean effect sizes based on samples of 50 or less was only 0.06 larger than that based on samples of 51-100. Even if a large

Table 4Comparison of Effect Sizes Based on Studies With Different Sized Samples

	Effec	t size	
Sample size	М	SD	N
N less than 50	0.58	0.32	39
N 51 to 100	0.52	0.43	39
N more than 100	0.35	0.30	39

Note. Only those meta-analyses that provided a breakout for this construct were included.

proportion of the studies represented in the mean effect sizes of Figure 1 was based on small samples, therefore, the upward bias from that source would be modest. In fact, of the 134 meta-analyses that reported sample size information, the mean sample size per primary study was 122. Therefore, the typical effect size contributing to the means represented in Figure 1 does not appear to be based on small enough samples to yield appreciable bias from that source.

It is worth noting that for the 39 meta-analyses contributing to Table 4, effect sizes based on samples of more than 100 were considerably smaller than those for both categories of lesser sample sizes. This difference is not attributable to the statistical bias inherent in small sample estimation of effect sizes, because as noted above, that bias is known to be negligible for samples over about 50. Apparently this pattern represents an empirical finding that perhaps reflects distinctive differences in the nature of studies conducted with larger samples. Such studies may use different treatment variants, less well-implemented treatments, or different measures or methods—any one of which might influence effect size.

Generalized Placebo Effect

Still another possible explanation for the strongly positive effects found in meta-analyses of studies of psychological treatment is that such positive effects are not actually due to the specific efficacy of the treatments provided. This might happen if the superiority of treatment group performance that is reflected in meta-analysis effect sizes resulted from some sort of placebo effect on the treatment group.³ It may be that those generalized effects of treatment that are not usually present for control groups (e.g., receiving attention and having positive expectations) have fairly universal positive effects that show up in meta-analysis, even though the distinct elements of the treatments provided are ineffectual.

The hypothesis of a generalized placebo effect that yields widespread positive treatment effects is more difficult to appraise and interpret than the factors considered earlier. Two questions need to be addressed. First, is there any evidence that the generally positive effects of treatment meta-analyses could be accounted for by placebo effects alone? Second, even if they could, does that really undermine the claim that psychological treatment is generally efficacious? We will consider each of these in turn.

One line of evidence bearing on the placebo issue can be derived from the meta-analyses listed in Table 1. In some of the treatment areas represented there, placebo control groups are occasionally included in studies of treatment effects. And, in some cases, the meta-analyst coded and reported information on the effect size for the contrast between treatment and placebo controls separately from that between treatment and no treatment controls. Extraction of those separate estimates for 30 independent meta-analyses yielded the results shown in Table 5.

Table 5 shows that treatment effects estimated relative to placebo controls are indeed smaller, on average,

Table 5Comparison of Effect Sizes Based on Studies With Different Control Conditions

	Effect size		
Control condition	М	SD	N
No treatment control	0.67	0.44	30
Placebo treatment control	0.48	0.26	30

Note. Only those meta-analyses that provided a breakout for this construct were included.

than those estimated relative to no-treatment control conditions. Those effects do not reduce to zero, however. The distribution of effects relative to placebo still falls largely in the positive range (90% greater than 0.20) and thus shows evidence of "value added" by treatment beyond that attained with administration of placebos. The data for this comparison is limited, however. Rather few meta-analyses reported separate effect estimates for placebo controls, and the majority of those were in the area of mental health and thus do not necessarily extend to other treatment domains.

Another line of evidence on the generalized placebo hypothesis comes from those treatment research domains in which the customary comparison is not between a treatment condition and a "no-treatment" control condition but, rather, between the treatment of interest to the researcher (usually an innovative or experimental treatment) and "treatment as usual." This situation is often found, for instance, in research on educational interventions. A new curriculum is compared with the old curriculum, an open classroom is compared with a "normal" classroom, and so forth. The question in these studies is not whether the treatment of interest is better than nothing—because nothing is not a realistic option in the relevant settings—but whether it is better than established or traditional treatment.


Positive treatment effect sizes in these domains are analogous to those derived from treatment versus placebo comparisons. To the extent that an experimental treatment shows better results than treatment as usual, it must be adding some useful element above and beyond generalized placebo effects (which presumably would also be represented in treatment as usual).

In Figure 6 the mean effect sizes are plotted for those independent meta-analyses of educational interventions in Table 1 that were based, as nearly as we could tell, on studies in which treatment versus treatment-as-usual comparisons predominated. As can be seen, this distribution also falls largely in the positive effect range and thus provides little indication of treatment effects attributable entirely to generalized placebo effects.

What we can glean from the limited analysis above is that there are quite likely some generalized placebo

³ Thanks to J. D. P. Sinha for this suggestion.

Figure 6Distribution of Mean Effect Sizes for Educational Studies in Which the Control Group Received an Alternate or Traditional Treatment



effects that contribute to the overall effects of psychological treatment, but their magnitude does not seem sufficient to fully account for those overall effects.

To the extent that the treatment effects shown in Figure 1 do reflect a boost from a generalized placebo effect, however, it is arguable whether this undermines their validity. In psychological treatment, unlike medical treatment, it is conceptually difficult to distinguish placebo effects from the treatment with which they are associated. In medical treatments a relatively clear separation is possible between the nature of, say, surgical or pharmaceutical intervention and the accompanying patient morale, expectations, social interaction, and the like. Psychological treatment, on the other hand, is often presumed to work through just those mechanisms of social interaction, expectations, and attitude change that likely constitute the key elements of the placebo effect. As Wilkins (1986) has argued, placebo effects may be constituent parts of psychological treatment, not artifacts to be separated out in any assessment of that treatment.

Summary of Identifiable Influences on Observed Effect Sizes

The considerations examined earlier indicate that there are indeed some factors that may upwardly bias the mean effect sizes shown in Table 1 and Figure 1. Two such factors are especially notable. First, one-group pre-and-post designs for assessing treatment effects seem almost universally to overestimate the size of those effects relative to randomized studies of the same treatment. Meta-analyses based in substantial part on such studies, therefore, cannot be accepted as sources of good estimates of the efficacy of treatment.

Second, it seems clear that there is a differential between the effect sizes derived from published studies and those found in unpublished studies of a given treatment. Published studies are more likely to report stronger—that is, larger and more positive—effects than unpublished studies. It follows, therefore, that meta-analyses based only on published studies cannot be expected to yield good estimates of overall treatment effects.

In addition, it seems likely that some portion of the positive results of psychological treatment stems from generalized placebo effects rather than the specific effects of the treatment delivered. The indication from the meta-analyses reviewed here, however, is that positive treatment effect sizes cannot be accounted for entirely by generalized placebo effects; indeed, such effects are rather modest. Moreover, given the inherently psychological nature of psychological treatment, it is arguable whether generalized placebo effects should be excluded from consideration when assessing such treatments.

Because the mean effect size array in Figure 1 includes the results of meta-analyses based, in part, on preand-post studies and those restricted to published studies, we must, therefore, ask whether those factors account for the surprisingly positive effects displayed there. It is worth remembering, incidentally, that there are many factors that may reduce observed effect sizes that cannot be examined in the available meta-analysis results. Our concern, however, is to guard against an overly optimistic assessment of treatment efficacy, and we thus emphasize those factors that may produce upward bias in effect sizes.


Refined Examination of the Distribution of Treatment Effects

We are now in a position to make a more refined and probing assessment of the distribution of mean treatment effects reported in the meta-analyses of Table 1 and Figure 1. For this purpose, we make the following selections: (a) We use only treatment effect estimates based on control or comparison group designs and eliminate those based on or mixed with estimates derived from one-group pre-and-post designs; (b) we use only treatment effect estimates based on both published and unpublished studies; and (c) in cases in which two or more meta-analyses cover the same or highly overlapping research literatures, we retain only the treatment estimates from the meta-analysis with the broadest coverage, that is, the largest number of studies.

The result of these refinements is a distribution of mean treatment effect estimates that are relatively independent, that is, do not substantially share studies or respondents, and that eliminate or at least appreciably reduce the biases identified earlier. In particular, this distribution should not seriously overestimate treatment effects because of inclusion of estimates based on one-group pre-and-post studies or because of estimates based entirely on published studies. The studies contributing mean effect sizes to this refined distribution are marked with superscript^a in Table 1, presented earlier.

This refined distribution, shown in Figure 7, provides a reasonable basis for assessing the general efficacy of psychological, educational, and behavioral treatment.

Figure 7Refined Distribution of Mean Effect Sizes From Selected Meta-Analyses



Collectively, the 156 meta-analyses represented there encompass approximately 9,400 individual treatment effectiveness studies (M=60 per meta-analysis) and more than one million individual subjects (M=8,055 per meta-analysis), estimated on the basis of the 59 meta-analyses that reported sample size information.

The grand mean treatment effect in this refined distribution is 0.47 SDs. That is, the average treatment group scored 0.47 SDs higher on the average outcome measure than did the average control group. Moreover, Figure 7 shows a relatively modest proportion of meta-analyses that yielded mean treatment effect sizes in the zero and negative range. In particular, 83% of the mean effect sizes in the refined distribution were 0.20 or greater. Only one was actually negative. We are left, therefore, with the same observation with which we began—the evidence from meta-analysis indicates that the psychological, educational, and behavioral treatments studied by meta-analysts generally have positive effects. We turn now to the question of whether those positive effects are of meaningful practical magnitude.

Statistical Versus Practical Effects

Treatment effect estimates in standard deviation units have little intuitive meaning. How much of a treatment effect is 0.20 or 0.50 of a standard deviation? Is it possible that, although most of the mean effect sizes in Figure 7 are numerically positive, they represent small effects that are not practically or clinically meaningful in the contexts in which the respective treatments are applied?

The issue of relating statistical differences in measured treatment outcomes to practical significance is a complex and difficult one. The thrust of discussion in the technical literature, however, is recognition that numerically small statistical effects do not necessarily imply

small practical effects (Abelson, 1985; Carver, 1975; Lipsey, 1990; Rosenthal & Rubin, 1982; Sechrest & Yeaton, 1982). One useful demonstration of this point is the translation of such bivariate statistical information as effect sizes into a more intuitively comprehensible form. Rosenthal and Rubin have suggested use of the binomial effect size display (BESD), a depiction of effects in terms of the proportion of treatment versus control subjects above a common success threshold (defined arbitrarily as the overall median).

In BESD terms, the grand mean effect size of 0.47 from the meta-analyses in Figure 7 can be represented as a contrast between a treatment group with a success rate of 62% versus a control group with a success rate of 38%. A 24-percentage-point spread between treatment and control success rates hardly sounds like a negligible difference. Correspondingly, an effect size of 0.20 translates to a 10-percentage-point spread between the treatment and control success rate, 55% versus 45%. Note that a 10% improvement on a 45% (control) baseline represents an increase of more than 20% (10/45)—a value that is hard to declare categorically trivial.

The practical significance of an effect, of course, is very much dependent on the nature of the outcome at issue and its importance to patients or clients. In a life-and-death situation, a mortality decrement of 5% or less may well be clinically significant. Rosenthal (1991b) has observed, for example, that the physicians' study on the effects of aspirin on heart attacks was judged conclusive and prematurely ended when the effect size reached 0.07 (in SDs), equivalent on the BESD to less than a 3.5-percentage-point spread between treatment and control groups.

Although psychological treatments rarely deal with life-and-death issues, it is illuminating to compare the range of statistical effects shown in Figure 7 with the effects of medical treatment, a domain of acknowledged (though not universal) efficacy. To accomplish this, we searched for meta-analyses of medical interventions whose results were stated in, or could be converted to, the standard deviation metric so that they could be compared with the results of psychological interventions shown in Figure 7.5 We did not attempt to be exhaustive and doubtless missed many pertinent reports. For those reports we found, however, we exercised no selectivity other than requiring statistically comparable effect metrics and a summary judgment by the author of the report that the treatment was judged effective. This latter requirement

⁴ This value is not greatly different from the grand mean effect size of the unrefined distribution (Figure 1), which was 0. 50 SDs, nor do the standard deviations of these distributions differ greatly. Inclusion of meta-analyses using one-group pre-and-post studies, selecting only published studies, or overlapping the research base of other meta-analyses thus did not strongly bias the distribution of Figure 1, although the potential was certainly there.

⁵ Although a considerable number of meta-analyses have been conducted in the medical field, most report only odds ratios or other effect indicators that cannot generally be converted to the standardized mean difference metric without additional information (e. g., marginals or base rates) that is often unreported.

ensured that we were comparing psychological treatment to successful medical treatment and not to treatment failures.

The results of the meta-analyses of medical treatment that we found by this procedure are presented in Table 6 under three headings. The first listing is for the mean effects of successful medical intervention on mortality. Not surprisingly, given the life-and-death issue involved, treatments yielding numerically small effect sizes were nonetheless judged beneficial. The range of effect sizes for these treatments (0.08 to 0.47) falls below the grand mean effect size for psychological treatment (see Figure 7).

The second section of Table 6 shows the mean effect sizes on medical outcomes other than mortality for various treatments judged beneficial in the meta-analysis reports we located. These effect sizes ranged from 0.24 to 0.80, quite comparable with the range of effect sizes shown in Figure 7 for psychological treatments.

Finally, in the last section of Table 6, we present the results of those meta-analyses we located that estimated the effects of medical interventions on psychological or behavioral outcomes, not unlike many of those represented in Figure 7. These mean effect sizes varied from 0.11 to 0.96, a range that, once again, fell well within that shown in Figure 7 for psychological treatment effects.

The point of these comparisons is not to argue that psychological treatment is as effective as medical treatment. There are too many differences in treatment, respondents, research contexts, and the nature of the outcome variables to make such a simple claim. Furthermore, it may well be that psychological treatment aimed at, say, improvement in employees' job satisfaction needs to achieve much larger statistical effects to have noticeable consequences than a medical treatment for angina. What does seem clear, however, is that in assessing meta-analytic estimates of the effects of psychological, educational, and behavioral treatment, we cannot arbitrarily dismiss statistically modest values (even 0.10 or 0.20 SDs) as obviously trivial. Translated into BESD success rates, they do not seem indisputably negligible and comparable numerical values are judged to represent benefits in the medical domain, even when similar outcome variables are at issue. On balance, therefore, the magnitude of effect size estimates that meta-analysis reveals for psychological treatment seems sufficiently large to support the claim that such treatment is generally efficacious in practical as well as statistical terms.

Discussion

What we conclude from this broad review of meta-analytic evidence is that well-developed psychological, educational, and behavioral treatments generally have meaningful positive effects on the intended outcome variables. The number and scope of effective treatments covered by this conclusion are impressive, and the magnitude of the effects for a substantial portion of those treatments is in a range of practical significance by almost any reasonable criterion.

Table 6Selected Meta-Analyses of Medical Treatment Judged Effective

Outcome variable	Mean effect size or effect size range
Medical	
Mortality	
Aortocoronary bypass sugery (Lynn	
& Donovan, 1980)	0.15
AZT for AIDS (Rosenthal, 1991b)	0.47
Cyclosporine in organ transplants	
(Rosenthal, 1991b)	0.30
Chemotherapy for breast cancer	
(EBCTCG, 1988)	0.08 to 0.11
Intravenous streptokinase for	
myocardial infarction (Stampfer,	
Goldhaber, Yusuf, Peto, &	
Hennekens, 1983)	0.08
Other outcomes	
By-pass surgery; effects on angina	
(Lynn & Donovan, 1980)	0.80
Dipyridamole; effects on angina	
(Sacks, Ancona-Berk, Berrier,	
Nagalingam, & Chalmers, 1988)	0.24
Drug treatment for arthritis; various	
outcomes (Felson, Anderson, &	
Meenan, 1990)	0.45 to 0.77
Cyclosporine; effects on organ	
rejection (Rosenthal, 1991b)	0.39
Anticoagulants; effects on	
thromboembolism rates	
(Chalmers, Matta, Smith, &	
Kunzler, 1977)	0.30
Psychological	
Drug treatment for behavioral	
disorders; behavioral and	
cognitive outcomes (Kavale &	
Nye, 1984)	0.28 to 0.74
Electroconvulsive therapy; effects on	0.20 10 017 1
depression (Janick et al., 1985)	0.80
Drug treatment for hyperactivity;	0.00
cognitive, behavioral and social	
outcomes (Kavale, 1982;	
Ottenbacher & Cooper, 1983;	
Thurber & Walker, 1983)	0.47 to 0.96
Neuroleptic drugs for dementia;	0.47 10 0.70
effects on agitation (Schneider,	
Pollock, & Lyness, 1990)	0.37
Hypertensive drug therapy; effects on	0.57
quality of life (Beto & Bansal,	
1992)	0.11 to 0.28
17/41	0.11 10 0.20

Furthermore, we have found that this broad positive finding cannot be explained away by any simple hypotheses of bias stemming from inclusion of studies using weak research designs, oversampling of published studies, or heavy representation of very small sample studies. Also, whether one views placebo effects as artifacts that inflate treatment results or an inherent constituent of psychological treatment, their magnitude appears to be too modest to account for more than a portion of the generally positive effects of such treatment.

We acknowledge that the information available in the current treatment research meta-analysis literature is too crude to permit a truly probing analysis of the potential biases in estimates of treatment effect sizes. Thus the factors we examined may still create bias in ways too subtle for us to detect, or other artifacts we did not or could not examine may yet account for the broad positive findings. On the other hand, it is worth mentioning once again that most of the factors with potential to bias treatment effect estimates that come readily to mind operate to produce underestimates, not overestimates. If the treatment effect estimates in Figure 7 were corrected for unreliability of measurement, range restriction, incomplete treatment implementation, and variability due to stable individual differences in respondents, they would certainly increase appreciably (see Boruch & Gomez, 1977; Hunter & Schmidt, 1990; Lipsey, 1990). Therefore, although the description presented here may still overestimate treatment effects due to unexamined sources of upward bias, it also almost certainly reflects the influence of substantial downward bias.

We thus believe that a strongly favorable conclusion about the efficacy of well-developed psychological treatment is justified by the results of meta-analytic investigation. We must emphasize, however, the limitation of this conclusion to well-developed treatment approaches and elaborate on what that means. The sweep of the positive findings reported here is so broad as to perhaps suggest that virtually everything works in psychological treatment. That would be a false conclusion. The metaanalytic evidence reviewed here, despite its breadth, falls far short of encompassing the full range of psychological, educational, and behavioral practice. Meta-analysis is only possible for treatment approaches that have generated a corpus of research sufficient in quantity and comparability for systematic analysis within a statistical framework. Such a body of studies, in turn, is only likely to be produced for widely used and well-developed approaches growing out of established theory or practice, or for promising innovations. Thus the treatment approaches represented in meta-analysis and reviewed in this article represent rather mature instances that are sufficiently well developed and credible to attract practitioners and sufficiently promising (or controversial) to attract a critical mass of research. For treatment approaches meeting these criteria, it is perhaps not surprising that a high proportion do prove at least moderately efficacious.

What may be more surprising to those not familiar with the advantages of meta-analysis as a research synthesis technique is the failure of conventional research-reviewing techniques over the decades to identify more decisively the generally positive effects of psychological treatment. Indeed, most of the meta-analyses reviewed here are introduced with commentary on the inconclusiveness or controversy of prior conventional research reviews. If well-developed and well-researched treatments are broadly and robustly skewed toward positive results,

as shown in Figures 1 and 7, why has this not been more readily apparent from conventional reviews of the respective research?

The fault here almost surely lies with the flaws in conventional reviewing practice. This has been discussed extensively elsewhere (e.g., Cook & Leviton, 1980; Hunter & Schmidt, 1990; Schmidt, 1992), but the essence of the problem with conventional research reviews is a naive use of vote-counting assessments of the statistical significance of study outcomes (Hedges & Olkin, 1980). When alpha is set at the usual levels (e.g., .05) to limit Type I error, Type II error will be unrestrained and can range very high (e.g., 50%-90%) unless sample sizes are quite large (Schmidt, 1992). Type II error, recall, is the probability of failing to reject the null hypothesis when, in fact, it is false. Because, as Figures 1 and 7 show, the null hypothesis is generally false in the treatment research reviewed here and, also, sample sizes are modest, high Type II error rates will result in a large proportion of spurious null (statistically nonsignificant) results in treatment research.⁶ Conventional reviewers inspecting a body of treatment research in which a sizeable proportion of studies did not yield statistically significant results have generally not recognized the high Type II error rates and have felt that there was little basis for judging the treatment to be broadly efficacious.

Meta-analysis, by comparison, is based on an aggregation of statistical estimates of the magnitude of treatment effects irrespective of whether, individually, they are statistically significant. Statistical tests are then applied to the aggregate results (e.g., the mean and variance of the distribution of study level effect sizes; Hedges & Olkin, 1985; Hunter & Schmidt, 1990). The aggregation of samples inherent in meta-analysis greatly increases statistical power and decreases Type II error. In cases in which the null hypothesis is false (i.e., treatment is effective) and individual studies use modest sample sizes (e.g., under 500), therefore, the conclusions of meta-analysis can diverge markedly from those of conventional reviews. The evidence reviewed here indicates that psychological treatment generally presents such a case.

Although meta-analysis offers significant advantages as a research synthesis technique, especially with regard to statistical issues, it is not without limitations of its own. Most striking in the present situation are the deficiencies in practice, rather than those inherent in the technique itself. In the applications reviewed above, simple checks of the dependence of the effect size estimates on the methodological characteristics of the primary

⁶ The mean sample size for the studies in those 156 meta-analyses in Figure 7 that reported usable sample size information was 134, or about 67 each in the treatment and comparison groups. The statistical power with that sample size, alpha equal to .05, and a treatment effect of 0.47 (the mean in Figure 7), is 0.76. Thus despite the positive treatment effect in this average case, 24% of the individual studies would be expected to yield statistically nonsignificant results; that is, the Type II error rate equals .24. As the effect size (ES) ranges below the mean of 0.47, or sample size falls below 67 per group, power drops off quite sharply. With ES = 0.20 and n = 50, for example, the Type II error rate jumps to .83.

studies or the extent of the sampling of unpublished studies are far from universal. Moreover, most of these metaanalyses were confined to estimating the mean effect size over the studies of interest with little attention, beyond crude stratifications, to probing the variations in treatments, respondents, and outcomes that would better reveal the circumstances of more and less effective implementations. As a consequence, what is learned about psychological treatment from these hundreds of metaanalyses is well short of the potential inherent in metaanalytic technique.

Moreover, even in its most advanced and differentiated form, meta-analysis is limited by the nature of the primary studies to which it is applied. Those studies too often report only crude comparisons between undifferentiated "black box" treatment packages and control conditions with little attention to potential interactions with client characteristics, the range of outcome variables, or temporal factors (Lipsey, 1988; Lipsey et al., 1985).

The proper agenda for the next generation of treatment effectiveness research, for both primary and metaanalytic studies, is investigation of which treatment variants are most effective, the mediating causal processes through which they work, and the characteristics of recipients, providers, and settings that most influence their results. Such a research agenda is justified by a basic assumption that psychological treatment can be, and generally is, effective, so that the questions of interest are not whether it works but how it works and how it can be made to work better. The present generation of metaanalytic research supports that assumption.

REFERENCES

- Abelson, R. P. (1985). A variance explanation paradox: When a little is a lot. *Psychological Bulletin*, 97, 129-133.
- Beto, J. A., & Bansal, V. K. (1992). Quality of life in treatment of hypertension: A meta-analysis of clinical trials. American Journal of Hypertension, 5, 125-133.
- Boruch, R. F., & Gomez, H. (1977). Sensitivity, bias, and theory in impact evaluations. *Professional Psychology*, 8, 411-434.
- Carver, R. P. (1975). The Coleman Report: Using inappropriately designed achievement tests. American Educational Research Journal, 12, 77-86.
- Chalmers, T. C., Matta, R. J., Smith, H., & Kunzler, A. (1977). Evidence favoring the use of anticoagulants in the hospital phase of acute myocardial infarction. *The New England Journal of Medicine*, 297, 1091–1096.
- Cook, T. D., Cooper, H., Cordray, D. S., Hartmann, H., Hedges, L. V., Light, R. J., Louis, T. A., & Mosteller, F. (Eds.). (1992). *Meta-analysis for explanation: A casebook*. New York: Russell Sage Foundation.
- Cook, T. D., & Leviton, L. C. (1980). Reviewing the literature: A comparison of traditional methods with meta-analysis. *Journal of Personality*, 48, 449-472.
- Durlak, J. A., & Lipsey, M. W. (1991). A practitioner's guide to metaanalysis. American Journal of Community Psychology, 19, 291-332.
- EBCTCG (Tarly Breast Cancer Trialists' Collaborative Group). (1988). Effects of adjuvant tamoxifen and of cytotoxic therapy on mortality in early breast cancer. *The New England Journal of Medicine*, 319, 1681-1692.
- Eysenck, H. J. (1952). The effects of psychotherapy: An evaluation. Journal of Consulting Psychology, 16, 319-324.
- Eysenck, H. J. (1965). The effects of psychotherapy. *Journal of Psychology*, 1, 97-118.

- Felson, D. T., Anderson, J. J., & Meenan, R. F. (1990). The comparative efficacy and toxicity of second-line drugs in rheumatoid arthritis. *Journal of the American College of Rheumatology*; 33, 1449–1461.
- Fischer, J. (1978). Does anything work? Journal of Social Service Research, 1, 215-243.
- Glass, G. V. (1976). Primary, secondary, and meta-analysis of research. Educational Researcher, 5, 3-8.
- Glass, G. V., McGaw, B., & Smith, M. L. (1981). Meta-analysis in social research. Newbury Park, CA: Sage.
- Greenwald, A. G. (1975). Consequences of prejudice against the null hypothesis. *Psychological Bulletin*, 82, 1-20.
- Hedges, L. V. (1981). Distribution theory for Glass's estimator of effect size and related estimators. *Journal of Educational Statistics*, 6, 107– 128
- Hedges, L. V., & Olkin, I. (1980). Vote-counting methods in research synthesis. *Psychological Bulletin*, 88, 359-369.
- Hedges, L. V., & Olkin, I. (1985). Statistical methods for meta-analysis. San Diego, CA: Academic Press.
- Hunter, J. E., & Schmidt, F. L. (1990). Methods of meta-analysis: Correcting error and bias in research findings. Newbury Park. CA: Sage
- Janick, P. G., Davis, J. M., Gibbons, R. D., Ericksen, S., Chang. S., & Gallagher, P. (1985). Efficacy of ECT: A meta-analysis. American Journal of Psychiatry, 142, 297-302.
- Kavale, K. (1982). The efficacy of stimulant drug treatment for hyper-activity: A meta-analysis. *Journal of Learning Disabilities*, 15, 280-280.
- Kavale, K. A., & Nye, C. (1984). The effectiveness of drug treatment for severe behavior disorders: A meta-analysis. *Behavioral Disorders*, 9, 117-130.
- Lipsey, M. W. (1988). Practice and malpractice in evaluation research. Evaluation Practice, 9(4), 5-24.
- Lipsey, M. W. (1990). Design sensitivity: Statistical power for experimental research. Newbury Park, CA: Sage.
- Lipsey, M. W., Crosse, S., Dunkle, J., Pollard, J., & Stobart, G. (1985).
 Evaluation: The state of the art and the sorry state of the science.
 New Directions for Program Evaluation, 27, 7-28.
- Luborsky, L., Singer, B., & Luborsky, L. (1975). Comparative studies of psychotherapies. Archives of General Psychiatry. 32, 995-1008.
- Lynn, D. D., & Donovan, J. M. (1980). Medical versus surgical treatment of coronary artery disease. *Evaluation in Education*, 4, 98-99.
- Ottenbacher, K. J., & Cooper, H. M. (1983). Drug treatment of hyperactivity in children. *Developmental Medicine and Child Neurology*; 25, 358-366.
- Prather, J. E., & Gibson, F. K. (1977). The failure of social programs. Public Administration Review, 37, 556-564.
- Rosenthal, R. (1991a). Meta-analytic procedures for social research (Rev. ed.). Newbury Park, CA: Sage.
- Rosenthal, R. (1991b). Meta-analysis: A review. *Psychosomatic Medicine*, 53, 247–271.
- Rosenthal, R., & Rubin, D. B. (1982). A simple, general purpose display of magnitude of experimental effect. *Journal of Educational Psychology*, 74, 166-169.
- Rossi, P. H., & Wright, J. D. (1984). Evaluation research: An assessment. Annual Review of Sociology, 10, 331–352.
- Sacks, H. S., Ancona-Berk, V. A., Berrier, J., Nagalingam, R., & Chalmers, T. C. (1988). Dipyridamole in the treatment of angina pectoris: A meta-analysis. Clinical Pharmacologic Therapy, 43, 610-615.
- Sechrest, L., & Yeaton, W. H. (1982). Magnitudes of experimental effects in social science research. *Evaluation Review*, 6, 579-600.
- Schmidt, F. L. (1992). What do data really mean? Research findings, meta-analysis, and cumulative knowledge in psychology. American Psychologist, 47, 1173-1181.
- Schneider, L. S., Pollock, V. E., & Lyness, S. A. (1990). A meta-analysis of controlled trials of neuroleptic treatment in dementia. *Journal of the American Geriatric Society*, 38, 553-563.
- Smith, M. L. (1980). Publication bias and meta-analysis. Evaluation and Education, 4, 22-24.
- Smith, M. L., & Glass, G. V. (1977). Meta-analysis of psychotherapy outcome studies. American Psychologist, 32, 752-760.

- Stampfer, M. J., Goldhaber, S. Z., Yusuf, S., Peto, R., & Hennekens, C. H. (1983). Effects of intravenous streptokinase on acute myocardial infarction: Pooled results from randomized trials. In R. J. Light (Ed.), Evaluation studies review annual (Vol. 8, pp. 494-496). Newbury Park, CA: Sage.
- Thurber, S., & Walker, C. E. (1983). Medication and hyperactivity: A meta-analysis. *Journal of General Psychology*, 108, 79–86.
- Wilkins, W. (1986). Placebo problems in psychotherapy research: Social-psychological alternatives to chemotherapy concepts. *American Psychologist*, 41, 551–556.

APPENDIX

References for Studies in Table 1

- Adair, J. G., Sharpe, D., & Huynh, C.-L. (1989). Hawthorne control procedures in educational experiments: A reconsideration of their use and effectiveness. Review of Educational Research, 59, 215-228.
- Adair, J. G., Sharpe, D., & Huynh, C. L. (1990). The placebo control group: An analysis of its effectiveness in educational research. *Journal* of Experimental Education, 59, 67-86.
- Administration for Children, Youth, and Families (1983). The effects of the Head Start program on children's cognitive development (Preliminary report): Head Start evaluation, synthesis, and utilization project.
 Washington, DC: U.S. Department of Health and Human Services. (ERIC Document Reproduction Service No. ED 248 989)
- Aiello, N. C. (1981). A meta-analysis comparing alternative methods of individualized and traditional instruction in science (Doctoral dissertation, Virginia Polytechnic Institute and State University). Dissertation Abstracts International, 42, 977A.
- Aiello, N. C., & Wolfle, L. M. (1980). A meta-analysis of individualized instruction in science. (ERIC Document Reproduction Service No. ED 190 404)
- Alexander, C. N., Rainforth, M. V., & Gelderloos, P. (1991). Transcendental-meditation, self-actualization, and psychological health—A conceptual overview and statistical metaanalysis. *Journal of Social Behavior and Personality*, 6(5), 189-248.
- Allen, M. (1989). A comparison of self-report, observer, and physiological assessments of public speaking anxiety reduction techniques using meta-analysis. Communication Studies, 40(2), 127-139.
- Allen, M., Hunter, J. E., & Donohue, W. A. (1989). Meta-analysis of self-report data on the effectiveness of public speaking anxiety treatment techniques. Communication Education, 38(3), 54-76.
- Almeida, M. C., & Denham, S. A. (1984). Interpersonal cognitive problem-solving: A meta-analysis. (ERIC Document Reproduction Service No. ED 247 003)
- Anderson, L. A., & Sharpe, P. A. (1991). Improving patient and provider communication—A synthesis and review of communication interventions. Patient Education and Counseling, 17, 99-134.
- Andrews, D. A., Zinger, I., Hoge, R. D., Bonta, J., Gendreau, P., & Cullen, F. T. (1990). Does correctional treatment work—A clinically relevant and psychologically informed metaanalysis. *Criminology*, 28, 369-404.
- Andrews, G., Guitar, B., & Howie, P. (1980). Meta-analysis of the effect of stuttering treatment. *Journal of Speech and Hearing Disorders*, 45, 287-307.
- Andrews, G., & Harvey, R. (1981). Does psychotherapy benefit neurotic patients? A reanalysis of the Smith, Glass, and Miller data. Archives of General Psychiatry, 38, 1203-1208.
- Asencio, C. E. (1984). Effects of behavioral objectives on student achievement: A meta-analysis of findings. *Dissertation Abstracts International*, 45, 501A. (University Microfilms No. 84–12499)
- Athappilly, K., Smidchens, U., & Kofel, J. W. (1983). A computer-based meta-analysis of the effects of modern mathematics in comparison with traditional mathematics. *Educational Evaluation and Policy Analysis*, 5, 485–493.
- Baker, S. B., & Daniels, T. G. (1989). Integrating research on the microcounseling program: A meta-analysis. *Journal of Counseling Psychology*, 36, 213-222.
- Baker, S. B., Daniels, T. G., & Greeley, A. T. (1990). Systematic training of graduate-level counselors: Narrative and meta-analytic reviews of three major programs. *Counseling Psychologist*, 18, 355-421.

- Baker, S. B., & Popowicz, C. I. (1983). Meta-analysis as a strategy for evaluating effects of career education interventions. *The Vocational Guidance Quarterly*, 31, 178-186.
- Baker, S. B., Swisher, J. D., Nadenichek, P. E., & Popowicz, C. L. (1984).
 Measured effects of primary prevention strategies. *Personnel and Guidance Journal*, 62, 459-464.
- Balestrieri, M., Williams, P., & Wilkinson, G. (1988). Specialist mental health treatment in general practice: A meta-analysis. Psychological Medicine, 18, 711-717.
- Bangert, R. L., Kulik, J. A., & Kulik, C. C. (1983). Individualized systems of instruction in secondary schools. *Review of Educational Research*, 53, 143–158.
- Bangert-Drowns, R. L. (1988). The effects of school-based substance abuse education: A meta-analysis. *Journal of Drug Education*, 18, 243-264
- Bangert-Drowns, R. L., Kulik, J. A., & Kulik, C. C. (1983). Effects of coaching programs on achievement test performance. Review of Educational Research, 53, 571-585.
- Bangert-Drowns, R. L., Kulik, J. A., & Kulik, C. C. (1985). Effectiveness of computer-based education in secondary schools. *Journal of Com*puter-Based Instruction, 12, 59-68.
- Barker, S. L., Funk, S. C., & Houston, B. K. (1988). Psychological treatment versus nonspecific factors: A meta-analysis of conditions that engender comparable expectations for improvement. *Clinical Psychology Review*, 8, 579-594.
- Batts, J. W. (1988). The effects of teacher consultation: A meta-analysis of controlled studies (Doctoral dissertation, University of Kentucky). Dissertation Abstracts International, 49, 1404A.
- Beaudry, J. S. (1989). The effectiveness of continuing medical education: A quantitative synthesis. *Journal of Continuing Education in the Health Professions*, 9, 285–307.
- Becker, B. J. (1990). Coaching for the Scholastic Aptitude Test: Further synthesis and appraisal. *Review of Educational Research*, 60, 373-417
- Beekun, R. I. (1989). Assessing the effectiveness of sociotechnical interventions: Antidote or fad? Human Relations, 42, 877-897.
- Bennett, B. B. (1988). The effectiveness of staff development training practices: A meta-analysis (Doctoral dissertation, University of Oregon, 1987). Dissertation Abstracts International, 48, 1739A.
- Benton, M. K., & Schroeder, H. E. (1990). Social skills training with schizophrenics: A meta-analytic evaluation. *Journal of Consulting and Clinical Psychology*, 58, 741-747.
- Berman, J. S., Miller, R. C., & Massman, P. J. (1985). Cognitive therapy versus systematic desensitization: Is one treatment superior? *Psychological Bulletin*, 97, 451-461.
- Black, D. R., Gleser, L. J., & Kooyers, K. J. (1990). A meta-analytic evaluation of couples weight-loss programs. *Health Psychology*, 9, 330– 347.
- Blanchard, E. B., Andrasik, F., Ahles, T. I., Teders, S. J., & O'Keefe, D. (1980). Migraine and tension headache: A meta-analytic review. Behavior Therapy, 11, 613-631.
- Bond, G. R. (1988). Employment outcomes from psychiatric rehabilitation. Unpublished manuscript, Indiana University-Purdue University at Indianapolis.
- Boulanger, F. D. (1981). Instruction and science learning: A quantitative synthesis. *Journal of Research in Science Teaching*, 18, 311-327.

- Bowers, T. G., & Clum, G. A. (1988). Relative contribution of specific and nonspecific treatment effects: Meta-analysis of placebo-controlled behavior therapy research. *Psychological Bulletin*, 103, 315-323.
- Bradford, J. W. (1991). A meta-analysis of selected research on student attitudes towards mathematics (Doctoral dissertation, University of Iowa, 1990). Dissertation Abstracts International, 51, 4049A.
- Brannick, J. P. (1987). A meta-analytic study of human relations training research (Doctoral dissertation, Bowling Green State University). *Dissertation Abstracts International*, 48, 3439B.
- Branwen, M. F. (1982). Meta-analysis of the effectiveness of assertion training groups (Doctoral dissertation, University of Wisconsin-Madison). *Dissertation Abstracts International*, 43, 1234B. (University Microfilm International No. 82–15931)
- Bredderman, T. (1983). Effects of activity-based elementary science on student outcomes: A quantitative synthesis. Review of Educational Research, 53, 499-518.
- Broome, M. E., Lillis, P. P., & Smith, M. C. (1989). Pain interventions with children—A meta-analysis of research. *Nursing Research*, 38, 154-158.
- Brown, S. A. (1990). Studies of educational interventions and outcomes in diabetic adults—A metaanalysis revisited. *Patient Education and Counseling*, 16, 189-215.
- Bryan, D. R. (1989). Psychological and psychopharmacological treatment of bulimia: A meta-analytic review (Doctoral dissertation, Kent State University). Dissertation Abstracts International, 50, 2615B.
- Burke, M. J., & Day, R. R. (1986). A cumulative study of the effectiveness of managerial training. *Journal of Applied Psychology*, 71, 232-245.
- Burns, P. K. (1982). A quantitative synthesis of research findings relative to the pedagogical effectiveness of computer-assisted instruction in elementary and secondary schools (Doctoral dissertation, University of Iowa, 1981). Dissertation Abstracts International, 42, 2946A.
- Cannella, K. A. S. (1988). The effectiveness of stress coping interventions: A meta-analysis with methodological implications (Doctoral dissertation, Georgia State University, College of Education, 1987). Dissertation Abstracts International, 48, 1705A.
- Carlberg, C., & Kavale, K. (1980). The efficacy of special versus regular class placement for exceptional children: A meta-analysis. *Journal of Special Education*, 14, 295-309.
- Carlson, M. (1987). Social and academic outcomes of cooperative learning in the mainstreamed classroom: A meta-analysis. Unpublished manuscript, Claremont Graduate School, Claremont, CA.
- Casey, R. J., & Berman, J. S. (1985). The outcome of psychotherapy with children. Psychological Bulletin, 98, 388-400.
- Casto, G., & Mastropieri, M. A. (1986). The efficacy of early intervention programs: A meta-analysis. Exceptional Children, 52, 417-424.
- Casto, G., & White, K. (1984). The efficacy of early intervention programs with environmentally at-risk infants. *Journal of Children in Contemporary Society*, 17, 37-50.
- Cedar, B., & Levant, R. F. (1990). A metaanalysis of the effects of parent effectiveness training. American Journal of Family Therapy, 18, 373– 384.
- Cedar, R. B. (1986). A meta-analysis of the parent effectiveness training outcome research literature (Doctoral dissertation, Boston University, 1985). Dissertation Abstracts International, 47, 420A. (University Microfilm International No. 86-09263)
- Champney, T. F., & Schulz, E. M. (1983). A reassessment of the effects of psychotherapy. Midwestern Psychological Association. (ERIC Document Reproduction Service No. ED 237 895)
- Christensen, H., Hadzi-Pavlovic, D., Andrews, G., & Mattick, R. (1987). Behavior therapy and tricyclic medication in the treatment of obsessive-compulsive disorder: A quantitative review. *Journal of Consulting and Clinical Psychology*, 55, 701-711.
- Cohen, P. A. (1980). Effectiveness of student-rating feedback for improving college instruction: A meta-analysis of findings. Research in Higher Education, 13, 321-341.
- Cohen, P. A., Ebeling, B. J., & Kulik, J. A. (1981). A meta-analysis of outcome studies of visual-based instruction. Educational Communication and Technology, 29, 26-36.
- Cohen, P. A., Kulik, J. A., & Kulik, C. C. (1982). Educational outcomes of tutoring: A meta-analysis of findings. American Educational Research Journal, 19, 237–248.

- Cohn, C. L. (1986). A meta-analysis of the effects of teaching innovations on achievement in college economics (Doctoral dissertation, Illinois State University, 1985). *Dissertation Abstracts International*, 47, 594A. (University Microfilms International No. 86–08948)
- Cohn, C. M. G. (1985). Creativity training effectiveness: A research synthesis (Doctoral dissertation, Arizona State University, 1984). Dissertation Abstracts International, 45, 2501A. (University Microfilm International No. 84-24639)
- Collins, R. C. (1984). Head Start: A review of research with implications for practice in early childhood education. American Educational Research Association. (ERIC Document Reproduction Service No. ED 245, 833)
- Collins, W. L. (1987). Psychological/affective interventions with underprepared adult learners: A meta-analystic and triangulation study (Doctoral dissertation, Union for Experimenting Colleges, University Without Walls and Union Graduate School). Dissertation Abstracts International, 48, 1806B.
- Colosimo, M. L. (1982). The effect of practice or beginning teaching on the self-concepts and attitudes of teachers: A quantitative synthesis (Doctoral dissertation, University of Chicago, 1981). Dissertation Abstracts International, 42, 4272A.
- Colosimo, M. L. (1984). Attitude change with initial teaching experience. College Student Journal, 18, 119-125.
- Cook, P. J. A. (1988). Meta-analysis of studies on self-concept between the years of 1976 and 1986 (Doctoral dissertation, North Texas State University, 1987). Dissertation Abstracts International, 48, 1984A.
- Cook, S. B., Scruggs, T. E., Mastropieri, M. A., & Casto, G. C. (1986).
 Handicapped students as tutors. *Journal of Special Education*, 19, 483-492
- Curbelo, J. (1985). Effects of problem-solving instruction on science and mathematics student achievement: A meta-analysis of findings (Doctoral dissertation, Florida State University, 1984). Dissertation Abstracts International, 46, 23A.
- Dekkers, J., & Donatti, S. (1981). The integration of research studies on the use of simulation as an instructional strategy. *Journal of Ed*ucational Research, 74, 424-427.
- Denham, S. A., & Almeida, M. C. (1987). Children's social problemsolving skills, behavioral adjustment, and interventions: A meta-analysis evaluating theory and practice. *Journal of Applied Developmental Psychology*, 8, 391-409.
- DerSimonian, R., & Laird, N. M. (1983). Evaluating the effect of coaching on SAT scores: A meta-analysis. *Harvard Educational Review*, 53, 1–15
- Devine, E. C. (1984). Effects of psychoeducational interventions: A metaanalytic review of studies with surgical patients (Doctoral dissertation, University of Illinois at Chicago, 1983). Dissertation Abstracts International, 44, 3356B. (University Microfilms International No. 84– 04400)
- Devine, E. C., & Cook, T. D. (1983). A meta-analytic analysis of effects of psychoeducational interventions on length of postsurgical hospital stay. *Nursing Research*, 32, 267-274.
- Dewey, D., & Hunsley, J. (1990). The effects of marital adjustment and spouse involvement on the behavioral treatment of agoraphobia: A meta-analytic review. Anxiety Research, 2(2), 69-83.
- Dobson, K. S. (1989). A meta-analysis of the efficacy of cognitive therapy for depression. *Journal of Consulting and Clinical Psychology*, 57, 414-419.
- Dole, A. A., Rockey, P. B., & DiTomasso, R. (1983). Meta-analysis of outcome research in reducing test anxiety: Interventions, rigor, and inertia. American Educational Research Association. (ERIC Document Reproduction Service No. ED 231 844)
- Dotson, J. H. (1990). Physician-delivered smoking cessation interventions: An information synthesis of the literature (Doctoral dissertation, University of Maryland, 1989). Dissertation Abstracts International, 50, 1953A
- Durlak, J. A., Fuhrman, T., & Lampman, C. (1991). Effectiveness of cognitive behavior therapy for maladapting children: A meta-analysis. Unpublished manuscript. Loyola University, Chicago.
- Durlak, J. A., & Riesenberg, L. A. (1991). The impact of death education. Death Studies, 15(1), 39-58.

- Dush, D. M., Hirt, M. L., & Schroeder, H. (1983). Self-statement modification with adults: A meta-analysis. *Psychological Bulletin*, 94, 408–422.
- Dush, D. M., Hirt, M. L., & Schroeder, H. E. (1989). Self-statement modification in the treatment of child-behavior disorders—A metaanalysis. *Psychological Bulletin*, 106, 97-106.
- Duzinski, G. A. (1987). The educational utility of cognitive behavior modification strategies with children (Doctoral dissertation, University of Illinois at Chicago). Dissertation Abstracts International, 48, 339A.
- Edwards, D. L. (1991). A meta-analysis of the effects of meditation and hypnosis on measures of anxiety (Doctoral dissertation, Texas A&M University, 1990). Dissertation Abstracts International, 52, 1039B.
- Eifert, G. H., & Craill, L. (1989). The relationship between affect, behaviour, and cognition in behavioural and cognitive treatments of depression and phobic anxiety [Special issue—Depression: Treatment and theory]. Behaviour Change, 6, 96-103.
- El-Nemr, M. A. (1980). A meta-analysis of the outcomes of teaching biology as inquiry (Doctoral dissertation, University of Colorado, 1979). *Dissertation Abstracts International*, 40, 5813A. (University Microfilms International No. 80-11274)
- Enz, J., Horak, W. J., & Blecha, M. K. (1982). Review and analysis of reports of science inservice projects: Recommendations for the future. National Science Teachers Association. (ERIC Document Reproduction Service No. ED 216-883)
- Eppley, K. R., Abrams, A. I., & Shear, J. (1989). Differential effects of relaxation techniques on trait anxiety—A meta-analysis. *Journal of Clinical Psychology*, 45, 957-974.
- Eskew, D. M. (1989). The effect of quality circle participation on job involvement, productivity and satisfaction (Masters thesis, Michigan State University). *Masters Abstracts*, 27, 328.
- Falcone, A. J. (1986). Meta-analysis of personnel training techniques for three populations (Doctoral dissertation, Illinois Institute of Technology, 1985). Dissertation Abstracts International, 47, 412B. (University Microfilms International No. 86-06497)
- Feehan, G. G. (1984). A meta-analysis of psychotherapeutic interventions for the cessation and reduction of smoking (Doctoral dissertation, University of Manitoba). *Dissertation Abstracts International*, 45, 1583B.
- Feltz, D. L., & Landers, D. M. (1983). The effects of mental practice on motor skill learning and performance: A meta-analysis. *Journal of Sport Psychology*, 5, 25-57.
- Ferguson, P. C. (1981). An integrative meta-analysis of psychological studies investigating the treatment outcomes of meditation techniques (Doctoral dissertation, University of Colorado). Dissertation Abstracts International, 42, 1547A. (University Microfilms International No. 81-22282)
- Fernandez, E., & Turk, D. C. (1989). The utility of cognitive coping strategies for altering pain perception: A meta-analysis. *Pain*, 38, 123-135.
- Fisher, K. J. (1990). Worksite smoking cessation: A meta-analysis of controlled studies (Doctoral dissertation, University of Oregon, 1989). Dissertation Abstracts International, 50, 5007B.
- Fletcher, J. D. (1990). Effectiveness and cost of interactive videodisc instruction in defense training and education (IDA Report No. R2372). Arlington, VA: Institute for Defense Analysis. (ERIC Document Reproduction Service No. ED 326 194)
- Flor, H., Fydrich, T., & Turk, D. C. (1992). Efficacy of multidisciplinary pain treatment centers: A meta-analytic review. *Pain*, 49, 221-230.
- Fuchs, D., & Fuchs, L. S. (1985). The importance of context in testing: A meta-analysis. American Educational Research Association. (ERIC Document Reproduction Service No. ED 255 559)
- Fuchs, L. S., & Fuchs, D. (1986). Effects of systematic formative evaluation: A meta-analysis. Exceptional Children, 53, 199-208.
- Garrett, C. J. (1985a). Effects of residential treatment on adjudicated delinquents: A meta-analysis. *Journal of Research in Crime and De-linquency*, 22, 287-308.
- Garrett, C. J. (1985b). Meta-analysis of the effects of institutional and community residential treatment on adjudicated delinquents (Doctoral dissertation, University of Colorado, 1984). Dissertation Abstracts International, 45, 2264A. (University Microfilms International No. 84-22608)

- Gensheimer, L. K., Mayer, J. P., Gottschalk, R. Davidson, W. S., II. (1986). Diverting youth from the juvenile justice system—A metaanalysis of intervention efficacy. In S. J. Apter & A. P. Goldstein (Eds.), Youth violence (pp. 39-57). New York: Pergamon Press.
- Giacomia, R. M., & Hedges, L. V. (1982). Identifying features of effective open education. *Review of Educational Research*, 52, 579-602.
- Giblin, P., Sprenkle, D. H., & Sheehan, R. (1985). Enrichment outcome research: A meta-analysis of premarital, marital, and family interventions. *Journal of Marital and Family Therapy*, 11, 257-271.
- Gillingham, M. G., & Guthrie, J. T. (1987). Relationships between CBI and research on teaching. Contemporary Educational Psychology, 12, 189-199.
- Glass, G. V., & Smith, M. L. (1979). Meta-analysis of research on class size and achievement. Educational Evaluation and Policy Analysis, 1, 2-16
- Goldring, E. B. (1990). Assessing the status of information on classroom organizational frameworks for gifted students. *Journal of Educational Research*, 83, 313-326.
- Goldring, E. B., & Presbrey, L. S. (1986). Evaluating preschool programs: A meta-analytic approach. Educational Evaluation and Policy Analysis, 8, 179-188.
- Gottschalk, R., Davidson, W. S., II, Gensheimer, L. K., & Mayer, J. P. (1987a). Community-based interventions. In H. C. Quay (Ed.), Handbook of juvenile delinquency (pp. 266-289). New York: Wiley.
- Gottschalk, R., Davidson, W. S., II, Mayer, J., & Gensheimer, R. (1987b). Behavioral approaches with juvenile offenders: A meta-analysis of long-term treatment efficacy. In E. K. Morris & C. J. Braukmann (Eds.). Behavioral approaches to crime and delinquency: A handbook of application, research, and concepts (pp. 399-422). New York: Plenum Press.
- Grane, M. E., Weinstein, T., & Walberg, H. J. (1983). School-based home instruction and learning: A quantitative synthesis. *Journal of Educational Research*, 76, 351-360.
- Guskey, T. R., & Pigott, T. D. (1988). Research on group-based mastery learning programs: A meta-analysis. *Journal of Educational Research*. 81, 197-216.
- Guzzo, R. A., Jette, R. D., & Katzell, R. A. (1985). The effects of psychologically based intervention programs on worker productivity: A meta-analysis. *Personnel Psychology*, 38, 275-291.
- Hahlweg, K., & Markman, H. J. (1988). Effectiveness of behavioral marital therapy: Empirical status of behavioral techniques in preventing and alleviating marital distress. *Journal of Consulting and Clinical Psychology*, 56, 440-447.
- Hall, L. E. (1989). The effects of cooperative learning on achievement: A meta-analysis (Doctoral dissertation, University of Georgia, 1988). Dissertation Abstracts International, 50, 343A.
- Hampton, B. R. (1988). The efficacy of paradoxical interventions: A quantitative review of the research evidence (Doctoral dissertation, University of Texas at Austin). Dissertation Abstracts International, 49, 2378B.
- Hanson, R. E. (1989). Social skill training: A critical meta-analytic review (Doctoral dissertation, Texas Women's University, 1988). Dissertation Abstracts International, 50, 903A.
- Hardesty, P. H. (1991). Undergraduate career courses for credit—A review and metaanalysis. Journal of College Student Development, 32, 184-185.
- Harris, L. C. (1987). Deinstitutionalization via community-linked programs: A meta-analysis (Doctoral dissertation, University of Texas at Austin, 1986). Dissertation Abstracts International, 47, 3956B.
- Harris, M. M. (1988). Meta-analyses of test anxiety among college students (Doctoral dissertation, Ohio State University, 1987). Dissertation Abstracts International, 49, 543B.
- Hathaway, D. K. (1985). Meta-analysis of studies which examine the effect preoperative instruction of adults has on postoperative outcomes (Doctoral dissertation, University of Texas, Austin, 1984). Dissertation Abstracts International, 46, 475B. (University Microfilms International No. 85-08277)
- Hazelrigg, M. D., Cooper, H. M., & Borduin, C. M. (1987). Evaluating the effectiveness of family therapies: An integrative review and analysis. *Psychological Bulletin*, 101, 428-442.

- Hedges, L. V., & Stock, W. (1983). The effects of class size: An examination of rival hypotheses. American Educational Research Journal, 20, 63-85.
- Hembree, R. (1988). Correlates, causes, effects, and treatment of test anxiety. Review of Educational Research, 58(1), 47-77.
- Hembree, R. (1990). The nature, effects, and relief of mathematics anxiety. Journal for Research in Mathematics Education, 21(2), 33-46.
- Hetzel, D. C., Rasher, S. P., Butcher, L., & Walberg, H. J. (1980). A quantitative synthesis of the effects of open education. American Educational Research Association. (ERIC Document Reproduction Service No. ED 191 902)
- Hill, K. A. (1987). Meta-analysis of paradoxical interventions. *Psychotherapy*, 24, 266-270.
- Hillocks, G. (1984). What works in teaching composition: A meta-analysis of experimental treatment studies. American Journal of Education, 93 133-170.
- Hood, D. F. (1991). Using meta-analysis for input evaluation (Doctoral dissertation, Florida State University, 1990). Dissertation Abstracts International, 51, 4099A.
- Horak, V. M. (1981). A meta-analysis of research findings on individualized instruction in mathematics. *Journal of Educational Research*, 74, 249-253.
- Howell, J. K. (1985). Effects of preoperative preparation of children having minor surgery: A literary synthesis with meta-analysis (Doctoral dissertation, University of Texas, Austin, 1984). Dissertation Abstracts International, 46, 1116B. (University Microfilms International No. 85-13231)
- Hyman, R. B., Feldman, H. R., Harris, R. B., Levin, R. F., & Malloy, G. B. (1989). The effects of relaxation training on clinical symptoms— A meta-analysis. Nursing Research, 38, 216-220.
- Iverson, B. K., & Levy, S. R. (1982). Using meta-analysis in health education research. The Journal of School Health, 52, 234-239.
- Johnson, D. W., & Johnson, R. T. (1987). Research shows the benefits of adult cooperation. *Educational Leadership*, 45(3), 27-30.
- Johnson, D. W., Johnson, R. T., & Maruyama, G. (1983). Interdependence and interpersonal attraction among heterogeneous and homogeneous individuals: A theoretical formulation and a meta-analysis of the research. Review of Education Research, 53, 5-54.
- Johnson, D. W., Maruyama, G., Johnson, R., Nelson, D., & Skon, L. (1981). Effects of cooperative, competitive, and individualistic goal structures on achievement: A meta-analysis. *Psychological Bulletin*, 89, 47-62.
- Jones, L. C. (1983). A meta-analytic study of the effects of childbirth education research from 1960 to 1981 (Doctoral dissertation, Texas A&M University). Dissertation Abstracts International, 44, 1663A. (University Microfilms International No. 83-23680)
- Jorm, A. F. (1989). Modifiability of trait anxiety and neuroticism—A meta-analysis of the literature. Australian and New Zealand Journal of Psychiatry, 23, 21-29.
- Joslin, P. A. (1981). Inservice teacher education: A meta-analysis of the research (Doctoral dissertation, University of Minnesota, 1980). Dissertation Abstracts International, 41, 3058A. (University Microfilms International No. 81-02055)
- Kardash, C. A. M., & Wright, L. (1987). Does creative drama benefit elementary school students? A meta-analysis. Youth Theatre Journal, 1(3), 11-18.
- Karweit, N. L. (1987). Full or half-day kindergarten—Does it matter? (Report No. II). Baltimore, MD: John Hopkins University, Center for Research on Elementary and Middle Schools. (ERIC Document Reproduction Service No. ED 287 597)
- Kaufman, P. (1985). Meta-analysis of juvenile delinquency prevention programs. Unpublished manuscript, Claremont Graduate School.
- Kavale, K. (1980). Psycholinguistic training. Evaluation in Education, 4, 88-90.
- Kavale, K. (1981). Functions of the Illinois Test of Psycholinguistic Abilities (ITPA): Are they trainable? Exceptional Children, 47, 496–510.
- Kavale, K. (1982). Psycholinguistic training programs: Are there differential treatment effects? Exceptional Child, 29, 21-30.
- Kavale, K., & Mattson, P. D. (1983). One jumped off the balance beam: Meta-analysis of perceptual-motor training. *Journal of Learning Disabilities*, 16, 165-173.

- Kavale, K. A. (1984). A meta-analytic evaluation of the Frostig test and training program. *Exceptional Child*, 31, 134-141.
- Kavale, K. A., & Forness, S. R. (1983). Hyperactivity and diet treatment: A meta-analysis of the Feingold hypothesis. *Journal of Learning Disabilities*, 16, 324–330.
- Kavale, K. A., & Forness, S. R. (1987). Substance over style: Assessing the efficacy of modality testing and teaching. *Exceptional Children*, 54, 228-239.
- Klesius, J. P., & Searls, E. F. (1990). A meta-analysis of recent research in meaning vocabulary instruction. Journal of Research and Development in Education, 23, 226-235.
- Kuchera, M. M. (1987). The effectiveness of meditation techniques to reduce blood pressure levels: A meta-analysis (Doctoral dissertation, Loyola University of Chicago). Dissertation Abstracts International, 47, 4639B.
- Kulik, C. C., & Kulik, J. A. (1982a). Effects of ability grouping on secondary school students: A meta-analysis of evaluation findings. American Education Research Journal, 19, 415-428.
- Kulik, C. C., & Kulik, J. A. (1982b). Research synthesis on ability grouping. *Educational Leadership*, 39, 619-621.
- Kulik, C. C., & Kulik, J. A. (1984). Effects of ability grouping on elementary school pupils: A meta-analysis. Washington, DC: American Psychological Association. (ERIC Document Reproduction Service No. ED 255 329)
- Kulik, C. C., Kulik, J. A., & Bangert-Drowns, R. L. (1984). Effects of computer-based education on elementary school pupils. American Educational Research Association. (ERIC Document Reproduction Service No. ED 244 616)
- Kulik, C.-L. C., Kulik, J. A., & Bangert-Drowns, R. L. (1990). Effectiveness of mastery learning programs: A meta-analysis. Review of Educational Research, 60, 265-299.
- Kulik, C. C., Kulik, J. A., & Cohen, P. A. (1980). Effectiveness of computer-based college teaching: A meta-analysis of findings. Review of Educational Research, 50, 525-544.
- Kulik, C. C., Kulik, J. A., & Shwalb, B. J. (1983). College programs for high-risk and disadvantaged students: A meta-analysis of findings. Review of Educational Research. 53, 397-414.
- Kulik, C. C., Schwalb, B. J., & Kulik, J. A. (1982). Programmed instruction in secondary education: A meta-analysis of evaluation findings. *Journal of Educational Research*, 75, 133-138.
- Kulik, J. A., Bangert, R. L., & Williams, G. W. (1983). Effects of computer-based teaching on secondary school students. *Journal of Educational Psychology*, 75, 19-26.
- Kulik, J. A., Bangert-Drowns, R. L., & Kulik, C. C. (1984). Effectiveness of coaching for aptitude tests. Psychological Bulletin, 95, 179-188.
- Kulik, J. A., Cohen, P. A., & Ebeling, B. J. (1980). Effectiveness of programmed instruction in higher education: A meta-analysis of findings. Educational Evaluation and Policy Analysis, 2, 51-63.
- Kulik, J. A., & Kulik, C. C. (1984). Effects of accelerated instruction on students. Review of Educational Research, 54, 409-425.
- Kulik, J. A., Kulik, C. C., & Bangert, R. L. (1984). Effects of practice on aptitude and achievement test scores. American Educational Research Journal, 21, 435-447.
- Kulik, J. A., Kulik, C. C., & Cohen, P. A. (1979a). A meta-analysis of outcome studies of Keller's personalized system of instruction. American Psychologist, 34, 307-318.
- Kulik, J. A., Kulik, C. C., & Cohen, P. A. (1979b). Research on audiotutorial instruction: A meta-analysis of comparative studies. Research in Higher Education, 11, 321-341.
- Kulik, J. A., & Kulik, C.-L. C. (1987). Review of recent research literature on computer-based instruction. Contemporary Educational Psychology, 12, 222-230.
- Kyle, W. C. (1982). A meta-analysis of the effects on student performance of new curricular programs developed in science education since 1955 (Doctoral dissertation, University of Iowa). Dissertation Abstracts International, 43, 1104A. (University Microfilms International No. 82– 22249)
- L'Hommedieu, R., Menges, R. J., & Brinko, K. T. (1990). Methodological explanations for the modest effects of feedback from student ratings. Journal of Educational Psychology, 82, 232-241.

- Laessle, R. G., Zoettl, C., & Pirde, K.-M. (1987). Metaanalysis of treatment studies for bulimia. *International Journal of Eating Disorders*, 6, 647-653.
- Landman, J. T., & Dawes, R. M. (1982). Psychotherapy outcome: Smith and Glass's conclusions stand up under scrutiny. American Psychologist, 37, 504-516.
- Leddick, A. S. (1987). Effects of training on measures of productivity: A meta-analysis of the findings of forty-eight experiments (Doctoral dissertation, Western Michigan University). Dissertation Abstracts International, 48, 910A.
- Lee, W.-C. (1990). The effectiveness of computer-assisted instruction and computer programming in elementary and secondary mathematics: A meta-analysis (Doctoral dissertation, University of Massachusetts). Dissertation Abstracts International, 51, 775A.
- Levy, S. R., Iverson, B. K., & Walberg, H. J. (1980). Nutrition-education research: An interdisciplinary evaluation and review. *Health Education Quarterly*, 7, 107-126.
- Lewis, R. J., & Vosburgh, W. T. (1988). Effectiveness of kindergarten intervention programs: A meta-analysis. School Psychology International, 9, 265-275.
- Liao, Y.-K. C., & Bright, G. W. (1991). Effects of computer-assisted instruction and computer programming on cognitive outcomes: A meta-analysis. *Journal of Educational Computing Research*, 7, 251– 268.
- Lipsey, M. W. (1992). Juvenile delinquency treatment: A meta-analytic inquiry into the variability of effects. In T. D. Cook, H. Cooper, D. S. Cordray, H. Hartmann, L. V. Hedges, R. J. Light, T. A. Louis, & F. Mosteller, (Eds.), *Meta-analysis for explanation* (pp. 83–127). New York: Russell Sage Foundation.
- Losel, F., & Koferl, P. (1989). Evaluation research on correctional treatment in West Germany: A meta-analysis. In H. Wegener, F. Losel, & J. Haisch (Eds.), Criminal behavior and the justice system: Psychological perspectives (pp. 334-355). New York: Springer.
- Lott, G. W. (1983). The effect of inquiry teaching and advance organizers upon student outcomes in science education. *Journal of Research in Science Teaching*, 20, 437–451.
- Lysakowski, R. S., & Walberg, H. J. (1980). Classroom reinforcement. Evaluation in Education, 4, 115-116.
- Lysakowski, R. S., & Walberg, H. J. (1981). Classroom reinforcement and learning: A quantitative synthesis. *Journal of Educational Re*search. 75, 69-77.
- Lysakowski, R. S., & Walberg, H. J. (1982). Instructional effects of cues, participation, and corrective feedback: A quantitative synthesis. American Educational Research Journal, 19, 559-578.
- Madamba, S. R. (1981). Meta-analysis on the effects of open and traditional schooling on the teaching-learning of reading (Doctoral dissertation, University of California, Los Angeles, 1980). Dissertation Abstracts International, 41, 3508A. (University Microfilms International No. 81-02856)
- Malone, M. D., Strube, M. J., & Scogin, F. R. (1989). Meta-analysis of non-medical treatments for chronic pain: Corrigendum. *Pain*, 37(1), 128
- Malone, M. R. (1984). Project MAFEX: Report on preservice field experiences in science education. National Association for Research in Science Teaching. (ERIC Document Reproduction Service No. ED 244 928).
- Marcucci, R. G. (1980). A meta-analysis of research on methods of teaching mathematical problem-solving (Doctoral dissertation, University of Iowa). *Dissertation Abstracts International*, 41, 2485A. (University Microfilms International No. 80-28278)
- Markus, E., Lange, A., & Pettigrew, T. F. (1990). Effectiveness of family-therapy—A metaanalysis. *Journal of Family Therapy*, 12, 205-221.
- Marmolejo, A. (1990). The effects of vocabulary instruction with poor readers: A meta-analysis (Doctoral dissertation, Columbia University). *Dissertation Abstracts International*, 51(3), 807A.
- Mattson, P. D. (1985). A meta-analysis of learning and memory in mental retardation (Doctoral dissertation, University of California, Riverside, 1985). Dissertation Abstracts International, 46, 1879A. (University Microfilms International No. 85-20636)
- Mayer, J. P., Gensheimer, L. K., Davidson, W. S., II, & Gottschalk, R. (1986). Social learning treatment within juvenile justice—A metaanalysis of impact in the natural environment. In S. J. Apter & A. P.

- Goldstein (Eds.), Youth violence (pp. 24-39), New York: Pergamon Press.
- Mazzuca, S. A. (1982). Does patient education in chronic disease have therapeutic value? *Journal of Chronic Disease*, 35, 521–529.
- McDermid, R. D. (1990). A quantitative analysis of the literature on computer-assisted instruction with the learning-disabled and educable mentally retarded (Doctoral dissertation, University of Kansas, 1989). Dissertation Abstracts International, 51, 1196A.
- McEvoy, G. M., & Cascio, W. F. (1985). Strategies for reducing employee turnover: A meta-analysis. *Journal of Applied Psychology*, 70, 342-353.
- McNeil, B. J., & Nelson, K. R. (1990). Meta-analysis of interactive video instruction: A 10-year review of achievement effects. (ERIC Document Reproduction Service No. ED 321 761)
- Messick, S., & Jungeblut, A. (1981). Time and method in coaching for the SAT. Psychological Bulletin, 89, 191-216.
- Miller, R. C., & Berman, J. S. (1983). The efficacy of cognitive behavior therapies: A quantitative review of the research evidence. *Psychological Bulletin*, 94, 39-53.
- Montgomery, L. M. (1991). The effects of family therapy for treatment of child identified problems: A meta-analysis (Doctoral dissertation, Memphis State University, 1990). Dissertation Abstracts International, 51, 6115B.
- Montross, J. F. (1990). Meta-analysis of treatment efficacy in Raynaud's phenomenon (Doctoral dissertation, Texas A&M University, 1989). Dissertation Abstracts International, 50, 4811B.
- Moore, S. D. (1990). A meta-analysitc review of mass media compaigns designed to change automobile occupant restraint behavior (Doctoral dissertation, University of Illinois at Urbana-Champaign, 1989). Dissertation Abstracts International, 50, 1840A.
- Mumford, E., Schlesinger, H. J., & Glass, G. V. (1982). The effects of psychological intervention on recovery from surgery and heart attacks: An analysis of the literature. *American Journal of Public Health*, 72, 141-151.
- Nearpass, G. L. (1990). Counseling and guidance effectiveness in North American High Schools: A meta-analysis of the research findings (Doctoral dissertation, University of Colorado at Boulder, 1989). Dissertation Abstracts International, 50, 1948A.
- Neuman, G. A., Edwards, J. E., & Raju, N. S. (1989). Organizational development interventions: A meta-analysis of their effects on satisfaction and other attitudes. *Personnel Psychology*, 42, 461-489.
- Nicholson, R. A., & Berman, J. S. (1983). Is follow-up necessary in evaluating psychotherapy? *Psychological Bulletin*, 93, 261-278.
- Nicholson, T., Duncan, D. F., Hawkins, W., Belcastro, P. A., & Gold, R. (1988). Stress treatment: Two aspirins, fluids, and one more workshop. *Professional Psychology: Research and Practice*, 19, 637-641.
- Niemiec, R. P. (1985). The meta-analysis of computer assisted instruction at the elementary school level (Doctoral dissertation, University of Illinois at Chicago, 1984). *Dissertation Abstracts International*, 45, 3330A. (University Microfilms International No. 85-01250)
- Niemiec, R. P., Sikorski, M. F., Clark, G., & Walberg, H. J. (1992). Effects of management education: A quantitative synthesis. Evaluation and Program Planning, 15, 297-302.
- Niemiec, R., Samson, G., Weinstein, T., & Walberg, H. J. (1987). The effects of computer based instruction in elementary schools: A quantitative synthesis. *Journal of Research in Computing in Education*, 20, 85-103.
- Noland, T. K. (1985). The effects of ability grouping: A meta-analysis of research findings (Doctoral dissertation, University of Colorado, 1985). Dissertation Abstracts International, 46, 2909A. (University Microfilms International No. 85-28511)
- North, T. C. (1989). The effect of exercise on depression: A meta-analysis (Doctoral dissertation, University of Colorado at Boulder, 1988). Dissertation Abstracts International, 49, 5027B.
- Nunes, E. V., Frank, K. A., & Kornfeld, D. S. (1987). Psychologic treatment for the Type A behavior pattern and for coronary heart disease: A meta-analysis of the literature. *Psychosomatic Medicine*, 49, 159-173
- Nye, C., Foster, S. H., & Seaman, D. (1987). Effectiveness of language intervention with the language/learning disabled. *Journal of Speech* and Hearing Disorders, 52, 348-357.

- O'Bryan, V. L. (1985). The treatment of test anxiety: A meta-analytic review (Doctoral dissertation, Ohio University, 1985). Dissertation Abstracts International, 46, 2818B. (University Microfilms International No. 85-23654)
- O'Flynn, A. I. (1983). Meta-analysis of behavioral intervention effects on weight loss in the obese (Doctoral dissertation, University of Connecticut, 1982). Dissertation Abstracts International, 43, 2502B. (University Microfilms International No. 83-02083)
- Okun, M. A., Olding, R. W., & Cohn, C. M. G. (1990). A metaanalysis of subjective well-being interventions among elders. *Psychological Bulletin*, 108, 257-266.
- Oliver, L. W., & Spokane, A. R. (1988). Career-intervention outcome: What contributes to client gain? *Journal of Counseling Psychology*, 35, 447-462
- Ottenbacher, K. (1982). Sensory integration therapy: Affect or effect. American Journal of Occupational Therapy, 36, 571-578.
- Ottenbacher, K. J., Muller, L., Brandt, D., Heintzelman, A., Hojem, P., & Sharpe, P. (1987). The effectiveness of tactile stimulation as a form of early intervention: A quantitative evaluation. *Journal of Developmental and Behavioral Pediatrics*, 8, 68-76.
- Ottenbacher, K., & Petersen, P. (1985). The efficacy of early intervention programs for children with organic impairment: A quantitative review. Evaluation and Program Planning, 8, 135-146.
- Ottenbacher, K. J., & Petersen, P. (1984). The efficacy of vestibular stimulation as a form of specific sensory enrichment. *Clinical Pediatrics*, 23, 428-433.
- Paschal, R. A., Weinstein, T., & Walberg, H. J. (1984). The effects of homework on learning: A quantitative synthesis. *Journal of Educa*tional Research, 78, 97-104.
- Paterson, C. E. (1988). Progressive relaxation: A meta-analysis (Doctoral dissertation, Ohio State University, 1987). Dissertation Abstracts International, 48, 2790B.
- Peterson, P. L. (1980). Open versus traditional classrooms. Evaluation in Education, 4, 58-60.
- Pflaum, S. W., Walberg, H. J., Karegianes, M. L., & Rasher, S. P. (1980). Reading instruction: A quantitative synthesis. *Educational Researcher*, 9, 12-18.
- Phillips, G. W. (1983). Learning the conservation concept: A meta-analysis (Doctoral dissertation, University of Kentucky). *Dissertation Abstracts International*, 44, 1990B. (University Microfilms International No. 83-22983)
- Piorier, B. M. (1990). The effectiveness of language intervention with preschool handicapped children: An integrative review (Doctoral dissertation, Utah State University, 1989). Dissertation Abstracts International, 51, 137A.
- Polder, S. K. (1986). A meta-analysis of cognitive behavior therapy (Doctoral dissertation, University of Wisconsin-Madison). Dissertation Abstracts International, 47, 1736B.
- Posavac, E. J. (1980). Evaluations of patient education programs: A meta-analysis. Evaluation and the Health Professions, 3, 47-62.
- Posavac, E. J., Sinacore, J. M., Brotherton, S. E., Helford, M. C., & Turpin, R. S. (1985). Increasing compliance to medical treatment regimens: A meta-analysis of program evaluation. Evaluation and the Health Professions, 8, 7-22.
- Prince Henry Hospital. (1983). A treatment outline for depressive disorders: The quality assurance project. *Australian and New Zealand Journal of Psychiatry*, 17, 129-146.
- Prioleau, L., Murdock, M., & Brody, N. (1983). An analysis of psychotherapy versus placebo studies. The Behavioral and Brain Sciences, 6, 275-310.
- Reilly, R. R., Brown, B., Blood, M. R., & Malatesta, C. Z. (1981). The effects of realistic previews: A study and discussion of the literature. Personnel Psychology, 34, 823-834.
- Robinson, A. W. (1989). A meta-analysis of the efficacy of classroom management training programs for teachers (Doctoral dissertation, Temple University). Dissertation Abstracts International, 50, 1634A.
- Robinson, A. W., & Hyman, I. A. (1984). A meta-analysis of human relations teacher training programs. National Association of School Psychologists. (ERIC Document Reproduction Service No. ED 253 521)

- Robinson, L. A., Berman, J. S., & Neimeyer, R. A. (1990). Psychotherapy for the treatment of depression: A comprehensive review of controlled outcome research. *Psychological Bulletin*, 108, 30–49.
- Rock, S. L. (1986). A meta-analysis of self-instructional training research (Doctoral dissertation, University of Illinois, 1985). Dissertation Abstracts International, 46, 3322A. (University Microfilms International No. 86–00295)
- Rose, L. H., & Lin, H. T. (1984). A meta-analysis of long-term creativity training programs. *Journal of Creative Behavior*, 18, 11-22.
- Rosenbuam, C. M. (1983). A meta-analysis of the effectiveness of educational treatment programs for emotionally disturbed students (Doctoral dissertation. The College of William and Mary). Dissertation Abstracts International, 44, 730A. (University Microfilms International No. 83-17068)
- Ross, J. A. (1988). Controlling variables: A meta-analysis of training studies. Review of Educational Research, 58, 405-437.
- Rundall, T. G., & Bruvold, W. H. (1988). A meta-analysis of school-based smoking and alcohol-use prevention programs. *Health Education Ouarterly*, 15, 317–334.
- Ryan, A. W. (1991). Metaanalysis of achievement effects of microcomputer applications in elementary schools. *Educational Administration Quarterly*, 27, 161–184.
- Saile, H., Burgmeier, R., & Schmidt, L. R. (1988). A meta-analysis of studies on psychological preparation of children facing medical procedures. *Psychology and Health*, 2, 107-132.
- Samson, G. E. (1985). Effects of training in test-taking skills on achievement test performance: A quantitative synthesis. *Journal of Educa*tional Research, 78, 261-266.
- Samson, G. E., Borger, J. B., Weinstein, T., & Walberg, H. J. (1984). Pre-teaching experiences and attitudes: A quantitative synthesis. Journal of Research and Development in Education, 17, 52-56.
- Sanders, V. H. (1979). A meta-analysis: The relationship of program content and operation factors to measured effectiveness of college reading-study programs (Doctoral dissertation, University of the Pacific). Dissertation Abstracts International, 40, 2507A. (University Microfilms International No. 79-23975)
- Schermer, J. D. (1984). Visual media and attitude formation and attitude change in nursing education (Doctoral dissertation, Wayne State University, 1983). Dissertation Abstracts International, 44, 3581A. (University Microfilms International No. 84-06022)
- Schimmel, B. J. (1983, April). A meta-analysis of feedback to learners in computerized and programmed instruction. Paper presented at the annual meeting of the American Educational Research Association, Montreal, Canada. (ERIC Document Reproduction Service No. ED 233 708)
- Schlaefli, A., Rest, J. R., & Thoma, S. J. (1985). Does moral education improve moral judgment? A meta-analysis of intervention studies using the defining issues test. Review of Educational Research, 55, 319-352
- Schmidt, M., Weinstein, T., Niemiec, R., & Walberg, H. J. (1986). Computer-assisted instruction with exceptional children. *Journal of Special Education*, 19, 493-502.
- Scogin, F., Bynum, J., Stephens, G., & Calhoon, S. (1990). Efficacy of self-administered treatment programs: Meta-analytic review. Professional Psychology: Research and Practice, 21, 42-47.
- Scruggs, T. E., Bennion, K., & White, K. (1984). Teaching test-taking skills to elementary grade students: A meta-analysis. Salt Lake City: Utah University, Developmental Center for the Handicapped. (ERIC Document Reproduction Service No. ED 256 082)
- Shadish, W. R., Jr. (1992). Do family and marital psychotherapies change what people do? A meta-analysis of behavioral outcomes. In T. D. Cook, H. Cooper, D. S. Cordray, H. Hartmann, L. V. Hedges, R. J. Light, T. A. Louis, & F. Mosteller (Eds.), Meta-analysis for explanation (pp. 129-208). New York: Russell Sage Foundation.
- Shapiro, D. A., & Shapiro, D. (1982). Meta-analysis of comparative therapy outcome studies: A replication and refinement. Psychological Bulletin. 92, 581-604.
- Shapiro, D. A., & Shapiro, D. (1983). Comparative therapy outcome research: Methodological implications of meta-analysis. *Journal of Consulting and Clinical Psychology*, 51, 42-53.
- Shatz, M. A. (1984). Assertiveness training: A meta-analysis of the research findings (Doctoral dissertation, University of Florida, 1983).

- Dissertation Abstracts International, 44, 2047A. (University Microfilms International No. 83-25006)
- Shaver, J. P., Curtis, C. K., Jesunathadas, J., & Strong, C. J. (1989). The modification of attitudes toward persons with disabilities: Is there a best way? *International Journal of Special Education*, 4(4), 33–57.
- Shoham-Salomon, V., & Rosenthal, R. (1987). Paradoxical interventions: A meta-analysis. *Journal of Consulting and Clinical Psychology*, 55, 22-28.
- Shwalb, B. J. (1987). Instructional technology in American and Japenese schools: A meta-analysis of achievement findings (Doctoral dissertation, University of Michigan). *Dissertation Abstracts International*, 48, 370A.
- Shymansky, J. (1984). BSCS programs: Just how effective were they? American Biology Teacher, 46, 54-57.
- Shymansky, J. A., Hedges, L. V., & Woodworth, G. (1990). A reassessment of the effects of inquiry-based science curricula of the 60's on student performance. *Journal of Research in Science Teaching*, 27, 127-144.
- Shymansky, J. A., Kyle, W. C., & Alport, J. (1982). Research synthesis on the science curriculum projects of the sixties. Educational Leadership, 40, 63-66.
- Shymansky, J. A., Kyle, W. C., & Alport, J. M. (1983). The effects of new science curricula on student performance. *Journal of Research* in *Science Teaching*, 20, 387-404.
- Skiba, R., & Casey, A. (1985). Interventions for behaviorally disordered students: A quantitative review and methodological critique. Behavioral Disorders, 10, 239-252.
- Slavin, R. E. (1987a). Ability grouping and student achievement in elementary schools: A best evidence synthesis. Review of Educational Research, 57, 293-236.
- Slavin, R. E. (1987b). Mastery learning reconsidered. Review of Educational Research, 57, 175-213.
- Slavin, R. E. (1990). Achievement effects of ability grouping in secondary schools: A best-evidence synthesis. Review of Educational Research, 60, 471-499.
- Slavin, R. E., & Madden, N. A. (1989). What works for students at risk: A research synthesis. Educational Leadership, 46(4), 4-13.
- Smith, M. L., & Glass, G. V. (1980). Meta-analysis of research on class size and its relationship to attitudes and instruction. American Educational Research Journal. 17, 419-433.
- Smith, M. L. Glass, G. V., & Miller, T. I. (1980). The benefits of psychotherapy. Baltimore: John Hopkins University Press.
- Snyder, S., & Sheehan, R. (1983). Integrating research in early childhood special education: The use of meta-analysis. *Diagnostique*, 9, 12–25.
- Sprinthall, N. A. (1981). A new model for research in the service of guidance and counseling. *Personnel and Guidance Journal*, 59, 487– 494.
- Stahl, S. A., & Fairbanks, M. M. (1986). The effects of vocabulary instruction: A model-based meta-analysis. Review of Educational Research, 56, 72-110.
- Stahl, S. A., & Miller, P. D. (1989). Whole language and language experience approaches for beginning reading: A quantitative research synthesis. Review of Educational Research, 59(5), 87-116.
- Standley, J. M. (1986). Music research in medical-dental treatment— Meta-analysis and clinical applications. *Journal of Music Therapy*, 23(2), 56-122.
- Stein, D. M. (1987). Companionship factors and treatment effects in children. *Journal of Clinical Child Psychology*, 16, 141-146.
- Stein, D. M., & Polyson, J. (1984). The Primary Mental Health Project reconsidered. *Journal of Consulting and Clinical Psychology*, 52, 940– 945.
- Steinbrueck, S. M., Maxwell, S. E., & Howard, G. S. (1983). A metaanalysis of psychotherapy and drug therapy in the treatment of unipolar depression with adults. *Journal of Consulting and Clinical Psychology*, 51, 856-863.
- Stevens, R. J., & Slavin, R. E. (1991). When cooperative learning improves the achievement of students with mild disabilities: A response to Tateyama-Sniezek. Exceptional Children, 57, 276-280.
- Straw, R. B. (1982). Meta-analysis of deinstitutionalization in mental health (Doctoral dissertation, Northwestern University, 1982). Dissertation Abstracts International, 43, 2006B. (University Microfilms International No. 82-26026)

- Susskind, E. C., & Bond, R. N. (1981). The potency of primary prevention: A meta-analysis of effect size. Eastern Psychological Association. (ERIC Document Reproduction Service No. ED 214 067)
- Sweitzer, G. L., & Anderson, R. D. (1983). A meta-analysis of research on science teacher education practices associated with inquiry strategy. *Journal of Research in Science Teaching*, 20, 453–466.
- Szczurek, M. (1982). Meta-analysis of simulation games effectiveness for cognitive learning (Doctoral dissertation, Indiana University). Dissertation Abstracts International, 43, 1031A. (University Microfilms International No. 82-20735)
- Thompson, J. M. (1987). A meta-analysis of test anxiety therapy outcome studies (Doctoral dissertation, Texas Christian University, 1986). Dissertation Abstracts International, 47, 3570B.
- Tillitski, C. J. (1990). A meta-analysis of estimated effect sizes for group versus individual versus control treatments. *International Journal of Group Psychotherapy*, 40, 215–224.
- Tobler, N. S. (1986). Meta-analysis of 143 adolescent drug prevention programs—Quantitative outcome results of program participants compared to a control or comparison group. *Journal of Drug Issues*, 16, 537-567.
- Truax, M. E. (1984). A meta-analytic review of studies evaluating paraprofessional effectiveness in mental health, education, law, and social work (Doctoral dissertation, University of Kansas, 1983). Dissertation Abstracts International, 44, 4A. (University Microfilms International No. 84-03625)
- Turley, M. A. (1984). A meta-analysis of informing mothers concerning the sensory and perceptual capabilities of their infants (Doctoral dissertation, University of Texas. Austin, 1983). Dissertation Abstracts International, 45, 1B. (University Microfilms International No. 84– 14461)
- Utah State University Exceptional Child Center. (1983). Early intervention research institute: Final report, 1982—83 work scope. Logan: Utah State University. (ERIC Document Reproduction Service No. ED 250 845)
- Vaughn, V. L., Feldhusen, J. F., & Asher, J. W. (1991). Meta-analyses and review of research on pull-out programs in gifted education. Gifted Child Quarterly, 35, 92-98.
- Videka-Shermain, L. (1988). Meta-analysis of research on social work practice in mental health. Social Work, 33, -338.
- Waddell, D. L. (1991). The effects of continuing education on nursing practice: A meta-analysis (Doctoral dissertation, University of Georgia, 1990). Dissertation Abstracts International, 51. 8A.
- Wade, R. K. (1984). What makes a difference in inservice teacher education: A meta-analysis of the research (Doctoral dissertation, University of Massachusetts). Dissertation Abstracts International, 45. A. (University Microfilms International No. 84-10341)
- Wade, R. K. (1985). What makes a difference in inservice teacher education? A meta-analysis of research. Educational Leadership, 42, 54.
- Wallace, T. A. (1990). The effects of enrichment on gifted students: A quantitative synthesis (Doctoral dissertation, University of Illinois at Chicago, 1989). Dissertation Abstracts International, 50, 1A.
- Wampler, K. S. (1983). Bringing the review of literature into the age of quantification: Meta-analysis as a strategy for integrating research findings in family studies. *Journal of Marriage and the Family*, 44, 9-1023.
- Wang, M. C., & Baker, E. T. (1986). Mainstreaming programs: Design features and effects. *Journal of Special Education*, 19, 503-523.
- Weinstein, T., Boulanger, F. D., & Walberg, H. J. (1982). Science curriculum effects in high school: A quantitative synthesis. Journal of Research in Science Teaching, 19, 511-522.
- Weisz, J. R., Weiss, B., Alicke, M. D., & Klotz, M. L. (1987). Effectiveness of psychotherapy with children and adolescents: A meta-analysis for clinicians. *Journal of Consulting and Clinical Psychology*, 55, 542-549.
- White, W. A. T. (1987). The effects of direct instruction in special education: A meta-analysis (Doctoral dissertation, University of Oregon, 1986). Dissertation Abstracts International, 47, 1A.
- Whitehead, J. T., & Lab, S. P. (1989). A meta-analysis of juvenile correctional treatment. *Journal of Research in Crime and Delinquency*, 26, 276-295.

- Willett, J. B., Yamashita, J. M., & Anderson, R. D. (1983). A metaanalysis of instructional systems applied in science teaching. *Journal* of Research in Science Teaching, 20, 405–417.
- Williams, W. V. L. (1990). A meta-analysis of the effects of instructional strategies delivered to the mathematically disadvantaged (Doctoral dissertation, George Peabody College for Teachers of Vanderbilt University, 1989). Dissertation Abstracts International, 51, A.
- Willig, A. C. (1985). A meta-analysis of selected studies on the effectiveness of bilingual education. Review of Educational Research, 55, 269-317.
- Wilson, L. B., Simson, S., & McCaughey, K. (1983). The status of preventive care for the aged: A meta-analysis. *Prevention in Human Services*, 3, 38.
- Wise, K. C., & Okey, J. R. (1983). A meta-analysis of the effects of various science teaching strategies on achievement. *Journal of Research* in Science Teaching, 20, 419-435.
- Wyma, R. J. (1990). Involving children as active agents of their own treatment: A meta-analysis of self-management training (Doctoral dissertation, Fuller Theological Seminary, School of Psychology). Dissertation Abstracts International, 51, 0B.
- Yeany, R. H., & Miller, P. A. (1983). Effects of diagnostic/remedial instruction on science learning: A meta-analysis. *Journal of Research* in Science Teaching, 20, 26.
- Yeany, R. H., & Porter, C. F. (1982). The effects of strategy analysis on science teacher behaviors: A meta-analysis. National Association for Research in Science Teaching. (ERIC Document Reproduction Services No. ED 216 858)

	Manuscript Checklist		
You can help your manuscript for the American Psychologist move smoothly through review and production by taking care of the items below before you send it to the editorial office. For further information, please refer to the Instructions to Authors, in the back of each issue of the American Psychologist, and the Publication Manual of the American Psychological Association (3rd ed.).			
	Leave a margin of at least one inch on all sides of the paper.		
	Double-space everything, including references, footnotes, tables, and figure captions. Double-space within each reference and within each footnote.		
	Type the title of the work, corresponding author's name, complete address (with a street address), phone numbers, fax numbers, and electronic mail address on a separate page after		
	the title page of the manuscript. Note any address change during the next six months.		
<u> </u>	Write an abstract of no more than 960 characters and spaces (120 words maximum). Put all footnotes at the end of the article. Do not print a footnote at the bottom of the page on which it is mentioned.		
	Send permission letters for tables, figures, or long quotations adapted or reprinted from		
	another source. See the <i>Publication Manual of the American Psychological Association</i> (3rd ed., p. 93) for proper citation formats.		
ū	If your manuscript has been accepted or conditionally accepted, submit glossies or photostats for all figures.		
	If your manuscript has been accepted or conditionally accepted, sign and return the Copyright Transfer Form.		
	If your manuscript has been accepted or conditionally accepted, include a diskette containing a word-processing file of the final version of your manuscript and sign and return the Author's Diskette Description Form.		